4/10

ESFICIZI DU CF

ESENCITO A

1) 5::={ 1256

RAPE CHORMS

m: E

m1: 5 - 25 6 - 26

W5: 2 - 99 5 86 - 99 2 89 - 3 53 84

2) )::= 61256/652/51

SENZA (1551/ NON POSSIAND OFTENER (1980) PENCH

920 è, an Elbussant Wentue p29 m, 1,1,2,3

KENIVAZIONE:

5 -> 256 -> 265 26 -> 2696

5 - 25 - 2365 - 2969 - 2969

CHE THIS DEI

3) 5::= { 1 2 1 6 1 8 2 6 1 6 1 8 1

RSEMIZIO B Exp::= nun | Exp 't' Exp | Exp x' (xr) '(Ex) NU 7:1 = 101 ( 11 1) 0 × 1 +0 EXP -> EXP > EXP EXP \* EXP \_ NUM \* EXP NUM X EXP -> 0 \* GXP X EXP 0 × EXP 4 EXP - D D × NUM + EXP 0 x my yex, - D 0 x 1 + EXP 0 × 7 1 Exp ~ 0 × 7 4 ~~~ 0 × 7 + NUM ~ 2 0 × 1 +0 2) "1 + (" \* Exp EXP - & EXP + FXP - D NCM + FXP -1 K EXP -> X NON COSTO CONTINUOS CENCHE BOUNG ( EJPANSENE EXP CON QUACCOSA & POI NON POSSO FAR APPART UNA PANENTESI APENTA SEIZA CAIVUENIA

2 6 3 VISTO CHG 11 '+' & IL' \* HAND 6 Stall DUNING DI GLECEPELSU UNO, DINEIZE DELVUSIN E2W(1510 D 1) EXC :: = EXP 1 # EXC 1) EXC Exez ::= EXIZ X EXEZ | EXE3 EXP3:15 MM / (EXP1) NUA ::: 0 1 7 AMBICLA PERCHE EXPT TEXPT El Cra scriber AMBIGUA. PER EXEMPHO: 1+1+1 (to OVE AIBENI DI DEMMERONE (7+1)+1 E 1+(1+1) Exp | EXP ,

Exp | Exp ,

Exp |

Exp 1 A13600i

NV5

AIBERDI EXP, EXP, ( EXP, ( EXP, 1 )

Z) AMBIULA PERCHE' MAN VIEW: PERINTO EXPZ E IL MACIONA MENTO E' AMAZOLA & SOPMA COM X

3) NOW AMBRUA PENCHE MON ABBRAM 2 AIBER,
B( DENNAZIONE, (M QUA-10 VEYCOJO BEFINAL
CE PRECEOFNZE

4) Arisino IF (8002) 10 = NUM: 15 = NUM:

