
CareerUp

People & organizations

CHAPTER OVERVIEW | All assigned tables and FK links; PKs shown. Context references are labeled. Full fields: dictionary and detailed sections.

PK / FK / UQ * = NOT NULL Circle = optional; bar = one; fork = many. Read each end at the table being counted.




R### identifies one FK tuple. Composite keys are documented in the dictionary/register. Required child minima need workflow validation.

CareerUp

Portfolio & trust

CHAPTER OVERVIEW | All assigned tables and FK links; PKs shown. Context references are labeled. Full fields: dictionary and detailed sections.

PK / FK / UQ * = NOT NULL Circle = optional; bar = one; fork = many. Read each end at the table being counted.




R### identifies one FK tuple. Composite keys are documented in the dictionary/register. Required child minima need workflow validation.

CareerUp

Community & discovery

CHAPTER OVERVIEW | All assigned tables and FK links; PKs shown. Context references are labeled. Full fields: dictionary and detailed sections.

PK / FK / UQ * = NOT NULL Circle = optional; bar = one; fork = many. Read each end at the table being counted.



R### identifies one FK tuple. Composite keys are documented in the dictionary/register. Required child minima need workflow validation.

CareerUp

Opportunities & applications

CHAPTER OVERVIEW | All assigned tables and FK links; PKs shown. Context references are labeled. Full fields: dictionary and detailed sections.

PK / FK / UQ * = NOT NULL Circle = optional; bar = one; fork = many. Read each end at the table being counted.

CONTEXT REFERENCE

portfolio or company post

KEY	ATTRIBUTE	TYPE
PK	post_id *	bigint

R104

portfolio attachment

KEY	ATTRIBUTE	TYPE
PK/FK	application_id *	bigint
PK/FK	post_id *	bigint

R115

application evidence snapshot

KEY	ATTRIBUTE	TYPE
PK	snapshot_id *	bigint

R113

captured media file

KEY	ATTRIBUTE	TYPE
PK	snapshot_media_id *	bigint

R114

captured skill tag

KEY	ATTRIBUTE	TYPE
PK/FK	snapshot_id *	bigint
PK	skill_id_at_capture *	int

additional application material

KEY	ATTRIBUTE	TYPE
PK	material_id *	bigint

R095

application

KEY	ATTRIBUTE	TYPE
PK	application_id *	bigint

R103 R052 R054 R053 R105

application status

KEY	ATTRIBUTE	TYPE
PK	status_id *	smallint

R055 R056

status history entry

KEY	ATTRIBUTE	TYPE
PK	history_id *	bigint

R057

R096

private application note

KEY	ATTRIBUTE	TYPE
PK	note_id *	bigint

R097

CONTEXT REFERENCE

academic discipline

KEY	ATTRIBUTE	TYPE
PK	discipline_id *	int

R051

job discipline link

KEY	ATTRIBUTE	TYPE
PK/FK	job_id *	bigint
PK/FK	discipline_id *	int

R050

CONTEXT REFERENCE

skill

KEY	ATTRIBUTE	TYPE
PK	skill_id *	int

CONTEXT REFERENCE

student profile

KEY	ATTRIBUTE	TYPE
PK/FK	user_id *	bigint

R060

job invitation

KEY	ATTRIBUTE	TYPE
PK	invitation_id *	bigint

R058 R059

CONTEXT REFERENCE

company

KEY	ATTRIBUTE	TYPE
PK	company_id *	bigint

R046

CONTEXT REFERENCE

account

KEY	ATTRIBUTE	TYPE
PK	user_id *	bigint

CONTEXT REFERENCE

company location

KEY	ATTRIBUTE	TYPE
PK	location_id *	bigint

job skill link

KEY	ATTRIBUTE	TYPE
PK/FK	job_id *	bigint
PK/FK	skill_id *	int

R049 R048

candidate list entry

KEY	ATTRIBUTE	TYPE
PK/FK	list_id *	bigint
PK/FK	student_user_id *	bigint

R063 R062

job

KEY	ATTRIBUTE	TYPE
PK	job_id *	bigint

R101 R047

candidate list

KEY	ATTRIBUTE	TYPE
PK	list_id *	bigint

R061


R### identifies one FK tuple. Composite keys are documented in the dictionary/register. Required child minima need workflow validation.

CareerUp

Communication

CHAPTER OVERVIEW | All assigned tables and FK links; PKs shown. Context references are labeled. Full fields: dictionary and detailed sections.

PK / FK / UQ * = NOT NULL Circle = optional; bar = one; fork = many. Read each end at the table being counted.



R### identifies one FK tuple. Composite keys are documented in the dictionary/register. Required child minima need workflow validation.

CareerUp

Career advising

CHAPTER OVERVIEW | All assigned tables and FK links; PKs shown. Context references are labeled. Full fields: dictionary and detailed sections.

PK / FK / UQ * = NOT NULL Circle = optional; bar = one; fork = many. Read each end at the table being counted.




R### identifies one FK tuple. Composite keys are documented in the dictionary/register. Required child minima need workflow validation.

CareerUp

Governance & administration

CHAPTER OVERVIEW | All assigned tables and FK links; PKs shown. Context references are labeled. Full fields: dictionary and detailed sections.

PK / FK / UQ * = NOT NULL Circle = optional; bar = one; fork = many. Read each end at the table being counted.



R### identifies one FK tuple. Composite keys are documented in the dictionary/register. Required child minima need workflow validation.