

CALCULATING AGE

```
1 #include <stdio.h>
2
3 int main()
4 {
5     int year;
6     int year_age = 2024;
7     printf("Enter your birth year: ");
8     scanf("%d", &year);
9
10    int your_age = year_age - year;
11    printf("Your age is: %d", your_age);
12    return 0;
13 }
```

Compile Result

```
Enter your birth year: 2007
Your age is: 17
[Process completed - press Enter]
```



MULTIPLICATION WITH RANGE

```
1 #include <stdio.h>
2
3 int main() {
4     int i, num;
5     printf("Enter an integer: ");
6     scanf("%d", &num);
7     printf("\nEnter range: ");
8     scanf("%d", &i);
9
10    for (int i = 1 ; i < 11 ; ++i) {
11        printf("%d x %d = %d \n", num, i, num*i);
12    }
13
14    return 0;
15 }
```

Compile Result

```
Enter an integer: 7

Enter range: 10
7 x 1 = 7
7 x 2 = 14
7 x 3 = 21
7 x 4 = 28
7 x 5 = 35
7 x 6 = 42
7 x 7 = 49
7 x 8 = 56
7 x 9 = 63
7 x 10 = 70

[Process completed - press Enter]
```



PROGRAM THAT COUNTS ONE TO TEN

```
1 #include <stdio.h>
2 #include <unistd.h>
3
4 int main() {
5     int num;
6
7     for (num = 1; num < 11; ++num) {
8         printf("%d\n", num);
9         sleep(1);
10    }
11
12    return 0;
13 }
```

Compile Result

```
1
2
3
4
5
6
7
8
9
10

[Process completed - press Enter]
```

LOCAL TIME PROGRAM

```
1 #include <stdio.h>
2 #include <time.h>
3
4 int main() {
5     int num;
6
7     for (num = 1; num < 11; ++num) {
8         printf("%d\n", num);
9         sleep(1);
10    }
11
12    system("clear");
13
14    time_t current_time;
15    current_time = time(NULL);
16    struct tm *tm_local = localtime(&current_time);
17    printf("\nThe current local time is %d:%d:%d\n", tm_local -> tm_hour, tm_local -> tm_min, tm_local -> tm_sec);
18
19    return 0;
20 }
```

Compile Result

```
The current local time is 22:31:31
[Process completed - press Enter]
```

ODD OR EVEN INTEGER

```
1 #include <stdio.h>
2
3 int main() {
4     int x;
5
6     printf("Input: ");
7     scanf("%d", &x);
8
9     if (x > 0) {
10        printf("\nPositive\n");
11        printf("\nExplanation: Since %d is greater than zero, it is positive.\n", x);
12    }
13    else if (x == 0) {
14        printf("\nZero\n");
15        printf("\nExplanation: Since %d is equal to zero, it is zero.\n", x);
16    }
17    else {
18        printf("\nNegative\n");
19        printf("\nExplanation: Since %d is less than zero, it is negative.\n", x);
20    }
21
22    return 0;
23 }
```

Compile Result

```
Input: -5
Negative
Explanation: Since -5 is less than zero, it is ne
gative.
[Process completed - press Enter]
```

COPYING STRING INPUT

```
1 #include <stdio.h>
2 #include <stdlib.h>
3
4 int main () {
5     char str[50];
6
7     printf("String in keyboard");
8     printf("\n=====");
9     printf("Input the string: ");
10
11    fgets(str, sizeof str, stdin);
12    printf("\nThe string you have entered is: %s ", str);
13
14    return 0;
15 }
```

Compile Result

```
String in keyboard
=====
Input the string: h1 b0Zxs!! MuzZt4hH,, haAHa@!!

The string you have entered is: h1 b0Zxs!! MuzZt4
hH,, haAHa@!!
[Process completed - press Enter]
```

AVERAGE CALCULATOR & REMARK AND ACHIEVEMENT CLASSIFIER

```
1 #include <stdio.h>
2
3 int main() {
4     int o, k, g, p, pe, e, f, pr;
5
6
7     //ENTERING VALUE
8     printf("Enter OrCom grade: ");
9     scanf("%d", &o);
10
11     printf("Enter KomPan grade: ");
12     scanf("%d", &k);
13
14     printf("Enter GenMath grade: ");
15     scanf("%d", &g);
16
17     printf("Enter PerDev grade: ");
18     scanf("%d", &p);
19
20     printf("Enter PE grade: ");
21     scanf("%d", &pe);
22
23     printf("Enter EAPP grade: ");
24     scanf("%d", &e);
25
26     printf("Enter FPL grade: ");
27     scanf("%d", &f);
28
29     printf("Enter Prog grade: ");
30     scanf("%d", &pr);
31
32
33     //CALCULATION
34     double average = (double) (o+k+g+p+pe+e+f+pr)/8;
35     printf("\nYOUR AVERAGE IS: %.2lf\n", average);
36
37
38     //REMARKS
39     if (average <= 75) {
40         printf("Remarks: FAILED!");
41     }
42     else if (average > 75) {
43         printf("Remarks: PASSED!");
44     }
45
46
47     //HONORS
48     if (average >= 97.5) {
49         printf("\nAchievement: WITH HIGHEST HONORS");
50     }
51     else if (average >= 94.5) {
52         printf("\nAchievement: WITH HIGH HONORS");
53     }
54     else if (average >= 89.5) {
55         printf("\nAchievement: WITH HONORS");
56     }
57
58     return 0;
59 }
```

Compile Result

```
Enter OrCom grade: 93
Enter KomPan grade: 92
Enter GenMath grade: 94
Enter PerDev grade: 95
Enter PE grade: 97
Enter EAPP grade: 95
Enter FPL grade: 93
Enter Prog grade: 97

YOUR AVERAGE IS: 94.50
Remarks: PASSED!
Achievement: WITH HIGH HONORS
[Process completed - press Enter]
```



MENU & RECEIPT PROGRAM

```
1 #include <stdio.h>
2
3 int main() {
4     int order, q, payment, i;
5     float total = 0.0;
6
7     menu:
8     printf("\n\t-9€- MENU -9€-");
9     printf("(1) Special Bibingka - Php 70.00\n");
10    printf("(2) Milky Cheese Putobumbong - Php 55.00\n");
11    printf("(3) De Leche Putobumbong - Php 75.00\n");
12    printf("(4) Classic Putobumbong - Php 35.00\n");
13    printf("\nEnter your order: ");
14    scanf("%d", &order);
15
16    printf("\nEnter quantity: ");
17    scanf("%d", &q);
18
19    switch (order) {
20        case 1:
21            total += 70.00 * q;
22            printf("\nYou ordered:\n(1) Special Bibingka - Php 70.00 x %d\n", q);
23            break;
24        case 2:
25            total += 55.00 * q;
26            printf("\nYou ordered:\n(2) Milky Cheese Putobumbong - Php 55.00 x %d\n", q);
27            break;
28        case 3:
29            total += 75.00 * q;
30            printf("\nYou ordered:\n(3) De Leche Putobumbong - Php 75.00 x %d\n", q);
31            break;
32        case 4:
33            total += 35.00 * q;
34            printf("\nYou ordered:\n(4) Classic Putobumbong - Php 35.00 x %d\n", q);
35            break;
36        default:
37            printf("\nERROR\n");
38            goto menu;
39            break;
40    }
41
42    printf("\nDo you want to order again? Press 1 to continue, or any other key to finish\n");
43    scanf("%d", &i);
44
45    if(i == 1) {
46        goto menu;
47    }
48
49    printf("\nTotal amount to pay: Php %.2f\n", total);
50
51    printf("\nEnter your payment: Php ");
52    scanf("%d", &payment);
53
54    float change = payment - total;
55
56    printf("\n\n— HERE IS YOUR RECEIPT: —\n");
57    printf("\n=====");
58
59    printf("TOTAL: Php %.2f\n", total);
60    printf("Payment: Php %d\n", payment);
61    printf("Change: Php %.2f\n", change);
62    printf("=====");
63
64    return 0;
65 }
```

Compile Result

```
-9€- MENU -9€-
(1) Special Bibingka - Php 70.00
(2) Milky Cheese Putobumbong - Php 55.00
(3) De Leche Putobumbong - Php 75.00
(4) Classic Putobumbong - Php 35.00

Enter your order: 1

Enter quantity: 1

You ordered:
(1) Special Bibingka - Php 70.00 x 1

Anything else? Press 1 to order again, or any other key to finish.
1

-9€- MENU -9€-
(1) Special Bibingka - Php 70.00
(2) Milky Cheese Putobumbong - Php 55.00
(3) De Leche Putobumbong - Php 75.00
(4) Classic Putobumbong - Php 35.00

Enter your order: 4

Enter quantity: 2

You ordered:
(4) Classic Putobumbong - Php 35.00 x 2

Anything else? Press 1 to order again, or any other key to finish.
4

Total amount to pay: Php 140.00

Enter your payment: Php 150

— HERE IS YOUR RECEIPT: —

=====
TOTAL: Php 140.00
Payment: Php 150
Change: Php 10.00
=====
```


ROCK, PAPER, SCISSOR, SHOOT!

```
1 #include <stdio.h>
2 #include <time.h>
3 #include <stdlib.h>
4
5 int main() {
6     int r = 1, p = 2, s = 3;
7     int i;
8     int Pscore = 0, Cscore = 0;
9     int choice;
10
11     srand (time(NULL));
12     printf("Rock = 1\nPaper = 2\nScissor = 3\n");
13
14     for (i = 0; i < 5; i++) {
15         printf("\n\nYou: ");
16         scanf("%d", &choice);
17
18         int comp = rand()%3+1;
19
20         if (choice == 1) {
21             if (comp == 1) {
22                 printf("Computer: 1\n");
23                 printf("\n~ Draw ~\n");
24             }
25             if (comp == 2) {
26                 printf("Computer: 2\n");
27                 printf("\n~ Computer wins! ~\n");
28                 Cscore = Cscore + 1;
29             }
30             if (comp == 3) {
31                 printf("Computer: 3\n");
32                 printf("\n~ Player wins! ~\n");
33                 Pscore = Pscore + 1;
34             }
35         }
36
37         else if (choice == 2) {
38             if (comp == 2) {
39                 printf("Computer: 2\n");
40                 printf("\n~ Draw ~\n");
41             }
42             if (comp == 3) {
43                 printf("Computer: 3\n");
44                 printf("\n~ Player wins! ~\n");
45                 Pscore = Pscore + 1;
46             }
47             if (comp == 1) {
48                 printf("Computer: 1\n");
49                 printf("\n~ Computer wins! ~\n");
50                 Cscore = Cscore + 1;
51             }
52         }
53
54         else if (choice == 3) {
55             if (comp == 3) {
56                 printf("Computer: 3\n");
57                 printf("\n~ Draw ~\n");
58             }
59             if (comp == 2) {
60                 printf("Computer: 2\n");
61                 printf("\n~ Player wins! ~\n");
62                 Pscore = Pscore + 1;
63             }
64             if (comp == 1) {
65                 printf("Computer: 1\n");
66                 printf("\n~ Computer wins! ~\n");
67                 Cscore = Cscore + 1;
68             }
69         }
70
71         else {
72             printf("\nOnly choose from 1 to 3.\n");
73         }
74     }
75
76     if(Cscore > Pscore ){
77         printf("\n\n--- GAME END ---\nComputer won: %d - %d\n",Cscore,Pscore);
78     }
79     else if (Cscore < Pscore ){
80         printf("\n\n--- GAME END ---\nPlayer won: %d - %d\n",Pscore,Cscore);
81     }
82     else if(Cscore == Pscore ){
83         printf("\n\n--- GAME END ---\nNo winner. It is a draw!\n");
84     }
85
86     return 0;
87 }
```

Compile Result

Rock = 1
Paper = 2
Scissor = 3

You: 1
Computer: 3

- Player wins! -

You: 2
Computer: 2

- Draw -

You: 4

Only choose from 1 to 3.

You: 3
Computer: 2

- Player wins! -

You: 2
Computer: 1

- Computer wins! -

--- GAME END ---
Player won: 2 - 1

[Process completed - press Enter]

SIMPLE CALCULATOR

```
1 #include <stdio.h>
2
3 int main() {
4     int a, b, x;
5
6     printf("Choose operation among:\n");
7     printf("1. Addition\n2. Subtraction\n3. Multiplication\n4. Division\n\n");
8     scanf("%d", &x);
9
10    if (x > 4)
11        printf("\nENGKKK! Choose a number from 1 to 4 only.\n");
12    else
13        printf("\nEnter 2 integer numbers\n\n");
14        scanf("%d %d", &a, &b);
15    //
16    if(x == 1) {
17        printf("\n%d + %d = %d\n", a, b, (a+b));
18    }
19
20    else if (x == 2) {
21        printf("\n%d - %d = %d\n", a, b, (a-b));
22    }
23
24    else if (x == 3) {
25        printf("\n%d * %d = %d\n", a, b, (a*b));
26    }
27
28    else if (x == 4) {
29        if(b != 0)
30            printf("\n%d ÷ %d = %d\n", a, b, (a/b));
31        else
32            printf("\nError!\n");
33    }
34
35    return 0;
36 }
```

Compile Result

Choose operation among:
1. Addition
2. Subtraction
3. Multiplication
4. Division

2

Enter 2 integer numbers

2
3

2 - 3 = -1

[Process completed - press Enter]

AREA & PERIMETER

```
1 #include <stdio.h>
2
3 int main() {
4     int l = 10, w = 10;
5
6     int area = l * w;
7     int perimeter = 2*(l + w);
8
9     printf("The Area of the Rectangle is: %d\n", area);
10    printf("The Perimeter of the Rectangle is: %d\n", perimeter);
11
12    return 0;
13 }
```

Compile Result

The Area of the Rectangle is: 100
The Perimeter of the Rectangle is: 40

[Process completed - press Enter]

SIMPLE INTEREST CALCULATOR

```
1 #include <stdio.h>
2
3 int main() {
4     int p, r, t;
5
6     printf("Principal: ");
7     scanf("%d", &p);
8
9     printf("Rate: ");
10    scanf("%d", &r);
11
12    printf("Time: ");
13    scanf("%d", &t);
14
15    int simpInt = (p * r * t)/100;
16    printf("\nSimple Interest: %d", simpInt);
17
18    return 0;
19 }
```

Compile Result

```
Principal: 50000
Rate: 3
Time: 2
```

```
Simple Interest: 3000
[Process completed - press Enter]
```

INPUT IN REVERSE

```
1 #include <stdio.h>
2 #include <stdlib.h>
3 #include <string.h>
4
5 int main () {
6     char str[100];
7     int l, i;
8
9     printf("String in keyboard");
10    printf("\n=====\\n");
11    printf("Input the string: ");
12
13    fgets(str, sizeof str, stdin);
14    l=strlen(str);
15    printf("\\nIn reverse");
16
17    for (i=l-1;i>=0;i--) {
18        printf("\\n%c", str[i]);
19        sleep(1);
20    }
21
22    printf("\\n");
23
24    return 0;
25 }
```

Compile Result

```
String in keyboard
=====
Input the string: sakalam
```

```
In reverse
```

```
m
a
l
a
k
a
s
```

```
[Process completed - press Enter]
```

POSITIVE, NEGATIVE, OR ZERO INTEGER CLASSIFIER

```
1 #include <stdio.h>
2
3 int main() {
4     int x;
5
6     printf("Input: ");
7     scanf("%d", &x);
8
9     if (x > 0) {
10        printf("\\nPositive\\n");
11        printf("\\nExplanation: Since %d is greater than zero, it is positive.\\n", x);
12    }
13    else if (x == 0) {
14        printf("\\nZero\\n");
15        printf("\\nExplanation: Since %d is equal to zero, it is zero.\\n", x);
16    }
17    else {
18        printf("\\nNegative\\n");
19        printf("\\nExplanation: Since %d is less than zero, it is negative.\\n", x);
20    }
21
22    return 0;
23 }
```

Compile Result

```
Input: -5
```

```
Negative
```

```
Explanation: Since -5 is less than zero, it is ne  
gative.
```

```
[Process completed - press Enter]
```


GRADING SYSTEM

```
1 #include <stdio.h>
2 #include <conio.h>
3 int main() {
4     int i;
5     float mark, sum = 0, avg;
6
7     printf("Enter your grades in 8 subjects:\n");
8     for (i=0; i<8; i++) {
9         scanf("%f", &mark);
10        sum = sum + mark;
11    }
12
13    avg = sum/8;
14
15    if (avg >= 91 && avg <=100) {
16        printf("\nYour grade is: A1", avg);
17    }
18    else if (avg >=81 && avg <=90) {
19        printf("\nYour grade is: A2", avg);
20    }
21    else if (avg >=71 && avg <=80) {
22        printf("\nYour grade is: B1", avg);
23    }
24    else if (avg >=61 && avg <=70) {
25        printf("\nYour grade is: B2", avg);
26    }
27    else if (avg >=51 && avg <=60) {
28        printf("\nYour grade is: C1", avg);
29    }
30    else if (avg >=41 && avg <=50) {
31        printf("\nYour grade is: C2", avg);
32    }
33
34    return 0;
35 }
```

Compile Result

```
Enter your grades in 8 subjects:
93
92
94
95
97
95
93
97
```

```
Your grade is: A1
[Process completed - press Enter]
```

MULTIPLICATION OF INTEGER

```
1 #include <stdio.h>
2
3 int main() {
4     int i, num;
5     printf("Enter a integer: ");
6     scanf("%d", &num);
7     printf("\nMultiplication of %d:\n", num);
8
9     for (i = 1 ; i < 11 ; ++i) {
10        printf("%d x %d = %d \n", i, num, num*i);
11    }
12
13    return 0;
14 }
```

Compile Result

```
Enter a integer: 5
```

```
Multiplication of 5:
```

```
5 x 1 = 5
5 x 2 = 10
5 x 3 = 15
5 x 4 = 20
5 x 5 = 25
5 x 6 = 30
5 x 7 = 35
5 x 8 = 40
5 x 9 = 45
5 x 10 = 50
```

```
[Process completed - press Enter]
```

LYRICS

```
1 #include <stdio.h>
2
3 int main() {
4     printf("AKO NAMAN MUNA\nby Angela Ken\n");
5     printf("\n\nLa, la\n");
6     printf("La, la, la, la, la, la\n");
7     printf("La, la, la, la, la, la\n");
8     printf("\nKada hakbang sa lupa'y para akong inaalon\n");
9     printf("At nalulunod sa batikos ng mundo\n");
10    printf("Sa kung ano lamang ang kaya ko\n");
11    printf("Pigang-piga na sa mga problemang 'di masolusyonan agad\n");
12    printf("Parang wala ng bukas\n");
13    printf("Pwede bang umiwas?\n");
14    printf("\nHinahanap ang sarili ngunit 'di na kakayanin\n");
15    printf("Sa ligaw na dinadaan ko\n");
16    printf("Sa'n na 'to patungo?\n");
17    printf("Sa'n na 'ko patungo?\n");
18    printf("\nDahan-dahan nating simulan muli ang paghakbang\n");
19    printf("Dahan-dahang tumingin sa salamin\n");
20    printf("Upang makita ang ating kagandahan\n");
21    printf("Dahan-dahang iangat ang mukha\n");
22    printf("Upang masilayan ang payapang kalangitan\n");
23    printf("Oo, pagod ka na, pero 'di ka nag-iisa\n");
24    printf("Kaya't lumaban ka at sabihing\n");
25    printf("Ako naman muna\n");
26    printf("\nKada langhap sa hangin pansin ko na lagi na lang usok\n");
27    printf("Walang malinis, halos puro polusyon\n");
28    printf("Parang ako raw na konsumisyon\n");
29    printf("Gulong-gulo ang isip, sa'n ba lulugar kapag nagkamali?\n");
30    printf("Grabe sila manghugsa\n");
31    printf("Bakit? Perpekto ba sila?\n");
32    printf("\nHuminga ka ng malalim at isipin ng mabuti\n");
33    printf("Ang mga desisyong ilalaan para sa kinabukasan\n");
34    printf("Nang makapunta sa paroroonan\n");
35    printf("\nKung dahan-dahan nating simulan muli ang paghakbang\n");
36    printf("Dahan-dahang tumingin sa salamin\n");
37    printf("Upang makita ang ating kagandahan\n");
38    printf("Dahan-dahang iangat ang mukha\n");
39    printf("Upang masilayan ang payapang kalangitan\n");
40    printf("Oo, pagod ka na, pero 'di ka nag-iisa\n");
41    printf("Kaya't lumaban ka at sabihing\n");
42    printf("Ako naman muna\n");
43    printf("Ako naman muna\n");
44    printf("\nHuwag papalamon sa lungkot\n");
45    printf("Huwag hahayaang malugmok ang puso mo\n");
46    printf("Sa ibabato sa 'yo ng iba\n");
47    printf("Tandaan mong sapat ka\n");
48    printf("\nDahan-dahang tangalin ang maskara\n");
49    printf("At hayaang tumulo ang bumabadyang mga luha\n");
50    printf("Dahan-dahang tumingin sa salamin\n");
51    printf("At tanggapin minsan ayos lang maging mahina rin\n");
52    printf("Dahan-dahang iangat ang mukha\n");
53    printf("Upang masilayan ang mga taong ika'y pinapahalagahan\n");
54    printf("Oo, pagod ka na, pero 'di ka nag-iisa\n");
55    printf("Kaya't lumaban ka at sabihing\n");
56    printf("Ako naman muna\n");
57    printf("Ako naman muna\n");
58    return 0;
59 }
```

Compile Result

```
AKO NAMAN MUNA
by Angela Ken
```

```
La, la
La, la, la, la, la, la
La, la, la, la, la, la
```

```
Kada hakbang sa lupa'y para akong inaalon
At nalulunod sa batikos ng mundo
Sa kung ano lamang ang kaya ko
Pigang-piga na sa mga problemang 'di masolusyonan
agad
Parang wala ng bukas
Pwede bang umiwas?
```

```
Hinahanap ang sarili ngunit 'di na kakayanin
Sa ligaw na dinadaan ko
Sa'n na 'to patungo?
Sa'n na 'ko patungo?
```

```
Dahan-dahan nating simulan muli ang paghakbang
Dahan-dahang tumingin sa salamin
Upang makita ang ating kagandahan
Dahan-dahang iangat ang mukha
Upang masilayan ang payapang kalangitan
Oo, pagod ka na, pero 'di ka nag-iisa
Kaya't lumaban ka at sabihing
Ako naman muna
```

```
Kada langhap sa hangin pansin ko na lagi na lang
usok
Walang malinis, halos puro polusyon
Parang ako raw na konsumisyon
Gulong-gulo ang isip, sa'n ba lulugar kapag nagka
mali?
Grabe sila manghugsa
Bakit? Perpekto ba sila?
```

```
Huminga ka ng malalim at isipin ng mabuti
Ang mga desisyong ilalaan para sa kinabukasan
Nang makapunta sa paroroonan
```

```
Kung dahan-dahan nating simulan muli ang paghakba
ng
Dahan-dahang tumingin sa salamin
```


PROGRAMMING TASK: C- CREATING

A. Directions: Individually create your own simple programs using your C coding app on your phone that execute the three basic types of logic or control flow.

- 1.Sequence logic, or sequential flow
- 2. Selection logic, or conditional flow
- 3.Iteration logic, or repetitive flow

For each type, include the name of your program along with a screenshot of the source code and its output.

1 & 2. SEQUENCE AND SELECTION LOGIC

INTEGER DIVIDED BY ZERO PROGRAM

```
1 #include <stdio.h>
2
3 int main() {
4     int e, o;
5
6     printf("Input your dividend and divisor: \n");
7     scanf("%d %d", &e, &o);
8
9     int quo = e / o;
10
11     if (o > 0) {
12         printf("\n%d ÷ %d = %d\n", e, o, (e/o));
13     }
14
15     else {
16         printf("\nERROR! Can't divide by zero.\n");
17     }
18
19
20     return 0;
21 }
```

Compile Result

Input your dividend and divisor:
2
0

ERROR input '2 ÷ 0' ! Can't divide by zero.

[Process completed - press Enter]

```
1 #include <stdio.h>
2 #include <unistd.h>
3
4 int main() {
5     int num;
6
7     for (num = 60; num >= 0; num--) {
8         printf("%d\n", num);
9         sleep(1);
10    }
11    return 0;
12 }
```

Compile Result

60
59
58
57
56
55
54
53
52
51
50
49
48
47
46
45
44
43
42
41
40
39
38
37
36
35
34
33
32
31
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0

3. ITERATION
1 MINUTE COUNTDOWN

INDIVIDUAL WRITTEN TASK: REPARSING

A. Directions: Troubleshoot the given code using your C CODING APP and identify by explaining the errors and corrections. Follow the given example below. Once you fixed it, IDENTIFY WHAT OUTPUT IS THE GIVEN CODES. DON'T FORGET TO SCREENSHOT AND ITS FINAL OUTPUT

EXPLANATION OF ERRORS AND CORRECTIONS:

- Error 1 (Line 3): Incorrect header #include <unistd>.

Fix: Change to #include <unistd.h> (correct syntax for including unistd.h).
- Error 2 (Line 6): Missing semicolon after int timer = 10.

Fix: Add a semicolon after the int timer = 10 declaration.
- Error 3 (Line 8): Missing parentheses in the while loop condition (while timer >= 0).

Fix: Add parentheses around the condition timer >= 0 in the while loop.
- Error 4 (Line 12): sleep function missing argument (sleep 1;).

Fix: The sleep function requires an argument (number of seconds to sleep). Correct the syntax to sleep(1).
- Error 5 (Line 7): Missing semicolon after printf("Countdown Timer: \n");.

Fix: Add a semicolon after the printf statement.
- Error 6 (Line 17): Incorrect return statement in main (return;).

Fix: The main function should return an integer (0) to indicate successful execution.
- Error 7 (Line 10): pause_timer function missing void return type.

Fix: The function pause_timer should have a void return type since it doesn't return any value.
- Error 8 (Line 14): sleep function is incorrectly written in pause_timer (sleep 1;).

Fix: The sleep function should be called as sleep(1); with proper syntax.
- Error 9 (Line 16): Missing semicolon after printf("\n"); in pause_timer.

Fix: Add a semicolon at the end of printf("\n"); in the pause_timer function.
- Error 10 (Line 20): if statement outside main is invalid.

Fix: The if statement outside main is unnecessary and causes syntax issues. Remove it or wrap it inside a function.
- Error 11 (Line 18): Incorrect return type in main (return;).

Fix: main function should return 0 to indicate successful execution.
- Error 12 (Line 22): Unused function timer_end_message in main.

Fix: Declare the timer_end_message() function before calling it in main() to avoid "conflicting types" errors.
- Error 13 (Line 22): printf("End of timer.") missing semicolon.

Fix: Add a semicolon after the printf("End of timer.") statement.
- Error 14 (Line 22): timer_end_message() function is missing a return statement.

Fix: The timer_end_message() function doesn't require a return type since it is void.
- Error 15 (Throughout the code): Unmatched braces and parentheses.

Fix: Ensure that all braces {} and parentheses () are properly matched.

```
1 #include <stdio.h>
2 #include <stdlib.h>
3 #include <unistd.h>
4
5 void timer_end_message();
6
7 int main() {
8     int timer = 10;
9     printf("Countdown Timer:\n");
10
11     while (timer >= 0) {
12         printf("Time remaining: %d seconds\n", timer);
13         sleep(1);
14         timer--;
15     }
16
17     printf("Time's up!\n");
18
19     timer_end_message();
20
21     return 0;
22 }
23
24 void timer_end_message() {
25     printf("End of timer.\n");
26 }
```

Compile Result

Countdown Timer:
Time remaining: 10 seconds
Time remaining: 9 seconds
Time remaining: 8 seconds
Time remaining: 7 seconds
Time remaining: 6 seconds
Time remaining: 5 seconds
Time remaining: 4 seconds
Time remaining: 3 seconds
Time remaining: 2 seconds
Time remaining: 1 seconds
Time remaining: 0 seconds
Time's up!
End of timer.

[Process completed - press Enter]