## Veritabanı Yönetimi ve Modellemesi Laboratuvarı

## Hafta 9 Çözümleri

1-

```
Çözüm 1:
CREATE VIEW view VirusBilgileri AS
     SELECT
          Virus=TV.Ad,
          Tur=TVT.Ad,
          Atasi=TVA.Ad,
          ORtam=TOK.Ad,
          TureyenVirusSayisi=(SELECT COUNT(*) From tbl virus
                         Where ataId=TV.id)
          from tbl virus TV INNER JOIN tbl virusTur TVT
               ON TV.virusTurId=TVT.id
          INNER JOIN tbl OrtamSartlariVirus TOV
               ON TOV. VirusId=TV.id
          INNER JOIN tbl OrtamKosullari TOK
               ON TOK.id=TOV.OrtamKosulId
          LEFT JOIN tbl Virus TVA
                    ON TVA.id=TV.ataId
Çözüm 2:
CREATE VIEW view VirusBilgileri v2 AS
     SELECT
          Virus=TV.Ad,
          Tur=TVT.Ad,
          Atasi=TVA.Ad,
          Ortam=TOK.Ad,
          TureyenVirusSayisi=COUNT(TVS.id)
     from tbl virus TV INNER JOIN tbl virusTur TVT
          ON TV.virusTurId=TVT.id
```

ON TOV. VirusId=TV.id INNER JOIN tbl OrtamKosullari TOK

INNER JOIN tbl OrtamSartlariVirus TOV

ON TOK.id=TOV.OrtamKosulId

LEFT JOIN tbl Virus TVA

ON TVA.id=TV.ataId

LEFT JOIN tbl Virus TVS

ON TV.id=TVS.ataId

GROUP BY TV.Ad, TVT.Ad, TVA.Ad, TOK.Ad

## Çözüm:

```
CREATE VIEW view VirusBilgileriSifreli WITH ENCRYPTION AS
     SELECT
          Virus=TV.Ad,
          Tur=TVT.Ad,
          Atasi=TVA.Ad,
          ORtam=TOK.Ad,
          TureyenVirusSayisi=(SELECT COUNT(*) From tbl virus
                        Where ataId=TV.id)
          from tbl virus TV INNER JOIN tbl_virusTur TVT
               ON TV.virusTurId=TVT.id
          INNER JOIN tbl OrtamSartlariVirus TOV
              ON TOV.VirusId=TV.id
          INNER JOIN tbl OrtamKosullari TOK
               ON TOK.id=TOV.OrtamKosulId
          LEFT JOIN tbl Virus TVA
                    ON TVA.id=TV.ataId
3-
Çözüm:
select * from view_VirusBilgileri
```

select \* from view VirusBilgileriSifreli