

Model Report: DecisionTree

15/02/2025

Introduction

This is an automated report for the Experiment with tree models on traffic volume dataset; the DecisionTree model.

This report will first introduce the model setup, including the hyperparameters and search algorithms used. Hereafter the base dataset will be described, and the differently created training datasets will be listed. After that, the results for the different forecast types will be presented, and the best results will be shown in plots.

Experiment description:

Experiment with tree models on traffic volume dataset

Model setup

The model has been used for the following forecast purposes:

- ☐ one_step
- ☐ multistep
- ☐ recursive

The model has been optimized using the following hyperparameters:

- max_depth: [2, 4, 6, 8, 10, 15, 20]
- criterion: ['squared_error']
- random_state: [42]
- min_samples_split: [5, 10, 50, 150, 200, 250]
- min_samples_leaf: [5, 10, 25, 50, 100]
- scaler: [None, StandardScaler(), MinMaxScaler(), RobustScaler(), PowerTransformer()]

And with the following search algorithms:

- ☐ grid
- ☐ random

The used performance measure is the r^2 measure.

Dataset setup

The baseline dataset used for these forecasts is

the 'Metro Interstate Traffic Volume with hourly features and holiday markings.' dataset: *'Metro Interstate Traffic Volume with hourly features and holiday markings.'*

The test size used for the forecasts is 0.2.

○ Dataset 1

- name: univariate_lagged
- dataset_type: univariate
- prediction_type: one_step
- components: ['one_step_target', 'lagged_target']

○ Dataset 2

- name: univariate_temporal
- dataset_type: univariate
- prediction_type: one_step
- components: ['one_step_target', 'temporal_features']

○ Dataset 3

- name: multivariate_lagged
- dataset_type: multivariate
- prediction_type: one_step
- components: ['one_step_target', 'lagged_target', 'feature_columns']

○ Dataset 4

- name: multivariate_lagged_temporal
- dataset_type: multivariate
- prediction_type: one_step
- components: ['one_step_target', 'temporal_features', 'feature_columns', 'lagged_target']

Dataset 5

- name: univariate_lagged_multistep
- dataset_type: univariate
- prediction_type: multistep
- components: ['multistep_target', 'lagged_target']

○ Dataset 6

- name: multivariate_lagged_temporal_multistep
- dataset_type: multivariate
- prediction_type: multistep
- components: ['multistep_target', 'temporal_features', 'feature_columns', 'lagged_target']


Results: DecisionTree

The presentation of the results follows this system: For each prediction type, the best and worst results for each combination of search method and dataset type are presented in heat plots along with the corresponding model setup.


- Then, if the prediction type is one-step forecasts, the best prediction over time is visualized in a line plot.
- If the prediction type is a multi-step forecast, either direct or recursive, the model with the average best r^2 score is chosen, and the three best and worst predictions are visualized in a line plot. Furthermore, three steps of the forecasts are plotted.

Results for the one_step forecast.



The best results (one_step) for the different setup combinations are as follows:



The worst results (*one_step*) for the different setup combinations are as follows:




Best one_step forecast over time




Results for the multistep forecast.

The best results (multistep) for the different setup combinations are as follows:




The worst results (multistep) for the different setup combinations are as follows:




Best predicted days for DecisionTree.


Date: 2017-11-21 18:00:00, R2 Score: 0.99




Date: 2018-08-02 16:00:00, R2 Score: 0.99



Date: 2018-03-22 23:00:00, R2 Score: 0.99




Worst predicted days for DecisionTree.




Steps plots for DecisionTree forecasts over time


Multistep forecast for DecisionTree_multistep_multivariate_lagged_temporal_multistep_lags24_steps24, Traffic Volume, average performance 0.6689705751063052, step score 0.9761780655196506



Multistep forecast for DecisionTree_multistep_multivariate_lagged_temporal_multistep_lags24_steps24, Traffic Volume, average performance 0.6689705751063052, step score 0.6913193865454423




Multistep forecast for DecisionTree_multistep_multivariate_lagged_temporal_multistep_lags24_steps24, Traffic Volume, average performance 0.6689705751063052, step score 0.37353183995543515




Results for the recursive forecast.


The best results (recursive) for the different setup combinations are as follows:




The worst results (recursive) for the different setup combinations are as follows:



Best predicted days for DecisionTree.




Worst predicted days for DecisionTree.




Steps plots for DecisionTree forecasts over time

Multistep forecast for DecisionTree_recursive_multivariate_lagged_temporal_lags24, Traffic Volume, average performance 0.9267272305238893, step score 0.9784360294616352



Multistep forecast for DecisionTree_recursive_multivariate_lagged_temporal_lags24, Traffic Volume, average performance 0.9267272305238893, step score 0.9194161883384022



Multistep forecast for DecisionTree_recursive_multivariate_lagged_temporal_lags24, Traffic Volume, average performance 0.9267272305238893, step score 0.9083886642575834

