Support Vector Machines ML Algorithms.

① SVC (Support Vector Classifier)

② SVR (Support Vector Regressor)





① Support Vector Machine (SVC)



$d > d'$





Soft Margin And Hard Margin In SVM



⑧ Support Vector Machines (SVC) Maths Intuition



$ax + by + c = 0$

$\Downarrow$

$w_1 x_1 + w_2 x_2 + b = 0$

$$\boxed{w^T x + b = 0}$$

$\Downarrow$

$b = 0$

$$\boxed{w^T x = 0}$$

d = -ve below plane

d = +ve above plane



$w^T x_1 + b = 1$

$w^T x_2 + b = -1$

(-) (-) (+)

$$\frac{w^T (x_1 - x_2)}{\|w\|} = \frac{+2}{\|w\|}$$

Unit vector {Magnitude of the vector is 1}

Cost function

Maximize $\frac{2}{||w||}$ w,b $\Rightarrow$ Distance between marginal plane

Constraint such that $y_i \begin{cases} +1 & w^T x + b \geq 1 \\ -1 & w^T x + b \leq -1 \end{cases}$ ← correctly classified point

For all correct points ← predicted points

Constraint $\longrightarrow$ $\boxed{y_i * (w^T x + b) \geq 1}$

$\boxed{C_i = 6}$ ✓

Maximize $\frac{2}{||w||}$ w,b $\Rightarrow$ $\boxed{\text{Min}_{(w,b)} \frac{||w||}{2}}$



Cost function of SVM (svc)

hyperparameter

$\text{Min}_{w,b} \frac{||w||}{2} + \boxed{C_i \sum_{i=1}^{n} \xi_i} \Rightarrow$ Hinge loss

C_i → {How many points we want to avoid misclassification}

ξ_i → {summation of the distance of the incorrect data points from the marginal plane}

⇓

Soft margin

Support Vector Regression

ϵ : Marginal Error



Cost function

$$\underset{w,b}{\text{Min}} \quad \frac{\|w\|}{2} + \left[C \sum_{i=1}^{n} \xi_i \right]$$

Hyperparameter

→ Hinge loss

Relationship

- C ↑↑
- Loss function ↓↓

Constraint :

$$|y_i - w_i x_i| \leq \epsilon + \xi$$

⇓

Loss function



ϵ → margin Error

ξ_i → Error above the margin