

Capture reelle du module Clients

Le module combine surface CRUD, controle d unicite email et protection de suppression.

Capture composee a partir des fichiers reels du depot GesPharmacie.

src/modules/client/client.routes.ts | lignes 8-18

```
8 | export const buildClientRouter = (controller: ClientController) => {
9 |   const router = Router();
10 |   const validator = new ClientValidator();
11 |
12 |   router.get("/", asyncHandler(controller.list));
13 |   router.post("/", validate(validator.getCreateSchema()), asyncHandler(controller.create));
14 |   router.get("/:id", validate(validator.getIdSchema()), asyncHandler(controller.getById));
15 |   router.patch("/:id", validate(validator.getUpdateSchema()), asyncHandler(controller.update));
16 |   router.delete("/:id", validate(validator.getIdSchema()), asyncHandler(controller.delete));
17 |
18 |   return router;
```

src/modules/client/client.service.ts | lignes 14-31

```
14 |   private async ensureEmailAvailable(email: string, clientId?: string) {
15 |     const existingClient = await this.clientRepository.findByEmail(email, clientId);
16 |
17 |     if (existingClient) {
18 |       throw new AppError(409, "L'email client existe deja.", {
19 |         email,
20 |       });
21 |     }
22 |   }
23 |
24 |   async list() {
25 |     return this.clientRepository.list();
26 |   }
27 |
28 |   async create(data: CreateClientDTO) {
29 |     await this.ensureEmailAvailable(data.email);
30 |
31 |     return this.clientRepository.create(data);
```

src/modules/client/client.service.ts | lignes 56-67

```
56 |   async delete(id: string) {
57 |     const client = await this.getById(id);
58 |
59 |     if (client._count.ventes > 0) {
60 |       throw new AppError(409, "Suppression interdite: ce client est associe a des ventes.", {
61 |         clientId: id,
62 |         ventesCount: client._count.ventes,
63 |       });
64 |     }
65 |
66 |     return this.clientRepository.delete(id);
67 |   }
```