

Gap analysis report

NCBI / BOLD Pipeline - generated 31 July 2026

Site: Belgium (waarnemingen.be) - period 2016-02-29 to 2026-07-31 - markers: ITS, ITS1, ITS2, rbcL, matK, trnL, psbA-trnH

Of the 10 species surveyed, 0 lack any sequence data on file, 4 show partial marker coverage, and 1 are fully represented in the local reference database (5 could not be checked against the observation site). Within each coverage category, species are ranked by field-observation count, so the highest-value near-term sequencing targets appear first.

1. Gap analysis




Table 1. Sequence coverage per species, ranked by observation count within status.




Species	Observations	ITS	ITS1	ITS2	rbcL	matK	trnL	psbA-trnH	Status
Lycopodium clavatum	1,401	0	2	1	1	1	1	2	Partial
Huperzia selago	303	0	1	1	1	1	1	1	Partial
Lycopodium tristachyum	5	0	0	0	1	0	1	0	Partial
Lycopodium complanatum	0	0	0	0	1	0	0	1	Partial
Lycopodiella inundata	6,386	1	1	2	1	1	1	1	Complete
Lycopodium annotinum	-	-	-	-	-	-	-	-	No data available
Lycopodium alpinum	-	-	-	-	-	-	-	-	No data available
Lycopodium issleri	-	-	-	-	-	-	-	-	No data available
Lycopodium zeilleri	-	-	-	-	-	-	-	-	No data available
Isoetes lacustris	-	-	-	-	-	-	-	-	No data available

2. Multiple sequence alignment

AF338737.1

NNOR1889-15








Figure 1. MSA - ITS2.fasta.

3. Retrieval rate




Figure 2. Retrieval rate - Barplot.