

Telematics Service Portal (TSP) for AMS

Used for SiteWatch Activation





Index


How to access

Home page

Add a company

Activation process

How to access



DEALER PORTAL

- Access via link on the dealer portal <u>https://portal.cnh.com</u>
 - Telematics Service Portal (TSP) for activation.
 - SiteWatch for adjusting settings (if needed) and create a user/customer access.




Home page

With the Telematics Service Portal the <u>dealer</u> is able to manage telematics subscriptions. The dealer can <u>activate</u>, <u>de-activate</u>, <u>renew</u> subscriptions as well as <u>switch</u> subscriptions after modem replacement.

The TSP has 5 different sections:

- Your fleet: displays all activated units and their status
- Your customers: to check and create customer company information
- Your wallet: to check the subscriptions purchased in aftermarket
- Notifications: to check the status of each action performed
- Request support: to ask support to the support team if any problem occurs
- Getting started: TSP tutorial video





Activation process

Two steps to activate the subscription



TIP: Prepare before you start


You need:

- 1. Machine serial number (to search for the certain machine)
- 2. Customer company details (name, address)
- 3. Modem serial number (for retro fit activation)
- 4. Subscription available in the virtual SiteWatch wallet. Check before starting the activation.



Add a company

Click on button to add you customer company-(if not already existing)



Add new Company

Company name *



Activation




By accessing the **Your Fleet** section or, by **filling in the machine serial number** in the search bar, you will land into the equipment dashboard.


The following machine related information is available:

- -Modem status
- -Brand, type and model
- -Modem serial number
- -Equipment owner
- -Region

And functionalities like:

- Change Assignment
- Replace device
- Change Market
- Activate







Device activation

- Factory fit activation: the device serial number is entered automatically
- Aftermarket activation: the device serial number needs to be entered manually (and is <u>mandatory</u> to proceed).

Note: It's required to select:

- The servicing dealer
- The visibility to a customer

SERVICING DEALER SELECTION


User can select one of the servicing dealers belonging to the dealer group (SAP group).

ASSIGN TO CUSTOMER

Dealer can choose to give visibility of the data to only the dealer (select NO) or also to a customer (select yes). When "yes", the dealer needs to select an existing customer or create a new one by clicking on the add user icon.

NOTE

When the dealer is activating a machine with factory fit telematics and the device identifier (s/n) is not filled automatically, it means something went wrong. Check the machine order to confirm if the machine should be equipped with telematics. After confirmation use the 'Get Support' button in the main menu to report the issue.





Subscription activation

Factory fit activation


One subscription can be selected

Aftermarket activation

 The dealer can pick one of the subscriptions available in the wallet. (The expire date, after activation, and number of available licenses are indicated within the subscription box)

Note:

- Aftermarket subscriptions can be ordered via the CNHi parts system.
- After activation it is necessary to switch ignition ON at least for 15 minutes for mapping with machine.





Activation

Two ways to check successful activation:

1. Wait till the status changes to 'Activated' in the 'Equipment dashboard'.


NOTE

The status showed on the top of the 'Equipment dashboard' indicates the status of modem. The **subscription status** is indicated in the 'subscription' section of the screen.

! Telematics is fully activated when both status icons are green.


Open the Notifications section and wait for the message that the subscription has been activated.







How to request support





Backup

