

From PoC to go-live

Additions to the campus emergency PoC

Daniel Cadwell · Salesforce architect-developer

Photo: geraldlangphotography / Pixabay

What a campus emergency line has to do

- Answer a caller who may be panicking, and may not know where they arep
- Take an alarm from a blue-light station with nobody on the line
- Decide in seconds which team goes, and how urgent it is
- Put the location, the camera and the decision in front of a dispatcher
- Escalate when nobody picks it up
- Bridge to 911 when campus response isn't enough

Where a PoC stops


PoC	Go-live
Intent as a picklist	Classified from speech
Hard-coded queue names	Routing table, editable without deploy
Case created, owner set	Owner set, dispatcher alerted, unclaimed work escalated
One happy path	Fallback, fault paths, empty states
Demo data	Permission model, agent user, audit

What this demo proves

Working, in a Developer Edition org, in two days:

- Metadata-driven routing with per-intent fallback
- Three entry points: simulated voice, silent alarm, and an Agentforce agent
- Dispatcher screen pop with station, camera and the rule that fired
- Unclaimed P0 escalation on a timer
- 10 test methods, all passing

Architecture




Routing is data

- Eight rows of intent + zone → queue + priority
- Exact match, then the DEFAULT row per intent, then NO ROUTE
- Changing a destination is a metadata edit, no deployment
- Demoed live: ASSAULT/MB-03 moved to another queue, the Case rerouted

The agent


- Agentforce Service Agent, one subagent, one action
- Classifies free text into five intents, collects location and injury
- Creates and routes the Case, reads the number back
- Messaging today; the same topic takes ASR output when Connect lands



The screen pop

- Station, class, building, zone, health badge
- Camera tile, blacked out with NO SIGNAL when the station is down
- The rule that fired, priority, privacy flags
- Empty state when no station resolved





Escalation and 911

- P0 unclaimed after two minutes → re-owned to a named dispatcher, decision stamped
- Campus dispatch is the tenant; 911 is a dispatcher bridge, not an auto-dial
- 911 needs a human on the line, a callback ANI and a dispatchable address

Evidence

- `DispatchServicesTest`, `CaseRouterTest`, `VoiceCallIntakeTest`, `SilentAlarmIntakeTest`, `AgentEmergencyIntakeTest` — 10/10
- Journal, in order, including what broke
- Build report: component inventory and the gap list

TEST NAME	OUTCOME	MESSAGE	RUNTIME (MS)
CaseRouterTest.defaultsWithoutStation	Pass		284
CaseRouterTest.routesFireInZone	Pass		124
DispatchServicesTest.flagsOutOfService	Pass		80
DispatchServicesTest.resolvesKnownStation	Pass		16
DispatchServicesTest.scoringThreshold	Pass		10
DispatchServicesTest.unknownNumber	Pass		16
VoiceCallIntakeTest.createsCaseWithStation	Pass		395
VoiceCallIntakeTest.createsCaseWithoutStation	Pass		203
SilentAlarmIntakeTest.createsAndRoutes	Pass		378
AgentEmergencyIntakeTest.createsWithStation	Pass		450

What broke, and what it taught

- A 17-character queue ID hid behind missing fault connectors: two hours
- `Is Null` returned false against a null DateTime: replaced with ISBLANK
- An Apex action that never invoked: replaced with a flow action
- A queue view that couldn't show new Cases: the "no case" reports were the list's fault

Rollout

1. Connect and PSTN, one building
2. Routing table to production, zone derived from building
3. Screen pop to the dispatch desk, with empty and error states
4. Escalation with a real on-call rota
5. 911 bridge and E911 address data
6. Agent on voice, after the classifier is tuned on real calls

What I'd need from you

- Access to the existing PoC
- The queue and skill model dispatch actually uses
- Whether 911 bridging is in scope, or a later phase
- A named on-call rota for escalation



Working proof, in two days

The gap list is written down. Let's talk about which parts you want first.