

Step-by-Step Guide: GitHub Pages Deployment

Step 1: Create a new repository on GitHub by setting the repository name to "Shoes Website" and ensuring the visibility is set to Public

Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).

Required fields are marked with an asterisk (*).

1

General

Owner * MalkiHany / Repository name *

✔ Your new repository will be created as Shoes-Website. The repository name can only contain ASCII letters, digits, and the characters ., -, and _.

Great repository names are short and memorable. How about [improved-octo-potato](#)?

Description

0 / 350 characters

2

Configuration

Choose visibility * Public

Choose who can see and commit to this repository

Add README Off

READMEs can be used as longer descriptions. [About READMEs](#)

Add .gitignore No .gitignore

.gitignore tells git which files not to track. [About ignoring files](#)

Add license No license

Licenses explain how others can use your code. [About licenses](#)

Step 2: Copy the repository URL and follow the command line instructions to initialize the local repository and link it to GitHub

Shoes-Website

Public

Pin

Watch 0

Fork 0

Star 0

**Set up GitHub Copilot**
Use GitHub's AI pair programmer to autocomplete suggestions as you code.
[Get started with GitHub Copilot](#)

**Add collaborators to this repository**
Search for people using their GitHub username or email address.
[Invite collaborators](#)

Quick setup — if you've done this kind of thing before

Set up in Desktop

 or

HTTPS

SSH


Get started by [creating a new file](#) or [uploading an existing file](#). We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

...or create a new repository on the command line


```
echo "# Shoes-Website" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/MalkiHany/Shoes-Website.git
git push -u origin main
```

Activate Windows
Go to Settings to activate Windows.


Step 3: Drag and drop your project files into the repository and write a commit message to save the change




Step 4: Verify that all project folders and HTML files have been successfully uploaded to the GitHub repository



Step 5: Navigate to the "Pages" section in Settings, select the "main" branch as the deployment source, and click "Save" to enable GitHub Pages for your repository



Step 6: Wait for the build process to complete, then click the published link to view the final live version of the "Shoes Website" on the browser



Step 7: Successfully deployed the "Shoes Website" and verified the final live version on the browser



KARMA

[HOME](#)

[SHOP](#)

[BLOG](#)

[PAGES](#)

[CONTACT](#)



Nike New Collection!

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation.



ADD TO BAG

