



STATIC WEBSITE HOSTING




The screenshot shows the AWS Management Console 'Buckets' page. At the top, there's a navigation bar with the AWS logo, 'Services' menu, a search bar, and a '[Alt+S]' shortcut. Below the navigation bar, the breadcrumb 'Amazon S3 > Buckets' is visible. The main content area includes an 'Account snapshot' section with a 'View Storage Lens dashboard' button. Below this is the 'Buckets (6) info' section, which contains a search bar 'Find buckets by name' and a list of buckets. The list has columns for Name, AWS Region, Access, and Creation date. The buckets listed are: bucket143122 (Asia Pacific (Mumbai) ap-south-1, Objects can be public, June 27, 2023, 11:31:37 (UTC+05:30)), capacity01 (US East (N. Virginia) us-east-1, Bucket and objects not public, June 28, 2023, 12:09:15 (UTC+05:30)), capacity02 (Asia Pacific (Mumbai) ap-south-1, Objects can be public, June 28, 2023, 12:23:03 (UTC+05:30)), elasticbeanstalk-ap-south-1-054458122096 (Asia Pacific (Mumbai) ap-south-1, Objects can be public, June 10, 2023, 17:52:29 (UTC+05:30)), and elasticbeanstalk-us-east-1-054458122096 (US East (N. Virginia) us-east-1, Objects can be public, June 28, 2023, 13:58:58 (UTC+05:30)).

Name	AWS Region	Access	Creation date
bucket143122	Asia Pacific (Mumbai) ap-south-1	Objects can be public	June 27, 2023, 11:31:37 (UTC+05:30)
capacity01	US East (N. Virginia) us-east-1	Bucket and objects not public	June 28, 2023, 12:09:15 (UTC+05:30)
capacity02	Asia Pacific (Mumbai) ap-south-1	Objects can be public	June 28, 2023, 12:23:03 (UTC+05:30)
elasticbeanstalk-ap-south-1-054458122096	Asia Pacific (Mumbai) ap-south-1	Objects can be public	June 10, 2023, 17:52:29 (UTC+05:30)
elasticbeanstalk-us-east-1-054458122096	US East (N. Virginia) us-east-1	Objects can be public	June 28, 2023, 13:58:58 (UTC+05:30)



The screenshot shows the 'Create bucket' page in the AWS Management Console. The breadcrumb is 'Amazon S3 > Buckets > Create bucket'. The main heading is 'Create bucket info' with a subtext 'Buckets are containers for data stored in S3. Learn more'. Below this is the 'General configuration' section. It contains a 'Bucket name' field with the value 'myawsbucket', a note 'Bucket name must be unique within the global namespace and follow the bucket naming rules. See rules for bucket naming', an 'AWS Region' dropdown menu set to 'Asia Pacific (Mumbai) ap-south-1', and a 'Copy settings from existing bucket - optional' section with a 'Choose bucket' button.



This screenshot is similar to the previous one, showing the 'Create bucket' page. The 'Bucket name' field now contains 'infotrix-bucket'. The rest of the configuration, including the 'AWS Region' dropdown set to 'Asia Pacific (Mumbai) ap-south-1' and the 'Copy settings from existing bucket - optional' section with the 'Choose bucket' button, remains the same.

STATIC WEBSITE HOSTING

aws

Services

Search

[Alt+S]

Block public and cross-account access to buckets and objects through *any* public bucket or access point policies

S3 will ignore public and cross-account access for buckets or access points with policies that grant public access to buckets and objects.

Bucket Versioning

Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. [Learn more](#)

Bucket Versioning

☒ Disable

☐ Enable

Tags (0) - optional

You can use bucket tags to track storage costs and organize buckets. [Learn more](#)

No tags associated with this bucket.

Add tag

Amazon S3 > Buckets > infotrix-bucket

infotrix-bucket Info

Objects

Properties

Permissions

Metrics

Management

Access Points

Objects (0)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions.

Copy S3 URI

Copy URL

Download

Open

Delete

Actions

Create folder

Upload

Find objects by prefix

Show versions

Name	Type	Last modified	Size	Storage class
No objects				
You don't have any objects in this bucket.				
Upload				

aws

Services

Search

[Alt+S]

Amazon S3 > Buckets > infotrix-bucket > Upload

Upload Info

Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDK or Amazon S3 REST API. [Learn more](#)

Drag and drop files and folders you want to upload here, or choose **Add files** or **Add folder**.

Files and folders (0)

Remove

Add files

Add folder

All files and folders in this table will be uploaded.

Find by name

< 1 >

Name	Folder	Type	Size
No files or folders			
You have not chosen any files or folders to upload.			

STATIC WEBSITE HOSTING

Static website hosting

Use this bucket to host a website or redirect requests. [Learn more](#)

Static website hosting

☐ Disable

☒ Enable

Hosting type

☒ Host a static website
Use the bucket endpoint as the web address. [Learn more](#)

☐ Redirect requests for an object
Redirect requests to another bucket or domain. [Learn more](#)

For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see [Using Amazon S3 Block Public Access](#)

img1.jpg

[Copy S3 URI](#) [Download](#) [Open](#) [Obj](#)

Object overview

Owner b86e4ab8127f9cc05a0a9447e92daee77ead9367be8ae934bec566c9cee7bb70	S3 URI s3://infotrix-bucket/img1.jpg
AWS Region Asia Pacific (Mumbai) ap-south-1	Amazon Resource Name (ARN) arn:aws:s3:::infotrix-bucket/img1.jpg
Last modified August 6, 2023, 23:08:41 (UTC+05:30)	Entity tag (Etag) Od7b08ed736eef61f95c16854a0f995e
Size 3.6 KB	Object URL https://infotrix-bucket.s3.ap-south-1.amazonaws.com/img1.jpg
Type	

Block public access (bucket settings)

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to all your S3 buckets and objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to your buckets or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#)


☒ **Block all public access**

Turning this setting on is the same as turning on all four settings below. Each of the following settings are independent of one another.

- ☒ **Block public access to buckets and objects granted through new access control lists (ACLs)**
S3 will block public access permissions applied to newly added buckets or objects, and prevent the creation of new public access ACLs for existing buckets and objects. This setting doesn't change any existing permissions that allow public access to S3 resources using ACLs.
- ☒ **Block public access to buckets and objects granted through any access control lists (ACLs)**
S3 will ignore all ACLs that grant public access to buckets and objects.
- ☒ **Block public access to buckets and objects granted through new public bucket or access point policies**
S3 will block new bucket and access point policies that grant public access to buckets and objects. This setting doesn't change any existing policies that allow public access to S3 resources.
- ☒ **Block public and cross-account access to buckets and objects through any public bucket or access point policies**
S3 will ignore public and cross-account access for buckets or access points with policies that grant public access to buckets and objects.

STATIC WEBSITE HOSTING

Static website hosting

Use this bucket to host a website or redirect requests. [Learn more](#) 

Static website hosting

Enabled

Hosting type

Bucket hosting

Bucket website endpoint

When you configure your bucket as a static website, the website is available at the AWS Region-specific website endpoint

 <http://infotrix-bucket.s3-website-ap-south-1.amazonaws.com> 

