# HW3 - SQL

#### **GROUP: 4**

#### **Team Members:**

- 1. Malla Sailesh (2021101106)
- 2. Manohar Naga(2021101128)
- 3. Naveen Chekkapalli (2021101025)

## Q1.

select Name as Track\_with\_longest\_length from
Track where Milliseconds in (select
Max(Milliseconds) from Track);

Q2. - Distinct Audio Tracks are selected Here select count (distinct trackID) as no\_track\_Indian from ListeningTo where ListenerID in (select ListenerID from Listener where Nationality="Indian");

# Q3.

select A.Name as Max\_Album\_space from Album as A
, Track as T where T.AlbumID = A.AlbumID group
by T.AlbumID having sum(Bytes) >= ALL(select
sum(Bytes) from Album as A , Track as T where
A.AlbumID = T.AlbumID group by T.AlbumID) ;

select L.Nationality from Listener as
L,ListeningTo as LT where L.ListenerID =
LT.ListenerID group by L.Nationality having
SUM(Milliseconds) <= ALL(select
SUM(Milliseconds) from Listener as L,ListeningTo
as LT where L.ListenerID = LT.ListenerID group
by L.Nationality);</pre>

### Q5.

select G.Name from Genre as G , ListeningTo as
LT , Track as T where LT.TrackID = T.TrackID and
G.GenreID = T.GenreID and LT.ListenerID in
(select distinct ListenerID from Listener where
Nationality = "American") group by G.Name having
count(G.Name) >= ALL(select count(G.Name) from
Genre as G , ListeningTo as LT , Track as T
where LT.TrackID = T.TrackID and G.GenreID =
T.GenreID and LT.ListenerID in (select distinct
ListenerID from Listener where Nationality =
"American") group by G.Name );

```
mysql> select G.Name from Genre as G , ListeningTo as LT , Track as T where LT.TrackID = T.TrackID and G.GenreID = T.GenreID and LT.ListenerID in (select distinct ListenerID from Listener where Nationality = "American") group by G.Name having count(G.Name) >= ALL(select count(G.Name) from Genre as G , L isteningTo as LT , Track as T where LT.TrackID = T.TrackID and G.GenreID = T.GenreID and LT.ListenerID in (select distinct ListenerID from Listener where Nationality = "American") group by G.Name );
+-----+
| Name |
+-----+
| Rap |
+-----+
| 1 row in set (0.00 sec)
```

# Q6.

select Name from Artist except select distinct
A.Name from Artist as A,Track as T where
A.ArtistID = T.ArtistID;

## Q7.

select Name from Artist except select distinct
A.Name from Artist as A, Track as T , Genre as G
where A.ArtistID = T.ArtistID and T.GenreID =
G.GenreID and G.Name = "Pop";