

```
<!DOCTYPE HTML>
<html>
<head>
<title>internal css styles</title>
<style type="text/css">
p{
color:purple;|
margin-left:20px;}
div{
color:purple;
font-size:16px;
background-color:yellow;}
</style>
</head>
<body>
<p> css program 5</p>
<div>
<p>Mallikarjun kuri</p>
<p>1BM22CS144</P>
</div>
</body>
</html>
```

css program 5

Mallikarjun kuri

1BM22CS144

```
<!DOCTYPE HTML>
<html>
<head>
<title>inline css styles</title>
</head>
<body>
<p style="color:purple; margin-left:20px;"> css program 5</p>
<div style="color:purple;margin-left:20px;background-color:yellow;">
<p>Mallikarjun kuri</p>
<p>1BM22CS144</P>
</div>
</body>
</html>
```

css program 5

Mallikarjun kuri

1BM22CS144

```
<!DOCTYPE HTML>
<html>
<head>
<title>inline css styles</title>
<link
rel="stylesheet"
type="text/css"
href="external.css"/>
</head>
<body>
<p> name:Mallikarjun kuri</p>
<div>usn:1BM22CS144</div>
</body>
</html>
```

```
/*css style*/  
p{  
color:purple;  
font-size:16px;  
margin-left:20px;  
}  
div{  
color:purple;  
font-size:16px;  
background-color:yellow;}
```

name:Mallikarjun kuri

usn:1BM22CS144

```
<!DOCTYPE html>
<html>
<head>
<title>progrm using universal selector</title>
<style>
*{
  font-size:20px;
  background-color:orange;
  color:red;
}
</style>
</head>
<body>
<h1>program to demonstrate universal selector</h1>
<p> name:Mallikarjun kuri</p>
<div><p>usn:1BM22CS144</p></div>
</body>
</html>
```


program to demonstrate universal selector

name:Mallikarjun kuri


usn:1BM22CS144

```
<!DOCTYPE html>
<html>
<head>
<title>program using universal selector</title>
<style>
#p{
    font-size:20px;
    background-color:orange;
    color:red;
    text-align:center;
}
</style>
</head>
<body>
<h1>program to demonstrate universal selector</h1>
<p id="p"> name:Mallikarjun kuri</p>
<div><p>usn:1BM22CS144</p></div>
</body>
</html>
```

program to demonstrate universal selector

name:Mallikarjun kuri

usn:1BM22CS144





program to demonstrate class selector

name:Mallikarjun kuri

usn:1BM22CS144

this is a paragraph

```
<!DOCTYPE html>
<html>
<head>
<title>program using class selector</title>
<style>
.test{color:green;}
p{color:red;}

}
</style>
</head>
<body>
<p > name:Mallikarjun kuri</p>
<p class="test">usn:1BM22CS144</p>
<p> this is a paragraph</p>
</body>
</html>
```

name:Mallikarjun kuri

usn:1BM22CS144

this is a paragraph



```
<!DOCTYPE html>
<html>
<head>
<title>program using multiple selectors</title>
<style>
    #demo{color:blue;}
    .test{color:green;}
    p{color:red;}
    h1{background-color:yellow;}
    h1{background-color:red;}
</style>
</head>
<body>
<h1>MULTIPLE SELECTOR</h1>
<p id="demo" class="test"> name:Mallikarjun kuri</p>
<p class="test">usn:1BM22CS144</p>
<p id="demo"> this is a paragraph</p>
</body>
</html>
```


MULTIPIE SELCTOR

name:Mallikarjun kuri

usn:1BM22CS144

this is a paragraph