

Enviornment  
Base URL  
Bareiar Token

Test Enviornment  
<https://api.github.com>  
ghp\_63b82m6W8zkEYVVA9j28i7Kp0RL2B1h2B02

REQUEST									RESPONSE		
SLNO	TC ID	DESCRIPTION	REQ NAME	HTTP-METHOD	END POINT	CONTENT TYPE	BODY/PAYLOAD	PARAMETERS	Status Code	Response time	
1	TC_GH_Repose_API_001	Varify the user able to create the repository	CreateRepo	POST	/user/repos	Application/json	{ "name":"ka", "description":"n", "private":false }	N/A	201 Created	1200 m/s	1.user should be able to create a repo. 2.Name of the created repo should be "ka". 3.Description of the created repo should be "n". 4.Value of the private key should be true.
2	TC_GH_Repose_API_002	Varify the user able to Get/fetch the repository	GetRepo	GET	/repos/{owner}/{repo}	N/A	N/A	owner:mallikarjun1993 repo:ka	200 OK	950 m/s	1.user should be able to fetch a repo. 2.Name of the created repo should be "ka". 3.Description of the created repo should be "n". 4.Value of the private key should be true.
3	TC_GH_Repose_API_003	Varify the user is able to update the created repo	UpdateRepo	PATCH	/repos/{owner}/{repo}	Application/json	{ "name":"ka", "description":"nmk", "private":false }	owner:mallikarjun1993 repo:ka	200 OK	1100 m/s	1.user should be able to update the created a repo. 3.Description of the updated repo should be "nmk". 4.Value of the private key should be false.
4	TC_GH_Repose_API_004	Varify the user is able to delete the created repo	DeleteRepo	DELETE	/repos/{owner}/{repo}	N/A	N/A	owner:mallikarjun1993 repo:ka	204 NO Content	1000 m/s	1.User should be able to delete the repo
5	TC_GH_Repose_API_005	Varify the user able to duplicate the created repo	CreateDuplicateRepo	POST	/user/repos	Application/json	{ "name":"ka", "description":"nmk", "private":false }	N/A	422 Unprocesable Entity	500 m/s	1.User should be not able to create a duplicate the repo