

# Cucumber Report

26-Oct-2023, 6:46:57 PM

Start : Oct 26, 6:45:04.901 PM

End : Oct 26, 6:46:48.473 PM

Duration : 1 m 43.572 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 2  
SKIPPED - 0

PASSED - 0  
FAILED - 2  
SKIPPED - 0

PASSED - 3  
FAILED - 2  
SKIPPED - 3



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Facebook Scenarios</u>	1 m 25.624 s	1	0	1	0	5	2	1	2
<u>Radio City Scenerios</u>	17.777 s	1	0	1	0	3	1	1	1

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag	2	0	2	0	2	0	2	0





#	Feature Name	T	P	F	S	Duration
1	<u>Facebook Scenarios</u>	1	0	1	0	1 m 25.624 s
2	<u>Radio City Scenerios</u>	1	0	1	0	17.777 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Facebook Scenarios</u>	<u>to verify facebook news feed scroll functionality</u>	5	2	1	2	1 m 25.603 s
2	<u>Radio City Scenerios</u>	<u>Get All the locations from Radio City Dropdown</u>	3	1	1	1	17.776 s

## Facebook Scenarios

<b>FAILED</b>	DURATION - 1 m 25.624 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 5 Pass - 2 Fail - 1 Skip - 2	
/ 6:45:04.901 PM // 6:46:30.525 PM /					



### to verify facebook news feed scroll functionality

<div>FAILED</div> <div>DURATION - 1 m 25.603 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 6:45:04.922 PM // 6:46:30.525 PM /				
Facebook Scenarios				
@tag				



#	Step / Hook Details	Status	Duration
1	Given I logged in into facebook	PASSED	5.666 s
2	And I landed news feed screen	PASSED	9.876 s
3	When I scroll down the page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=118.0.5993.118) Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.19' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [60a5581de838e30b2ffac674f9f640b8, executeScript {script=window.scrollBy(0, 2000);, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\Users\Lenovo\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56152}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56152/devtoo..., se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 60a5581de838e30b2ffac674f9f640b8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)	FAILED	50.112 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:467) at com.qa.Pages.FacebookPage.scrollDownUntilPageBottom(FacebookPage.java:41) at com.qa.stepDefinations.FacebookSteps.i_scroll_down_the_page(FacebookSteps.java:27) at ?.I scroll down the page(file:///C:/Users/Lenovo/eclipse-workspace/CucumberBDDFrame/src/test/resources/com/qa/features/Facebook.feature:25) * Not displayable characters are replaced by '?'. </pre>		
4	Then new posts gets loaded until page gets scrolled	SKIPPED	0.009 s
5	And verify scroll functionality ends only posts are not available	SKIPPED	0.005 s
	<p>AFTER - com.qa.AppHooks.ApplicationHooks.teardown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=118.0.5993.118) Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.19' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [60a5581de838e30b2ffac674f9f640b8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f3f3f30b91..., userDataDir: C:\Users\Lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56152}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56152/devtoo..., se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 60a5581de838e30b2ffac674f9f640b8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at com.qa.AppHooks.ApplicationHooks.teardown(ApplicationHooks.java:50) </pre>	FAILED	0.119 s

## Radio City Scenerios

<b>FAILED</b>	<b>DURATION - 17.777 s</b>	Scenarios		Steps	
/ 6:46:30.696 PM // 6:46:48.473 PM /		Total - 1		Total - 3	
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

## Get All the locations from Radio City Dropdown

<div><div>FAILED</div><div>DURATION - 17.776 s</div></div>			Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 6:46:30.697 PM // 6:46:48.473 PM /				
Radio City Scenerios				
@tag				

#	Step / Hook Details	Status	Duration
1	Given I open url 'radiocity.in'	PASSED	0.487 s
2	When I click on dropdown	FAILED	6.628 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=118.0.5993.118) Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.19' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ce73cb27aa1c553e23a8f13f70211c10, clickElement {id=82809FF2E70F3B3D87C3DF53C2C46363_element_7}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\Users\Lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56215}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56215/devtoo..., se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (ce73cb27aa1c553e23a8f13f70211c10)] -&gt; xpath: //select[@id='location']] Session ID: ce73cb27aa1c553e23a8f13f70211c10</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p>		



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at com.qa.Pages.RadioCityPage.clickLocationDrop(RadioCityPage.java:49) at com.qa.stepDefinations.RadioCitySteps.i_click_on_dropdown(RadioCitySteps.java:28) at ?.I click on dropdown(file:///C:/Users/Lenovo/eclipse-workspace/CucumberBDDFrame/src/test/resources/com/qa/features/RadioCity.feature:24) * Not displayable characters are replaced by '?'. </pre>		
3	Then I get a the locations present in dropdown	SKIPPED	0.004 s
	<p>AFTER - com.qa.AppHooks.ApplicationHooks.teardown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=118.0.5993.118) Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.19' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ce73cb27aa1c553e23a8f13f70211c10, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\Users\Lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56215}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56215/devtoo..., se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ce73cb27aa1c553e23a8f13f70211c10 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at com.qa.AppHooks.ApplicationHooks.teardown(ApplicationHooks.java:50) </pre>	FAILED	0.050 s