

# CAASP: BDD tests GINKO integration

1) Past

2) Simple Present

3) Simple Future


Preamble: This is an highlevel demo.

( I don't show all details)

# 1) Some of past/current problems about (E2E):

a) \* Reasoning about the testrunner is/was not simple.

(real static analysis of testrunner)




b)\* Remote!= local behaviour in  
intuitive way

Something fail in CI, people don't  
know how to reproduce it locally, in a  
simple way. ( without spending 3H  
reading docs)


Simple Present: (regarding e2e).

REMOTE == LOCAL

This was the past



Present:



- separate components
- separate design and scope.

## Pragmatic Present:

### Utilisations:

1) As user don't use terraform as  
deploy method for infrastructure

([https://asciinema.org/a/  
L2WSBwGj1n1rlQLG3uCLvpiFv](https://asciinema.org/a/L2WSBwGj1n1rlQLG3uCLvpiFv))

2) An user use terraform  
([https://asciinema.org/a/gjiJ3LhgaQ9  
C3AjgrrkqqKrId](https://asciinema.org/a/gjiJ3LhgaQ9C3AjgrrkqqKrId))

a) Testing different Releases of  
caaspctl (beta1/beta2/..)

Near future:

Adding new tests, and other tasks  
tracked on this issue:

[https://github.com/SUSE/avant-garde/  
issues/322](https://github.com/SUSE/avant-garde/issues/322)