
Low Poly Trees Pack v1.3





Imhpoly.com

CONTACTS

E-mail: justinas@lmhpoly.com

Website: http://lmhpoly.com/contact/

Follow me on **Twitter** to see what I'm working right now:


https://twitter.com/lmhpoly

CONTENT

DEMO SCENES	3
HOW TO SETUP DEMO SCENES IN UNITY 5.0.0 - 5.5.3 VERSIONS (FOR PC)	4
HOW TO SETUP DEMO SCENES IN UNITY 5.6.0 AND UP VERSIONS (FOR PC) .	11
HOW TO SETUP DEMO SCENES IN UNITY 5.0.0 – 5.5.3 VERSIONS (FOR ANDR	OID)16
HOW TO SETUP DEMO SCENES IN UNITY 5.6.0 AND UP VERSIONS (FOR AND	ROID).23
HOW TO USE "LOW POLY TREES PACK"	31
How to Change Tree Prefabs Color / Texture	34
BONUS Assets Color	
HOW TO PAINT TREE PREFABS ON UNITY TERRAIN	
BILLBOARDS	39
ADDITIONAL INFO	40
NAMING CONVENTIONSSCRIPTS	
CONTACTS	42

DEMO SCENES

Now as you have imported the whole "Low Poly Trees Pack" to your Unity project, go to Low Poly Trees Pack > Demo > Demo_Scenes and Open any Demo Scene (here is a Demo_06 example). The scene should look like this inside Game view without any image effects:



If you press **Play**, you will get a message, something like this:




This is because all **Demo** Scenes use **Post-Processing** Image effects applied to all **Cameras** and those effects are not included in the pack! You just need to download them and import into your project. Follow steps below to setup Demo Scenes!


HOW TO SETUP DEMO SCENES IN UNITY 5.0.0 - 5.5.3 VERSIONS (For PC)

1. Make sure you are using PC, Mac & Linux Standalone!

Go to File > Build Settings



Select PC, Mac & Linux Standalone and hit Switch Platform button.



2. Clean GI Cache (Optional - needed if you have some light baking errors)

Before you go to the next step you need to Disable Auto build/bake feature.

You can find it in **Lighting** and select **Scene** tab. (If you don't have Lighting tab go to Window > Lighting)




At the bottom you will see this:




Uncheck Auto.

Go to Edit > Preferences




Select GI Cache tab



Press Clean Cache button!

Enable Auto build/bake feature



and wait until build is done (blue loading bar at right bottom corner).

-If you get some errors, try to change **Realtime resolution** to other value. For all my scenes I've used 1. You can try lower or even bigger values like 0.5 or 1.5

3. Make sure that Color Space is set to Linear.


To do that go to Edit > Project Settings > Player

In the Other Setting tab, you will find Color Space set it to Linear.




4. **Import Image Effects from "Standard Assets" package.** This needs to be done because of every Demo Scene Camera use image effects like (DOF, Color Correction and so on).

Go to Assets > Import Package > Effects



-If there are no **Effects** package to import, you need to download <u>Standard Assets</u> for your Unity build and install it!

Select only these folders:



• Editor (and everything that's inside that folder)


Inside Standard Assets > Effects select:

• Image Effects

And **Import**.


After that, you will see all camera effects working like it should.

-Select **Camera** and make sure that **Color Correction Lookup (Script)** is working. Try to **disable/enable** it and see if colors change in the **Game** view!




If it's not changing go to Part 5, if it's changing skip Part 5!

5. At the Project tab go to Assets > Low Poly Trees Pack > Bonus Assets > Post-Processing > LUT_Textures



Grab and drag LUT_Demo_06 texture file (this means that it's for Demo_06 Scene)

To the Camera Color Correction Lookup (Script) blank square where it says None (Texture 2D).



And press Convert and Apply button.




That's it. Now you have all camera effects working!

Do it for every Demo Scene if needed!

-For Low-End PC's if you hit play and it lags, try disabling image effects one by one on the camera!

Now your scene should look like this (Demo_06):



Press Play and Enjoy!

If you have any questions, please send me an e-mail.


E-mail: justinas@lmhpoly.com

Website: http://lmhpoly.com/contact/


HOW TO SETUP DEMO SCENES IN UNITY 5.6.0 AND UP VERSIONS (For PC)

1. Make sure you are using PC, Mac & Linux Standalone!

Go to File > Build Settings




Select PC, Mac & Linux Standalone and hit Switch Platform button.



1. Clean GI Cache (Optional - needed if you have some light baking errors)

Before you go to the next step you need to Disable **Auto Generate** feature.

You can find it in **Lighting** and select **Scene** tab. (If you don't have Lighting tab go to Window > Lighting > Settings)




At the bottom you will see this:




Uncheck Auto Generate.

Go to Edit > Preferences




Select GI Cache tab



Press Clean Cache button!

Enable Auto Generate feature



and wait until build is done (blue loading bar at the right bottom corner).

-If you get some errors, try to change **Realtime resolution** to the other value. For all my scenes I've used **1.** You can try lower or even bigger values like **0.5** or **1.5**

2. Make sure that Color Space is set to Linear.

To do that go to **Edit > Project Settings > Player**

In the **Other Setting** tab, you will find a **Color Space** set it to **Linear**.




3. **Import Post Processing Stack.** This needs to be done because of every Demo Scene Camera use image effects like (DOF, Color Correction and so on).

Go to Window > Asset Store

Search for Post Processing Stack:






After that, you will see all camera effects working like it should.


-For Low-End PC's if you hit play and it lags, try disabling Post-Processing effects one by one on the Post-Processing Profile settings!

To edit Post-Processing Settings – go to Low Poly Trees Pack > Bonus Assets > Post_Processing > Unity_5.6 and select Demo scene you want to edit Post-Processing effects for.





Now your scene should look like this (Demo_06):



Press Play and Enjoy!

If you have any questions, please send me an e-mail.


E-mail: justinas@lmhpoly.com

Website: http://lmhpoly.com/contact/


HOW TO SETUP DEMO SCENES IN UNITY 5.0.0 - 5.5.3 VERSIONS (For ANDROID)

1. Make sure you are using **Android** build!

Go to File > Build Settings



Select Android and hit Switch Platform button.



2. Clean GI Cache (Optional - needed if you have some light baking errors)

Before you go to the next step you need to Disable Auto build/bake feature.

You can find it in **Lighting** and select **Scene** tab. (If you don't have Lighting tab go to Window > Lighting)




At the bottom you will see this:




Uncheck Auto.

Go to Edit > Preferences




Select GI Cache tab



Press Clean Cache button!

Enable Auto build/bake feature



and wait until build is done (blue loading bar at right bottom corner).

-If you get some errors, try to change **Precomputed Realtime GI** - **Realtime resolution** to other value. For all my scenes I've used 1. You can try lower or even bigger values like 0.5 or 1.5

3. Disable Precomputed Realtime GI (Optional – for a better performance)


You can find it in **Lighting** and select **Scene** tab.



4. Make sure that Color Space is set to Linear (Works only on Unity 5.5 and up!).

To do that go to Edit > Project Settings > Player

In the Other Setting tab, you will find Color Space* set it to Linear.




To use **Linear** Color Space, you need set **Minimum API level** to at least **Android 4.3** or higher!

Also, uncheck **Auto Graphics API** and remove all Graphic APIs from the list, leave only **OpenGLES3**.




5. Make sure that you are using Forward Rendering.

Select the Camera in the Hierarchy and make sure that Rendering Path is set to Forward.




- -The game will lag a lot on mobile if Rendering Path is set to Deferred!
 - 6. Remove all Camera Image Effects!

Select Camera in Hierarchy and Remove all those (Script) components or just Disable them.



-It show's all image effects as (Script) only if you don't have imported Image Effects from Standard Assets (I showed how to do it for PC build earlier).

Do it by clicking on the gear icon and press Remove Component.




- -Android don't support image effects which are added to the camera, and which ones work, they impact performance very much, so you need to disable them all.
 - 7. Disable **Real-time Shadows** (Optional for a better performance).

Go to Edit > Project Settings > Quality



Now your Demo_06 Scene should look like this.



So, by Using **Unity 5.5** and up + new **Linear** lighting feature for **Android** and **iOS**, you can achieve much better results than using **Gamma** lighting!

This Demo_06 Scene and all other Demo Scenes was tested on Xperia Z Ultra (Runs at solid 60FPS) with all Images Effects removed, using Realtime GI, Linear Color Space, Forward Rendering Path and Real-time Low Resolution Hard Shadows.


Now you can make **Android** build and test it on your own device!

-I don't have an **iOS** device, so I can't test it on that!


HOW TO SETUP DEMO SCENES IN UNITY 5.6.0 AND UP VERSIONS (For ANDROID)

1. Make sure you are using **Android** build!

Go to File > Build Settings



Select **Android** and hit **Switch Platform** button.



2. Clean GI Cache (Optional - needed if you have some light baking errors)

Before you go to the next step you need to Disable Auto build/bake feature.

You can find it in **Lighting** and select **Scene** tab. (If you don't have Lighting tab go to Window > Lighting)




At the bottom you will see this:




Uncheck Auto.

Go to Edit > Preferences




Select GI Cache tab



Press Clean Cache button!

Enable Auto build/bake feature




and wait until build is done (blue loading bar at right bottom corner).

-If you get some errors, try to change **Precomputed Realtime GI** - **Realtime resolution** to other value. For all my scenes I've used 1. You can try lower or even bigger values like 0.5 or 1.5

3. Disable Realtime Global Illuminatic (Optional – for a better performance)

You can find it in **Lighting** and select **Scene** tab.




4. Make sure that Color Space is set to Linear.


To do that go to Edit > Project Settings > Player

In the Other Setting tab, you will find Color Space* set it to Linear.

To use **Linear** Color Space, you need set **Minimum API level** to at least **Android 4.3** or higher!




Also, uncheck **Auto Graphics API** and remove all Graphic APIs from the list, leave only **OpenGLES3**.



5. Make sure that you are using Forward Rendering.


select the Camera in the Hierarchy and make sure that Rendering Path is set to Forward.




- -The game will lag a lot on mobile if Rendering Path is set to Deferred!
 - 6. Remove or Disable **Post-Processing** Effects from the Camera (*If you want to use Post-Processing effects, skip this step and go to the next step 7)!*

Select a Camera in the Hierarchy and Remove Post Processing Behaviour (Script).

-You will get a message "Missing (Mono Script)" where it says **Profile** if you don't have imported **Post Processing Stack** from Unity Asset Store!



Do it by clicking on the Gear Icon and press Remove Component.



-All Post-Processing image effects consume a lot of mobile performance, so it's the best to remove them all!


7. Import Post Processing Stack (Optional - Big performance hit for mobile devices!). If you leave Post Processing Behaviour (Script) on the Camera and want to use those effects, you need to do this.

Go to Window > Asset Store

Search for Post Processing Stack:




Download and Import it to your project



After that, you will see that all Camera Effects working like it should.

To edit Post-Processing Settings – go to Low Poly Trees Pack > Bonus Assets > Post_Processing > Unity_5.6 and select Demo scene you want to edit Post-Processing effects for.





Uncheck all effects, and try them one by one to see which one impact mobile performance the most.


8. Disable **Real-time Shadows** (Optional – for a better performance).

Go to Edit > Project Settings > Quality




9. Disable the **Fog** (to increase performance).

Open **Lighting** > **Scene** tab, and search for **Other Settings** tab – Disable **Fog**. If you can't find Lighting tab, go to **Window** > **Lighting** > **Settings**.



Now your *Demo_06* Scene should look like this:



By using **Unity 5.5** and up + new **Linear** lighting feature for **Android** and **iOS**, you can achieve much better results than using **Gamma** lighting!

This Demo_06 Scene and all other Demo Scenes was tested on Xperia Z Ultra (*Runs at solid 60FPS*) with Post-Processing Behaviour (Script) removed from the camera, using Realtime GI, Linear Color Space, Forward Rendering Path and Real-time Low Resolution Hard Shadows.


Now you can make **Android** build and test it on your own device!

-I don't have an **iOS** device, so I can't test it on that!

HOW TO USE "Low Poly Trees Pack"

Go to Assets > Low Poly Trees Pack > Tree Assets > Prefabs

Select which **Prefab** type you want to import to your scene, with or without the Snow:



Let's say I want Trees with Snow on them, open folder **Trees_Snow**. Inside, you will see 2 folders **LOD** and **NoLOD**.




LOD - Trees with LODs (all prefabs has 3 levels of LOD (LOD0, LOD1, LOD2)).

NoLOD - Trees without LODs.

I highly recommend, to use LOD prefabs for Unity Terrain, or just for big worlds!

Next, I will open NoLOD folder and inside you will see 2 folders **No_Bottoms** and **With_Bottoms**.



• No Bottoms - Tree meshes don't have faces at the bottom.



• With_Bottoms - Tree meshes have faces at the bottom.



Let's open **No_Bottoms**. Here you will see 2 types of **Colliders**:



Select Collider type:

- Capsule_Colliders Prefabs use Capsule Colliders for Unity Terrain support (you can paint Prefabs on the Terrain).
- Mesh_Colliders Prefabs use accurate Mesh Colliders (you can use Prefabs by placing with your mouse manually).

By using Capsule Colliders, you can achieve better performance than using Mesh Colliders!

So, let's say that you want to palace Prefabs by hand and have more accurate Colliders - open folder **Mesh_Colliders**. Select which Tree type you want to import to your scene. For example, open folder **Acacia_Trees** select and drag **Prefab** to your scene. That's it.

Same for Bonus Assets.

Go to Assets > Low Poly Trees Pack > Bonus Assets > Prefabs

Select what you want and drag it to the scene.

Every model pivot is at the center bottom of the model, so you can easily drop it on the ground, scale and rotate.

After Low Poly Trees Pack v1.1/1.2 Updates – all tree/stumps bottoms were extended down below the ground level, so you can easily place trees on the uneven ground / mountains!






-Use Pivot and Global settings for the best experience!

You can change it by tapping on the **buttons**, which are near Move, Scale tools.



How to Change Tree Prefabs Color / Texture

Go to Low Poly Trees Pack > Tree Assets > Material here you will find 1 material.




• Material Trees is used for all Tree Assets: (Trees, Trees_Snow, Firewood, Firewood_Snow, Fruits_Snow, Leaves, Leaves_Snow, Logs, Logs_Snow, Stumps, Stumps_Snow).

Change Tree Prefab Color


Trees Material use **1 Texture Atlas**. So, we need to change colors for that texture to change Tree Prefab colors.

Go to Low Poly Trees Pack > Tree Assets > Texture




And open **Trees_Texture_Atlas.png** inside Photoshop, Gimp or any other Image Editing Software. Every color square is used for one random Tree asset.

For example, all Brown squares are used for Wood, and Green used for Leaves. At the right bottom corner White square is used for Snow!




I also included .psd file of this texture inside Low Poly Trees Pack > Additional_Files folder. Extract Trees_Texture_Atlas_PSD.rar file and open .psd inside Photoshop or Gimp. This way you can see which colors are for which Tree assets by looking, into Layer Names, and you can edit those colors more easily.



BONUS Assets Color

To change colors for Bonus Assets (*Clouds*, *Hills*, *Mountains*, *Terrain*, *and Water*), simply select the Prefab and in the **Inspector** inside Material settings, change **Albedo Color**.




You can find all Bonus Assets Materials inside Low Poly Trees Pack > Bonus Assets > Materials.

HOW TO PAINT TREE PREFABS ON UNITY TERRAIN


Select your Unity Terrain and go to Place Trees tab. Click on Edit Trees...




...and press on Add Tree




You should see a popup window Add Tree




Go to Low Poly Trees Pack > Tree Assets > Prefabs > Trees > LOD > No_Bottoms > and select any Tree Type you want to use (I've used Birch_Trees), drag and drop Prefab to Tree Prefab tab:




Press Add




That's it! Select **Tree Prefab**, change **Settings** and paint.



You can also paint NoLOD prefabs. To do that - go to Low Poly Trees Pack > Tree Assets > Prefabs > Trees > NoLOD > No_Bottoms > Capsule_Colliders (you must use prefabs with Capsule Colliders to paint on the Terrain) > and select any Tree Type you want to use (I've used Birch_Trees), drag and drop Prefab to Tree Prefab tab:




Press Add



That's it! Select **Tree Prefab**, change **Settings** and paint.

BILLBOARDS

If you want to use **Billboards** for NoLOD prefabs, set prefab material Shader to **Nature/Tree Soft Occlusion Bark**:



- -I highly recommend, to use LOD prefabs for Unity Terrain, or just for big worlds!
- -LOD prefabs support Random Rotation in Unity Terrain Editor!

ADDITIONAL INFO

NAMING CONVENTIONS

Prefab name example: Pine_Tree_crk_I_01_LOD

- Pine_Tree Tree Type
- **crk** means the Tree is cracked
- I large size
- **01** prefab number
- LOD prefab has LOD group with 3 levels of LODs.

Prefab name example: Acacia_Tree_crk_I_Snow_BT_01

- Snow Tree has snow on it
- BT Tree With_Bottoms Tree meshes have faces at the bottom.



You can find these letters:

s – small size

m - medium size

I – large size

crk - means tree is cracked.

NoLeaves - Tree has no leaves

OneSided – Tree leaves are visible only from one side (from top)

LOD - prefab has LOD group with 3 levels of LODs.

BT - Tree With_Bottoms - Tree meshes have faces at the bottom.

Snow - prafab has snow on it

Keep in mind that every tree mesh is different, no matter is it small or large.

SCRIPTS

Every scene **Camera**, **Directional Light**, and **_Clouds**(*an empty game object which contains all clouds on the scene*) have movement controls.

For, example select **Camera** and on **Inspector** scroll down to the bottom, you will see **LowPolyTrees_Camera Control (Script)** attached to it. Here you can control **Camera Movement Speed** using sliders.



Same with **Direction Lights** and **_Clouds**.

CONTACTS

If you have any questions, suggestions what to improve or create, maybe found any bugs, please send me an e-mail!

E-mail: justinas@lmhpoly.com

Website: http://lmhpoly.com/contact/

Follow me on **Twitter** to see what I'm working on right now:

https://twitter.com/lmhpoly



Imhpoly.com