

Lecture 01 - Introduction

This lecture is the orientation layer for the whole course. It explains why interactive computer graphics is a pipeline problem: a scene must be represented, processed under time constraints, sampled into an image, and displayed fast enough for interaction.

Source chunk	course_text_parts/03_lectures/01_introduction.txt
Extracted slide pages	51
Reader purpose	Commentary and causal explanation for human reading

How to read this lecture

- Read the section commentary before looking at the raw slide bullets.
- Use the mental model as the short version you should remember.
- Answer the check question without notes before continuing.

Per-slide commentary

Each extracted slide page gets its own note. Use this section as the spoken commentary that the terse slide deck is missing.

Page 1	Untitled slide
Source cue	No object-level text was extracted from this page; the page is primarily title, image, diagram, or layout content.
Professor-style explanation	The slide 'Untitled slide' introduces a concrete graphics object, operation, or relation. The named terms describe input data, a processing step, and an output used elsewhere in the rendering workflow. On the slide, the concrete items are: No object-level text was extracted from this page; the page is primarily title, image, diagram, or layout content. The object-level relation is therefore input, operation, output, and the later graphics stage that consumes the output.
Technical commentary	This slide is about Untitled slide. The slide names a concrete relation between input data, an operation, and an output that another graphics stage can consume. Concrete items shown: No object-level text was extracted from this page; the page is primarily title, image, diagram, or layout content.
Why it matters	Even a sparse slide usually names a relation you must be able to explain in words.
Check yourself	Can you turn 'Untitled slide' into a causal sentence instead of repeating the slide title?
Page 2	Course Learning Outcomes
Source cue	- Learn to program computer graphics applications using OpenGL / - Learn to realize efficient computer graphics applications on the GPU / - Implement your own computer graphics project / [Image Credits: Wikipedia User Mimigu] [Crassin et al., PG2011]

Professor-style explanation	The slide 'Course Learning Outcomes' describes course objects such as lectures, exercises, projects, teachers, dates, or required tools. These objects define how the graphics concepts are practiced: lecture material provides theory, exercise sheets turn the same theory into C/C++ or OpenGL work, and project tasks combine several pipeline stages. On the slide, the concrete items are: - Learn to program computer graphics applications using OpenGL / - Learn to realize efficient computer graphics applications on the GPU / - Implement your own computer graphics project / [Image Credits: Wikipedia User Mimigu] [Crassin et al., PG2011]. The important object relation is between course topic, programming exercise, and assessed skill.
Technical commentary	This slide is about Course Learning Outcomes. The slide connects lecture theory with exercise work, programming practice, and assessment expectations. The named dates, exercises, or course components indicate where the concept will reappear. Concrete items shown: - Learn to program computer graphics applications using OpenGL / - Learn to realize efficient computer graphics applications on the GPU / - Implement your own computer graphics project / [Image Credits: Wikipedia User Mimigu] [Crassin et al., PG2011]
Why it matters	Course logistics often reveal which topics are practiced, assessed, or expected in code.
Check yourself	Can you connect 'Course Learning Outcomes' to an exercise, project task, or exam-preparation action?

Page 3	Real-Time Rendering Contest Results 1/3
Source cue	Students: Frank Richter, Manuel Herbert Güntzel
Professor-style explanation	The slide 'Real-Time Rendering Contest Results 1/3' introduces a concrete graphics object, operation, or relation. The named terms describe input data, a processing step, and an output used elsewhere in the rendering workflow. On the slide, the concrete items are: Students: Frank Richter, Manuel Herbert Güntzel. The object-level relation is therefore input, operation, output, and the later graphics stage that consumes the output.
Technical commentary	This slide is about Real-Time Rendering Contest Results 1/3. The slide names a concrete relation between input data, an operation, and an output that another graphics stage can consume. Concrete items shown: Students: Frank Richter, Manuel Herbert Güntzel
Why it matters	Even a sparse slide usually names a relation you must be able to explain in words.
Check yourself	Can you turn 'Real-Time Rendering Contest Results 1/3' into a causal sentence instead of repeating the slide title?

Page 4	Real-Time Rendering Contest Results 2/3
Source cue	Students: Andreas Rottach, Matthias Englert

Professor-style explanation	The slide 'Real-Time Rendering Contest Results 2/3' introduces a concrete graphics object, operation, or relation. The named terms describe input data, a processing step, and an output used elsewhere in the rendering workflow. On the slide, the concrete items are: Students: Andreas Rottach, Matthias Englert. The object-level relation is therefore input, operation, output, and the later graphics stage that consumes the output.
Technical commentary	This slide is about Real-Time Rendering Contest Results 2/3. The slide names a concrete relation between input data, an operation, and an output that another graphics stage can consume. Concrete items shown: Students: Andreas Rottach, Matthias Englert
Why it matters	Even a sparse slide usually names a relation you must be able to explain in words.
Check yourself	Can you turn 'Real-Time Rendering Contest Results 2/3' into a causal sentence instead of repeating the slide title?

Page 5	Real-Time Rendering Contest Results 3/3
Source cue	Students: Jan Eric Haßler, Kai Viktor Freissler
Professor-style explanation	The slide 'Real-Time Rendering Contest Results 3/3' introduces a concrete graphics object, operation, or relation. The named terms describe input data, a processing step, and an output used elsewhere in the rendering workflow. On the slide, the concrete items are: Students: Jan Eric Haßler, Kai Viktor Freissler. The object-level relation is therefore input, operation, output, and the later graphics stage that consumes the output.
Technical commentary	This slide is about Real-Time Rendering Contest Results 3/3. The slide names a concrete relation between input data, an operation, and an output that another graphics stage can consume. Concrete items shown: Students: Jan Eric Haßler, Kai Viktor Freissler
Why it matters	Even a sparse slide usually names a relation you must be able to explain in words.
Check yourself	Can you turn 'Real-Time Rendering Contest Results 3/3' into a causal sentence instead of repeating the slide title?

Page 6	1.1 Course Organization
Source cue	Details about the lecture course
Professor-style explanation	The slide '1.1 Course Organization' describes course objects such as lectures, exercises, projects, teachers, dates, or required tools. These objects define how the graphics concepts are practiced: lecture material provides theory, exercise sheets turn the same theory into C/C++ or OpenGL work, and project tasks combine several pipeline stages. On the slide, the concrete items are: Details about the lecture course. The important object relation is between course topic, programming exercise, and assessed skill.
Technical commentary	This slide is about 1.1 Course Organization. The slide connects lecture theory with exercise work, programming practice, and assessment expectations. The named dates, exercises, or course components indicate where the concept will reappear. Concrete items shown: Details about the lecture course

Why it matters	Course logistics often reveal which topics are practiced, assessed, or expected in code.
Check yourself	Can you connect '1.1 Course Organization' to an exercise, project task, or exam-preparation action?
Page 7	Teachers
Source cue	- Lectures / timo.ropinski@uni-ulm.de / Office hours upon request / - Exercises / Poonam Aditya Sawant
Professor-style explanation	The slide 'Teachers' describes course objects such as lectures, exercises, projects, teachers, dates, or required tools. These objects define how the graphics concepts are practiced: lecture material provides theory, exercise sheets turn the same theory into C/C++ or OpenGL work, and project tasks combine several pipeline stages. On the slide, the concrete items are: - Lectures / timo.ropinski@uni-ulm.de / Office hours upon request / - Exercises / Poonam Aditya Sawant. The important object relation is between course topic, programming exercise, and assessed skill.
Technical commentary	This slide is about Teachers. The slide connects lecture theory with exercise work, programming practice, and assessment expectations. The named dates, exercises, or course components indicate where the concept will reappear. Concrete items shown: - Lectures / timo.ropinski@uni-ulm.de / Office hours upon request / - Exercises / Poonam Aditya Sawant
Why it matters	Course logistics often reveal which topics are practiced, assessed, or expected in code.
Check yourself	Can you connect 'Teachers' to an exercise, project task, or exam-preparation action?
Page 8	Course Format
Source cue	- Lectures / - Tuesday (14-16) and every other Wednesdays (12-14) / - Room O28/1002 / - Specific dates/modalities in Moodle (password: ICG26SUMMER) / - Lecture slides
Professor-style explanation	The slide 'Course Format' describes course objects such as lectures, exercises, projects, teachers, dates, or required tools. These objects define how the graphics concepts are practiced: lecture material provides theory, exercise sheets turn the same theory into C/C++ or OpenGL work, and project tasks combine several pipeline stages. On the slide, the concrete items are: - Lectures / - Tuesday (14-16) and every other Wednesdays (12-14) / - Room O28/1002 / - Specific dates/modalities in Moodle (password: ICG26SUMMER) / - Lecture slides. The important object relation is between course topic, programming exercise, and assessed skill.
Technical commentary	This slide is about Course Format. The slide connects lecture theory with exercise work, programming practice, and assessment expectations. The named dates, exercises, or course components indicate where the concept will reappear. Concrete items shown: - Lectures / - Tuesday (14-16) and every other Wednesdays (12-14) / - Room O28/1002 / - Specific dates/modalities in Moodle (password: ICG26SUMMER) / - Lecture slides

Why it matters	Course logistics often reveal which topics are practiced, assessed, or expected in code.
Check yourself	Can you connect 'Course Format' to an exercise, project task, or exam-preparation action?
Page 9	Course Format
Source cue	- Exercises / - Every other Wednesday (12-14) / - Room O28/1002 / - Programming in C/C++ (introduction available upon request) / - Enroll in Moodle
Professor-style explanation	The slide 'Course Format' describes course objects such as lectures, exercises, projects, teachers, dates, or required tools. These objects define how the graphics concepts are practiced: lecture material provides theory, exercise sheets turn the same theory into C/C++ or OpenGL work, and project tasks combine several pipeline stages. On the slide, the concrete items are: - Exercises / - Every other Wednesday (12-14) / - Room O28/1002 / - Programming in C/C++ (introduction available upon request) / - Enroll in Moodle. The important object relation is between course topic, programming exercise, and assessed skill.
Technical commentary	This slide is about Course Format. The slide connects lecture theory with exercise work, programming practice, and assessment expectations. The named dates, exercises, or course components indicate where the concept will reappear. Concrete items shown: - Exercises / - Every other Wednesday (12-14) / - Room O28/1002 / - Programming in C/C++ (introduction available upon request) / - Enroll in Moodle
Why it matters	Course logistics often reveal which topics are practiced, assessed, or expected in code.
Check yourself	Can you connect 'Course Format' to an exercise, project task, or exam-preparation action?
Page 10	Exercises
Source cue	- Exercise / - Exercise 1 – Rendering Pipeline / - Exercise 2 – Primitive Types and Shaders / - Exercise 3 – Geometric Transformations / - Exercise 4 – Projection and Clipping
Professor-style explanation	The slide 'Exercises' describes course objects such as lectures, exercises, projects, teachers, dates, or required tools. These objects define how the graphics concepts are practiced: lecture material provides theory, exercise sheets turn the same theory into C/C++ or OpenGL work, and project tasks combine several pipeline stages. On the slide, the concrete items are: - Exercise / - Exercise 1 – Rendering Pipeline / - Exercise 2 – Primitive Types and Shaders / - Exercise 3 – Geometric Transformations / - Exercise 4 – Projection and Clipping. The important object relation is between course topic, programming exercise, and assessed skill.

Technical commentary	This slide is about Exercises. The slide connects lecture theory with exercise work, programming practice, and assessment expectations. The named dates, exercises, or course components indicate where the concept will reappear. Concrete items shown: - Exercise / - Exercise 1 – Rendering Pipeline / - Exercise 2 – Primitive Types and Shaders / - Exercise 3 – Geometric Transformations / - Exercise 4 – Projection and Clipping
Why it matters	Course logistics often reveal which topics are practiced, assessed, or expected in code.
Check yourself	Can you connect 'Exercises' to an exercise, project task, or exam-preparation action?

Page 11	Successful Course Completion
Source cue	- Pass the oral/written exam / - Dates to be announced / - „Notenbonus“ possible / - 50% success rate of exercise solutions for n-1 sheets / - Only running solutions are marked
Professor-style explanation	The slide 'Successful Course Completion' describes course objects such as lectures, exercises, projects, teachers, dates, or required tools. These objects define how the graphics concepts are practiced: lecture material provides theory, exercise sheets turn the same theory into C/C++ or OpenGL work, and project tasks combine several pipeline stages. On the slide, the concrete items are: - Pass the oral/written exam / - Dates to be announced / - „Notenbonus“ possible / - 50% success rate of exercise solutions for n-1 sheets / - Only running solutions are marked. The important object relation is between course topic, programming exercise, and assessed skill.
Technical commentary	This slide is about Successful Course Completion. The slide connects lecture theory with exercise work, programming practice, and assessment expectations. The named dates, exercises, or course components indicate where the concept will reappear. Concrete items shown: - Pass the oral/written exam / - Dates to be announced / - „Notenbonus“ possible / - 50% success rate of exercise solutions for n-1 sheets / - Only running solutions are marked
Why it matters	Course logistics often reveal which topics are practiced, assessed, or expected in code.
Check yourself	Can you connect 'Successful Course Completion' to an exercise, project task, or exam-preparation action?

Page 12	Course Overview
Source cue	Background / Journey along the / Rendering Pipeline / Lighting Effects / Extrahierte Tabellen:
Professor-style explanation	The slide 'Course Overview' describes course objects such as lectures, exercises, projects, teachers, dates, or required tools. These objects define how the graphics concepts are practiced: lecture material provides theory, exercise sheets turn the same theory into C/C++ or OpenGL work, and project tasks combine several pipeline stages. On the slide, the concrete items are: Background / Journey along the / Rendering Pipeline / Lighting Effects / Extrahierte Tabellen. The important object relation is between course topic, programming exercise, and assessed skill.

Technical commentary	This slide is about Course Overview. The slide connects lecture theory with exercise work, programming practice, and assessment expectations. The named dates, exercises, or course components indicate where the concept will reappear. Concrete items shown: Background / Journey along the / Rendering Pipeline / Lighting Effects / Extrahierte Tabellen:
Why it matters	Course logistics often reveal which topics are practiced, assessed, or expected in code.
Check yourself	Can you connect 'Course Overview' to an exercise, project task, or exam-preparation action?

Page 13	Literature
Source cue	- P. Shirley, M. Ashikhmin, S. Marschner: Fundamentals of Computer Graphics / (4th Edition), AK Peters 2016. / - D. Shreiner, G. Sellers, J. Kessenich, B. Licea-Kane: OpenGL Programming / Guide: The Official Guide to Learning OpenGL / (8th Edition), Addison-Wesley 2013.
Professor-style explanation	The slide 'Literature' describes the OpenGL side of the rendering pipeline. OpenGL represents rendering through objects such as contexts, buffers, vertex arrays, shaders, textures, samplers, and framebuffers. At draw time, the currently bound objects and state determine what data reaches the GPU and how the pipeline processes it. On the slide, the concrete items are: - P. Shirley, M. Ashikhmin, S. Marschner: Fundamentals of Computer Graphics / (4th Edition), AK Peters 2016. / - D. Shreiner, G. Sellers, J. Kessenich, B. Licea-Kane: OpenGL Programming / Guide: The Official Guide to Learning OpenGL / (8th Edition), Addison-Wesley 2013. The concrete relation is between API state, GPU resource, shader input, and final rendering result.
Technical commentary	This slide is about Literature. The OpenGL objects and calls shown here control GPU state, bound resources, shader interfaces, buffer contents, or framebuffer access at draw time. Concrete items shown: - P. Shirley, M. Ashikhmin, S. Marschner: Fundamentals of Computer Graphics / (4th Edition), AK Peters 2016. / - D. Shreiner, G. Sellers, J. Kessenich, B. Licea-Kane: OpenGL Programming / Guide: The Official Guide to Learning OpenGL / (8th Edition), Addison-Wesley 2013.
Why it matters	OpenGL bugs are usually state, binding, shader-interface, or buffer-layout bugs, so API details matter.
Check yourself	Can you name the OpenGL object, state, shader stage, or buffer involved in 'Literature'?

Page 14	Relevant Chapters and Link to Lecture Course
Source cue	- For self study
Professor-style explanation	The slide 'Relevant Chapters and Link to Lecture Course' describes course objects such as lectures, exercises, projects, teachers, dates, or required tools. These objects define how the graphics concepts are practiced: lecture material provides theory, exercise sheets turn the same theory into C/C++ or OpenGL work, and project tasks combine several pipeline stages. On the slide, the concrete items are: - For self study. The important object relation is between course topic, programming exercise, and assessed skill.

Technical commentary	This slide is about Relevant Chapters and Link to Lecture Course. The slide connects lecture theory with exercise work, programming practice, and assessment expectations. The named dates, exercises, or course components indicate where the concept will reappear. Concrete items shown: - For self study
Why it matters	Course logistics often reveal which topics are practiced, assessed, or expected in code.
Check yourself	Can you connect 'Relevant Chapters and Link to Lecture Course' to an exercise, project task, or exam-preparation action?
Page 15	(1.1 Course Organization)
Source cue	1.2 Computer Graphics Overview / 1.3 Pixel-based Representations / 1.4 3D Models / 1.5 Algorithmic Paradigms
Professor-style explanation	The slide '(1.1 Course Organization)' describes course objects such as lectures, exercises, projects, teachers, dates, or required tools. These objects define how the graphics concepts are practiced: lecture material provides theory, exercise sheets turn the same theory into C/C++ or OpenGL work, and project tasks combine several pipeline stages. On the slide, the concrete items are: 1.2 Computer Graphics Overview / 1.3 Pixel-based Representations / 1.4 3D Models / 1.5 Algorithmic Paradigms. The important object relation is between course topic, programming exercise, and assessed skill.
Technical commentary	This slide is about (1.1 Course Organization). The slide connects lecture theory with exercise work, programming practice, and assessment expectations. The named dates, exercises, or course components indicate where the concept will reappear. Concrete items shown: 1.2 Computer Graphics Overview / 1.3 Pixel-based Representations / 1.4 3D Models / 1.5 Algorithmic Paradigms
Why it matters	Course logistics often reveal which topics are practiced, assessed, or expected in code.
Check yourself	Can you connect '(1.1 Course Organization)' to an exercise, project task, or exam-preparation action?
Page 16	1.2 Computer Graphics Overview
Source cue	Relation of the field with respect to other disciplines
Professor-style explanation	The slide '1.2 Computer Graphics Overview' introduces a concrete graphics object, operation, or relation. The named terms describe input data, a processing step, and an output used elsewhere in the rendering workflow. On the slide, the concrete items are: Relation of the field with respect to other disciplines. The object-level relation is therefore input, operation, output, and the later graphics stage that consumes the output.
Technical commentary	This slide is about 1.2 Computer Graphics Overview. The slide names a concrete relation between input data, an operation, and an output that another graphics stage can consume. Concrete items shown: Relation of the field with respect to other disciplines
Why it matters	Even a sparse slide usually names a relation you must be able to explain in words.

Check yourself	Can you turn '1.2 Computer Graphics Overview' into a causal sentence instead of repeating the slide title?
Page 17	Computer Graphics History
Source cue	- Origins in art / - Perspective, color, etc. / - Computer graphics milestones [Reichardt, 1968] / - 1960 – „Computer Graphics“, William Fetter (Boeing) / - 1962 – Spacewars, Steve Russel (MIT) Computer
Professor-style explanation	The slide 'Computer Graphics History' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: - Origins in art / - Perspective, color, etc. / - Computer graphics milestones [Reichardt, 1968] / - 1960 – „Computer Graphics“, William Fetter (Boeing) / - 1962 – Spacewars, Steve Russel (MIT) Computer. The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about Computer Graphics History. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: - Origins in art / - Perspective, color, etc. / - Computer graphics milestones [Reichardt, 1968] / - 1960 – „Computer Graphics“, William Fetter (Boeing) / - 1962 – Spacewars, Steve Russel (MIT) Computer
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how 'Computer Graphics History' changes positions before rasterization?
Page 18	Computer Graphics History
Source cue	Sutherland, Utah (1970) Wireframe
Professor-style explanation	The slide 'Computer Graphics History' explains clipping as a boundary operation on geometric primitives. Lines or polygons are compared with clipping boundaries. Parts inside the valid region are kept, parts outside are discarded, and primitives crossing a boundary receive new intersection vertices. On the slide, the concrete items are: Sutherland, Utah (1970) Wireframe. The objects involved are the primitive, the clipping boundary, inside/outside classification, and the resulting clipped primitive.
Technical commentary	This slide is about Computer Graphics History. The clipping objects on the slide classify geometry against boundaries and produce accepted, rejected, or newly intersected primitive pieces. Concrete items shown: Sutherland, Utah (1970) Wireframe
Why it matters	Clipping decides what geometry is allowed to reach rasterization and can create new boundary vertices.
Check yourself	Can you decide what is accepted, rejected, or newly intersected in 'Computer Graphics History'?
Page 19	Computer Graphics History
Source cue	Sutherland, Utah (1970) Turner Whitted, Siggraph (1979)

Professor-style explanation	The slide 'Computer Graphics History' explains clipping as a boundary operation on geometric primitives. Lines or polygons are compared with clipping boundaries. Parts inside the valid region are kept, parts outside are discarded, and primitives crossing a boundary receive new intersection vertices. On the slide, the concrete items are: Sutherland, Utah (1970) Turner Whitted, Siggraph (1979). The objects involved are the primitive, the clipping boundary, inside/outside classification, and the resulting clipped primitive.
Technical commentary	This slide is about Computer Graphics History. The clipping objects on the slide classify geometry against boundaries and produce accepted, rejected, or newly intersected primitive pieces. Concrete items shown: Sutherland, Utah (1970) Turner Whitted, Siggraph (1979)
Why it matters	Clipping decides what geometry is allowed to reach rasterization and can create new boundary vertices.
Check yourself	Can you decide what is accepted, rejected, or newly intersected in 'Computer Graphics History'?

Page 20	Computer Graphics History
Source cue	The Abyss (1989) Terminator 2 (1991) Jurassic Park (1993)
Professor-style explanation	The slide 'Computer Graphics History' introduces a concrete graphics object, operation, or relation. The named terms describe input data, a processing step, and an output used elsewhere in the rendering workflow. On the slide, the concrete items are: The Abyss (1989) Terminator 2 (1991) Jurassic Park (1993). The object-level relation is therefore input, operation, output, and the later graphics stage that consumes the output.
Technical commentary	This slide is about Computer Graphics History. The slide names a concrete relation between input data, an operation, and an output that another graphics stage can consume. Concrete items shown: The Abyss (1989) Terminator 2 (1991) Jurassic Park (1993)
Why it matters	Even a sparse slide usually names a relation you must be able to explain in words.
Check yourself	Can you turn 'Computer Graphics History' into a causal sentence instead of repeating the slide title?

Page 21	Computer Graphics History
Source cue	Ikea (2014)
Professor-style explanation	The slide 'Computer Graphics History' introduces a concrete graphics object, operation, or relation. The named terms describe input data, a processing step, and an output used elsewhere in the rendering workflow. On the slide, the concrete items are: Ikea (2014). The object-level relation is therefore input, operation, output, and the later graphics stage that consumes the output.
Technical commentary	This slide is about Computer Graphics History. The slide names a concrete relation between input data, an operation, and an output that another graphics stage can consume. Concrete items shown: Ikea (2014)
Why it matters	Even a sparse slide usually names a relation you must be able to explain in words.

Check yourself	Can you turn 'Computer Graphics History' into a causal sentence instead of repeating the slide title?
Page 22	Related Disciplines
Source cue	- Human-Computer Interaction / - Virtual and Augmented Reality / - Visualization / - Image Processing / - Computer Vision
Professor-style explanation	The slide 'Related Disciplines' introduces a concrete graphics object, operation, or relation. The named terms describe input data, a processing step, and an output used elsewhere in the rendering workflow. On the slide, the concrete items are: - Human-Computer Interaction / - Virtual and Augmented Reality / - Visualization / - Image Processing / - Computer Vision. The object-level relation is therefore input, operation, output, and the later graphics stage that consumes the output.
Technical commentary	This slide is about Related Disciplines. The slide names a concrete relation between input data, an operation, and an output that another graphics stage can consume. Concrete items shown: - Human-Computer Interaction / - Virtual and Augmented Reality / - Visualization / - Image Processing / - Computer Vision
Why it matters	Even a sparse slide usually names a relation you must be able to explain in words.
Check yourself	Can you turn 'Related Disciplines' into a causal sentence instead of repeating the slide title?
Page 23	Applications
Source cue	- Computer games / - Animation movies / - Special effects in movies / - CAD/CAM [CryEngine 5.7, CryTek 2022] / - Simulation
Professor-style explanation	The slide 'Applications' introduces a concrete graphics object, operation, or relation. The named terms describe input data, a processing step, and an output used elsewhere in the rendering workflow. On the slide, the concrete items are: - Computer games / - Animation movies / - Special effects in movies / - CAD/CAM [CryEngine 5.7, CryTek 2022] / - Simulation. The object-level relation is therefore input, operation, output, and the later graphics stage that consumes the output.
Technical commentary	This slide is about Applications. The slide names a concrete relation between input data, an operation, and an output that another graphics stage can consume. Concrete items shown: - Computer games / - Animation movies / - Special effects in movies / - CAD/CAM [CryEngine 5.7, CryTek 2022] / - Simulation
Why it matters	Even a sparse slide usually names a relation you must be able to explain in words.
Check yourself	Can you turn 'Applications' into a causal sentence instead of repeating the slide title?
Page 24	1.3 Pixel-based Representations
Source cue	What is a pixel?

Professor-style explanation	The slide '1.3 Pixel-based Representations' introduces a concrete graphics object, operation, or relation. The named terms describe input data, a processing step, and an output used elsewhere in the rendering workflow. On the slide, the concrete items are: What is a pixel?. The object-level relation is therefore input, operation, output, and the later graphics stage that consumes the output.
Technical commentary	This slide is about 1.3 Pixel-based Representations. The slide names a concrete relation between input data, an operation, and an output that another graphics stage can consume. Concrete items shown: What is a pixel?
Why it matters	Even a sparse slide usually names a relation you must be able to explain in words.
Check yourself	Can you turn '1.3 Pixel-based Representations' into a causal sentence instead of repeating the slide title?

Page 25	Raster Images
Source cue	[„Bibliothek“ by press office Ulm University]
Professor-style explanation	The slide 'Raster Images' explains the conversion from continuous geometry to a discrete sample grid. A mathematical line, triangle, or region is tested against pixel/sample positions. Covered samples become fragments, and attributes such as depth, color, normals, or texture coordinates can be interpolated across the primitive. On the slide, the concrete items are: [„Bibliothek“ by press office Ulm University]. Rasterization creates fragment candidates; later tests decide whether those candidates become visible pixel updates.
Technical commentary	This slide is about Raster Images. The rasterization objects on the slide convert ideal geometric primitives into covered samples or fragments with interpolated attributes. Concrete items shown: [„Bibliothek“ by press office Ulm University]
Why it matters	Rasterization determines fragment generation; without it, shading and fragment tests have nothing to operate on.
Check yourself	Can you explain which samples/fragments are generated by 'Raster Images'?

Page 26	Pixel
Source cue	- Name derived from Word for Picture Element / - Pixel is a sample with associated sample values (=pixel components) / - Color / - Transparency (=alpha value) / - Depth (i.e., distance from viewer (=z value))
Professor-style explanation	The slide 'Pixel' explains visibility as the decision of which surface is seen from the current viewpoint. Some methods compare or sort objects, some subdivide image regions, some cast rays, and the depth buffer compares per-fragment depth values. On the slide, the concrete items are: - Name derived from Word for Picture Element / - Pixel is a sample with associated sample values (=pixel components) / - Color / - Transparency (=alpha value) / - Depth (i.e., distance from viewer (=z value)). The object-level relation is viewpoint, candidate surface, visibility test, and visible result.

Technical commentary	This slide is about Pixel. The visibility method on the slide decides which surface, fragment, ray hit, or image region is visible from the current viewpoint. Concrete items shown: - Name derived from Word for Picture Element / - Pixel is a sample with associated sample values (=pixel components) / - Color / - Transparency (=alpha value) / - Depth (i.e., distance from viewer (=z value))
Why it matters	Visibility decides which generated candidates are actually seen from the current viewpoint.
Check yourself	Can you decide whether 'Pixel' works per object, per image region, per ray, or per fragment?
Page 27	Color
Source cue	- In real world color is given / by color spectrum Day Light Light Bulb / Fluorescent Tube White LED / - In computer graphics color is represented through color models / - RGB color model (additive)
Professor-style explanation	The slide 'Color' explains local illumination at a surface point. The surface normal defines orientation, the light vector defines incoming light, the view vector defines the observer, and material parameters scale ambient, diffuse, or specular terms. On the slide, the concrete items are: - In real world color is given / by color spectrum Day Light Light Bulb / Fluorescent Tube White LED / - In computer graphics color is represented through color models / - RGB color model (additive). The object-level relation is light source, surface point, material response, and computed color.
Technical commentary	This slide is about Color. The lighting objects on the slide combine normals, light directions, view directions, material coefficients, and shading locations to compute color. Concrete items shown: - In real world color is given / by color spectrum Day Light Light Bulb / Fluorescent Tube White LED / - In computer graphics color is represented through color models / - RGB color model (additive)
Why it matters	Lighting formulas are only meaningful when their vectors and material terms are interpreted correctly.
Check yourself	Can you identify the normal, light vector, view vector, and material term relevant to 'Color'?
Page 28	LCD Raster Screen
Source cue	- Liquid crystal displays exist since the 90s and enable flat screens / - Liquid crystals affect the polarization of light / - Based on polarization, subpixel visibility is regulated
Professor-style explanation	The slide 'LCD Raster Screen' explains the conversion from continuous geometry to a discrete sample grid. A mathematical line, triangle, or region is tested against pixel/sample positions. Covered samples become fragments, and attributes such as depth, color, normals, or texture coordinates can be interpolated across the primitive. On the slide, the concrete items are: - Liquid crystal displays exist since the 90s and enable flat screens / - Liquid crystals affect the polarization of light / - Based on polarization, subpixel visibility is regulated. Rasterization creates fragment candidates; later tests decide whether those candidates become visible pixel updates.

Technical commentary	This slide is about LCD Raster Screen. The rasterization objects on the slide convert ideal geometric primitives into covered samples or fragments with interpolated attributes. Concrete items shown: - Liquid crystal displays exist since the 90s and enable flat screens / - Liquid crystals affect the polarization of light / - Based on polarization, subpixel visibility is regulated
Why it matters	Rasterization determines fragment generation; without it, shading and fragment tests have nothing to operate on.
Check yourself	Can you explain which samples/fragments are generated by 'LCD Raster Screen'?

Page 29	Raster Image Sizes
Source cue	- Assume a raster image with 1024x768 pixels and 24 Bit color depth / - How many different colors can be represented? / - $2^{24} = 16.777.216$ / - How much memory does the image need? / - $1024 \times 768 \times 24 = 18.874.368 \text{ Bytes} = 2.359.296 \text{ KiB} = 2,25 \text{ MiB}$
Professor-style explanation	The slide 'Raster Image Sizes' explains the conversion from continuous geometry to a discrete sample grid. A mathematical line, triangle, or region is tested against pixel/sample positions. Covered samples become fragments, and attributes such as depth, color, normals, or texture coordinates can be interpolated across the primitive. On the slide, the concrete items are: - Assume a raster image with 1024x768 pixels and 24 Bit color depth / - How many different colors can be represented? / - $2^{24} = 16.777.216$ / - How much memory does the image need? / - $1024 \times 768 \times 24 = 18.874.368 \text{ Bytes} = 2.359.296 \text{ KiB} = 2,25 \text{ MiB}$. Rasterization creates fragment candidates; later tests decide whether those candidates become visible pixel updates.
Technical commentary	This slide is about Raster Image Sizes. The rasterization objects on the slide convert ideal geometric primitives into covered samples or fragments with interpolated attributes. Concrete items shown: - Assume a raster image with 1024x768 pixels and 24 Bit color depth / - How many different colors can be represented? / - $2^{24} = 16.777.216$ / - How much memory does the image need? / - $1024 \times 768 \times 24 = 18.874.368 \text{ Bytes} = 2.359.296 \text{ KiB} = 2,25 \text{ MiB}$
Why it matters	Rasterization determines fragment generation; without it, shading and fragment tests have nothing to operate on.
Check yourself	Can you explain which samples/fragments are generated by 'Raster Image Sizes'?

Page 30	1.4 3D Models
Source cue	Modeling with triangles and other geometric primitives
Professor-style explanation	The slide '1.4 3D Models' explains the conversion from continuous geometry to a discrete sample grid. A mathematical line, triangle, or region is tested against pixel/sample positions. Covered samples become fragments, and attributes such as depth, color, normals, or texture coordinates can be interpolated across the primitive. On the slide, the concrete items are: Modeling with triangles and other geometric primitives. Rasterization creates fragment candidates; later tests decide whether those candidates become visible pixel updates.

Technical commentary	This slide is about 1.4 3D Models. The rasterization objects on the slide convert ideal geometric primitives into covered samples or fragments with interpolated attributes. Concrete items shown: Modeling with triangles and other geometric primitives
Why it matters	Rasterization determines fragment generation; without it, shading and fragment tests have nothing to operate on.
Check yourself	Can you explain which samples/fragments are generated by '1.4 3D Models'?

Page 31	3D Model Types
Source cue	- Models specify the structures to be displayed / - Three commonly used model types exist / - Implicit surfaces / - Polygonal models / - Volumetric models
Professor-style explanation	The slide '3D Model Types' introduces a concrete graphics object, operation, or relation. The named terms describe input data, a processing step, and an output used elsewhere in the rendering workflow. On the slide, the concrete items are: - Models specify the structures to be displayed / - Three commonly used model types exist / - Implicit surfaces / - Polygonal models / - Volumetric models. The object-level relation is therefore input, operation, output, and the later graphics stage that consumes the output.
Technical commentary	This slide is about 3D Model Types. The slide names a concrete relation between input data, an operation, and an output that another graphics stage can consume. Concrete items shown: - Models specify the structures to be displayed / - Three commonly used model types exist / - Implicit surfaces / - Polygonal models / - Volumetric models
Why it matters	Even a sparse slide usually names a relation you must be able to explain in words.
Check yourself	Can you turn '3D Model Types' into a causal sentence instead of repeating the slide title?

Page 32	Implicit Surfaces
Source cue	- Set of all points that fulfill $x, y, z = 0$ / - All points with $x, y, z < 0$ define solid bound by $x, y, z = 0$ / - Display possibilities / - Search for null points / - Approximate with polygons
Professor-style explanation	The slide 'Implicit Surfaces' introduces a concrete graphics object, operation, or relation. The named terms describe input data, a processing step, and an output used elsewhere in the rendering workflow. On the slide, the concrete items are: - Set of all points that fulfill $x, y, z = 0$ / - All points with $x, y, z < 0$ define solid bound by $x, y, z = 0$ / - Display possibilities / - Search for null points / - Approximate with polygons. The object-level relation is therefore input, operation, output, and the later graphics stage that consumes the output.
Technical commentary	This slide is about Implicit Surfaces. The slide names a concrete relation between input data, an operation, and an output that another graphics stage can consume. Concrete items shown: - Set of all points that fulfill $x, y, z = 0$ / - All points with $x, y, z < 0$ define solid bound by $x, y, z = 0$ / - Display possibilities / - Search for null points / - Approximate with polygons

Why it matters	Even a sparse slide usually names a relation you must be able to explain in words.
Check yourself	Can you turn 'Implicit Surfaces' into a causal sentence instead of repeating the slide title?
Page 33	Quadrics
Source cue	- Surfaces represented by quadric equations / Ellipsoid Single Hyperboloid Double Hyperboloid / $x^2 y^2 z^2$ / $x, y, z = + + - 1$ $x, y, z = + - - 1$ $x, y, z = + - + 1$ / $\frac{x^2}{a^2} + \frac{y^2}{b^2} + \frac{z^2}{c^2} = 1$
Professor-style explanation	The slide 'Quadrics' introduces a concrete graphics object, operation, or relation. The named terms describe input data, a processing step, and an output used elsewhere in the rendering workflow. On the slide, the concrete items are: - Surfaces represented by quadric equations / Ellipsoid Single Hyperboloid Double Hyperboloid / $x^2 y^2 z^2$ / $x, y, z = + + - 1$ $x, y, z = + - - 1$ $x, y, z = + - + 1$ / $\frac{x^2}{a^2} + \frac{y^2}{b^2} + \frac{z^2}{c^2} = 1$. The object-level relation is therefore input, operation, output, and the later graphics stage that consumes the output.
Technical commentary	This slide is about Quadrics. The slide names a concrete relation between input data, an operation, and an output that another graphics stage can consume. Concrete items shown: - Surfaces represented by quadric equations / Ellipsoid Single Hyperboloid Double Hyperboloid / $x^2 y^2 z^2$ / $x, y, z = + + - 1$ $x, y, z = + - - 1$ $x, y, z = + - + 1$ / $\frac{x^2}{a^2} + \frac{y^2}{b^2} + \frac{z^2}{c^2} = 1$
Why it matters	Even a sparse slide usually names a relation you must be able to explain in words.
Check yourself	Can you turn 'Quadrics' into a causal sentence instead of repeating the slide title?
Page 34	Object Representation
Source cue	Point Cloud (3D Scan) Binary Data (MRT) Signed Distance Fields (SDF) Meshes
Professor-style explanation	The slide 'Object Representation' introduces a concrete graphics object, operation, or relation. The named terms describe input data, a processing step, and an output used elsewhere in the rendering workflow. On the slide, the concrete items are: Point Cloud (3D Scan) Binary Data (MRT) Signed Distance Fields (SDF) Meshes. The object-level relation is therefore input, operation, output, and the later graphics stage that consumes the output.
Technical commentary	This slide is about Object Representation. The slide names a concrete relation between input data, an operation, and an output that another graphics stage can consume. Concrete items shown: Point Cloud (3D Scan) Binary Data (MRT) Signed Distance Fields (SDF) Meshes
Why it matters	Even a sparse slide usually names a relation you must be able to explain in words.
Check yourself	Can you turn 'Object Representation' into a causal sentence instead of repeating the slide title?
Page 35	Polygonal Models 1/3

Source cue	- Surface representation is approximated by polygons / - Polygons are made up of vertices and edges
Professor-style explanation	The slide 'Polygonal Models 1/3' introduces a concrete graphics object, operation, or relation. The named terms describe input data, a processing step, and an output used elsewhere in the rendering workflow. On the slide, the concrete items are: - Surface representation is approximated by polygons / - Polygons are made up of vertices and edges. The object-level relation is therefore input, operation, output, and the later graphics stage that consumes the output.
Technical commentary	This slide is about Polygonal Models 1/3. The slide names a concrete relation between input data, an operation, and an output that another graphics stage can consume. Concrete items shown: - Surface representation is approximated by polygons / - Polygons are made up of vertices and edges
Why it matters	Even a sparse slide usually names a relation you must be able to explain in words.
Check yourself	Can you turn 'Polygonal Models 1/3' into a causal sentence instead of repeating the slide title?
Page 36	Polygonal Models 1/4
Source cue	- Surface representation is approximated by polygons (mostly triangles/quads) / - Polygons are made up of vertices and edges / Valence / Degree Adjacent Edges 1-Ring Neighborhood
Professor-style explanation	The slide 'Polygonal Models 1/4' explains the conversion from continuous geometry to a discrete sample grid. A mathematical line, triangle, or region is tested against pixel/sample positions. Covered samples become fragments, and attributes such as depth, color, normals, or texture coordinates can be interpolated across the primitive. On the slide, the concrete items are: - Surface representation is approximated by polygons (mostly triangles/quads) / - Polygons are made up of vertices and edges / Valence / Degree Adjacent Edges 1-Ring Neighborhood. Rasterization creates fragment candidates; later tests decide whether those candidates become visible pixel updates.
Technical commentary	This slide is about Polygonal Models 1/4. The rasterization objects on the slide convert ideal geometric primitives into covered samples or fragments with interpolated attributes. Concrete items shown: - Surface representation is approximated by polygons (mostly triangles/quads) / - Polygons are made up of vertices and edges / Valence / Degree Adjacent Edges 1-Ring Neighborhood
Why it matters	Rasterization determines fragment generation; without it, shading and fragment tests have nothing to operate on.
Check yourself	Can you explain which samples/fragments are generated by 'Polygonal Models 1/4'?
Page 37	Polygonal Models 2/4
Source cue	- Surface representation are often approximated by triangular polygons / - Triangles consist of three vertices and three edges / - Display achieved through rendering by raster conversion of triangles

Professor-style explanation	The slide 'Polygonal Models 2/4' explains the conversion from continuous geometry to a discrete sample grid. A mathematical line, triangle, or region is tested against pixel/sample positions. Covered samples become fragments, and attributes such as depth, color, normals, or texture coordinates can be interpolated across the primitive. On the slide, the concrete items are: - Surface representation are often approximated by triangular polygons / - Triangles consist of three vertices and three edges / - Display achieved through rendering by raster conversion of triangles. Rasterization creates fragment candidates; later tests decide whether those candidates become visible pixel updates.
Technical commentary	This slide is about Polygonal Models 2/4. The rasterization objects on the slide convert ideal geometric primitives into covered samples or fragments with interpolated attributes. Concrete items shown: - Surface representation are often approximated by triangular polygons / - Triangles consist of three vertices and three edges / - Display achieved through rendering by raster conversion of triangles
Why it matters	Rasterization determines fragment generation; without it, shading and fragment tests have nothing to operate on.
Check yourself	Can you explain which samples/fragments are generated by 'Polygonal Models 2/4'?
Page 38	Polygonal Models 3/4
Source cue	- Various attributes are associated with vertices of a polygonal model / - Colors / - Material properties / - Textures / - ...
Professor-style explanation	The slide 'Polygonal Models 3/4' explains local illumination at a surface point. The surface normal defines orientation, the light vector defines incoming light, the view vector defines the observer, and material parameters scale ambient, diffuse, or specular terms. On the slide, the concrete items are: - Various attributes are associated with vertices of a polygonal model / - Colors / - Material properties / - Textures / - The object-level relation is light source, surface point, material response, and computed color.
Technical commentary	This slide is about Polygonal Models 3/4. The lighting objects on the slide combine normals, light directions, view directions, material coefficients, and shading locations to compute color. Concrete items shown: - Various attributes are associated with vertices of a polygonal model / - Colors / - Material properties / - Textures / - ...
Why it matters	Lighting formulas are only meaningful when their vectors and material terms are interpreted correctly.
Check yourself	Can you identify the normal, light vector, view vector, and material term relevant to 'Polygonal Models 3/4'?
Page 39	Polygonal Models 4/4
Source cue	- Surface normal required in many cases / - Normal is calculated through cross product: / - Example use cases /  / 2 3 3 2

Professor-style explanation	The slide 'Polygonal Models 4/4' explains local illumination at a surface point. The surface normal defines orientation, the light vector defines incoming light, the view vector defines the observer, and material parameters scale ambient, diffuse, or specular terms. On the slide, the concrete items are: - Surface normal required in many cases / - Normal is calculated through cross product: / - Example use cases / ■ ■ – ■ ■ / 2 3 3 2. The object-level relation is light source, surface point, material response, and computed color.
Technical commentary	This slide is about Polygonal Models 4/4. The lighting objects on the slide combine normals, light directions, view directions, material coefficients, and shading locations to compute color. Concrete items shown: - Surface normal required in many cases / - Normal is calculated through cross product: / - Example use cases / ■ ■ – ■ ■ / 2 3 3 2
Why it matters	Lighting formulas are only meaningful when their vectors and material terms are interpreted correctly.
Check yourself	Can you identify the normal, light vector, view vector, and material term relevant to 'Polygonal Models 4/4'?

Page 40	Volumetric Models
Source cue	- Space filling object representation through voxels (volume elements) / - Display possibilities / - Rendering of extracted surfaces / - Direct rendering through specialized algorithms
Professor-style explanation	The slide 'Volumetric Models' explains the conversion from continuous geometry to a discrete sample grid. A mathematical line, triangle, or region is tested against pixel/sample positions. Covered samples become fragments, and attributes such as depth, color, normals, or texture coordinates can be interpolated across the primitive. On the slide, the concrete items are: - Space filling object representation through voxels (volume elements) / - Display possibilities / - Rendering of extracted surfaces / - Direct rendering through specialized algorithms. Rasterization creates fragment candidates; later tests decide whether those candidates become visible pixel updates.
Technical commentary	This slide is about Volumetric Models. The rasterization objects on the slide convert ideal geometric primitives into covered samples or fragments with interpolated attributes. Concrete items shown: - Space filling object representation through voxels (volume elements) / - Display possibilities / - Rendering of extracted surfaces / - Direct rendering through specialized algorithms
Why it matters	Rasterization determines fragment generation; without it, shading and fragment tests have nothing to operate on.
Check yourself	Can you explain which samples/fragments are generated by 'Volumetric Models'?

Page 41	Model Generation
Source cue	- Polygonal models are generated through 3D scanning or 3D modeling / (e.g., LIDAR, Blender, Cinema 4D, Maya) / - Volumetric models are generated through imaging or simulation / (e.g., CT, MRI, PET, CFD, seismic surveys)

Professor-style explanation	The slide 'Model Generation' introduces a concrete graphics object, operation, or relation. The named terms describe input data, a processing step, and an output used elsewhere in the rendering workflow. On the slide, the concrete items are: - Polygonal models are generated through 3D scanning or 3D modeling / (e.g., LIDAR, Blender, Cinema 4D, Maya) / - Volumetric models are generated through imaging or simulation / (e.g., CT, MRI, PET, CFD, seismic surveys). The object-level relation is therefore input, operation, output, and the later graphics stage that consumes the output.
Technical commentary	This slide is about Model Generation. The slide names a concrete relation between input data, an operation, and an output that another graphics stage can consume. Concrete items shown: - Polygonal models are generated through 3D scanning or 3D modeling / (e.g., LIDAR, Blender, Cinema 4D, Maya) / - Volumetric models are generated through imaging or simulation / (e.g., CT, MRI, PET, CFD, seismic surveys)
Why it matters	Even a sparse slide usually names a relation you must be able to explain in words.
Check yourself	Can you turn 'Model Generation' into a causal sentence instead of repeating the slide title?

Page 42	Coordinate Systems
Source cue	- Three main coordinate system exist / - Model coordinate system – model specified in own coordinate system / - World coordinate system – models arranged in common coordinate system / - Eye/camera coordinate system – model in relation to camera / - To transfer between coordinate systems,
Professor-style explanation	The slide 'Coordinate Systems' explains how geometric objects change coordinate systems. A point, vector, normal, or local coordinate frame is multiplied by a transformation matrix or affected by an affine operation. Translations move positions, rotations change orientation, scaling changes size, and composed matrices combine several such effects. On the slide, the concrete items are: - Three main coordinate system exist / - Model coordinate system – model specified in own coordinate system / - World coordinate system – models arranged in common coordinate system / - Eye/camera coordinate system – model in relation to camera / - To transfer between coordinate systems,. The object-level relation is input coordinate space, transformation object, and output coordinate space.
Technical commentary	This slide is about Coordinate Systems. The transformation objects on the slide move points, vectors, or coordinate frames from one space into another using matrices or affine operations. Concrete items shown: - Three main coordinate system exist / - Model coordinate system – model specified in own coordinate system / - World coordinate system – models arranged in common coordinate system / - Eye/camera coordinate system – model in relation to camera / - To transfer between coordinate systems,
Why it matters	A wrong coordinate-space assumption can make correct formulas produce wrong images.
Check yourself	Can you state the coordinate space before and after 'Coordinate Systems'?

Page 43	Rendering
---------	-----------

Source cue	- Rendering is the process to generate raster images from 3D models / - During rendering several steps are necessary / - Coordinate system transformation / - Visibility determination / - Illumination
Professor-style explanation	The slide 'Rendering' explains how geometric objects change coordinate systems. A point, vector, normal, or local coordinate frame is multiplied by a transformation matrix or affected by an affine operation. Translations move positions, rotations change orientation, scaling changes size, and composed matrices combine several such effects. On the slide, the concrete items are: - Rendering is the process to generate raster images from 3D models / - During rendering several steps are necessary / - Coordinate system transformation / - Visibility determination / - Illumination. The object-level relation is input coordinate space, transformation object, and output coordinate space.
Technical commentary	This slide is about Rendering. The transformation objects on the slide move points, vectors, or coordinate frames from one space into another using matrices or affine operations. Concrete items shown: - Rendering is the process to generate raster images from 3D models / - During rendering several steps are necessary / - Coordinate system transformation / - Visibility determination / - Illumination
Why it matters	A wrong coordinate-space assumption can make correct formulas produce wrong images.
Check yourself	Can you state the coordinate space before and after 'Rendering'?
Page 44	1.5 Algorithmic Paradigms
Source cue	Frequently found algorithm strategies
Professor-style explanation	The slide '1.5 Algorithmic Paradigms' introduces a concrete graphics object, operation, or relation. The named terms describe input data, a processing step, and an output used elsewhere in the rendering workflow. On the slide, the concrete items are: Frequently found algorithm strategies. The object-level relation is therefore input, operation, output, and the later graphics stage that consumes the output.
Technical commentary	This slide is about 1.5 Algorithmic Paradigms. The slide names a concrete relation between input data, an operation, and an output that another graphics stage can consume. Concrete items shown: Frequently found algorithm strategies
Why it matters	Even a sparse slide usually names a relation you must be able to explain in words.
Check yourself	Can you turn '1.5 Algorithmic Paradigms' into a causal sentence instead of repeating the slide title?
Page 45	Photorealistic Rendering
Source cue	- Goal: simulate reality / [Embree Ray Tracing Website - http://embree.github.io/] [Maisch & Ropinski, Eurographics 2017] [Hendrik vann Jenssen]

Professor-style explanation	The slide 'Photorealistic Rendering' explains visibility as the decision of which surface is seen from the current viewpoint. Some methods compare or sort objects, some subdivide image regions, some cast rays, and the depth buffer compares per-fragment depth values. On the slide, the concrete items are: - Goal: simulate reality / [Embree Ray Tracing Website - http://embree.github.io/] [Maisch & Ropinski, Eurographics 2017] [Hendrik vann Jenssen]. The object-level relation is viewpoint, candidate surface, visibility test, and visible result.
Technical commentary	This slide is about Photorealistic Rendering. The visibility method on the slide decides which surface, fragment, ray hit, or image region is visible from the current viewpoint. Concrete items shown: - Goal: simulate reality / [Embree Ray Tracing Website - http://embree.github.io/] [Maisch & Ropinski, Eurographics 2017] [Hendrik vann Jenssen]
Why it matters	Visibility decides which generated candidates are actually seen from the current viewpoint.
Check yourself	Can you decide whether 'Photorealistic Rendering' works per object, per image region, per ray, or per fragment?

Page 46	Non-Photorealistic Rendering (NPR)
Source cue	- Goal: abstract reality / [Suggestive contour line drawings, DeCarlo 2003]
Professor-style explanation	The slide 'Non-Photorealistic Rendering (NPR)' explains the conversion from continuous geometry to a discrete sample grid. A mathematical line, triangle, or region is tested against pixel/sample positions. Covered samples become fragments, and attributes such as depth, color, normals, or texture coordinates can be interpolated across the primitive. On the slide, the concrete items are: - Goal: abstract reality / [Suggestive contour line drawings, DeCarlo 2003]. Rasterization creates fragment candidates; later tests decide whether those candidates become visible pixel updates.
Technical commentary	This slide is about Non-Photorealistic Rendering (NPR). The rasterization objects on the slide convert ideal geometric primitives into covered samples or fragments with interpolated attributes. Concrete items shown: - Goal: abstract reality / [Suggestive contour line drawings, DeCarlo 2003]
Why it matters	Rasterization determines fragment generation; without it, shading and fragment tests have nothing to operate on.
Check yourself	Can you explain which samples/fragments are generated by 'Non-Photorealistic Rendering (NPR)'?

Page 47	Image-Based Algorithms
Source cue	- Number of computations direct proportional to number of pixels / for all Pixels do { / for all SceneObjects do { / - Benefits / - Easy implementation
Professor-style explanation	The slide 'Image-Based Algorithms' introduces a concrete graphics object, operation, or relation. The named terms describe input data, a processing step, and an output used elsewhere in the rendering workflow. On the slide, the concrete items are: - Number of computations direct proportional to number of pixels / for all Pixels do { / for all SceneObjects do { / - Benefits / - Easy implementation. The object-level relation is therefore input, operation, output, and the later graphics stage that consumes the output.

Technical commentary	This slide is about Image-Based Algorithms. The slide names a concrete relation between input data, an operation, and an output that another graphics stage can consume. Concrete items shown: - Number of computations direct proportional to number of pixels / for all Pixels do { / for all SceneObjects do { / - Benefits / - Easy implementation
Why it matters	Even a sparse slide usually names a relation you must be able to explain in words.
Check yourself	Can you turn 'Image-Based Algorithms' into a causal sentence instead of repeating the slide title?

Page 48	Object-Based Algorithms
Source cue	- Number of computations direct proportional to number of 3D models / for all SceneObjects do { / for all Pixels do { / - Benefits / - Fast computation
Professor-style explanation	The slide 'Object-Based Algorithms' introduces a concrete graphics object, operation, or relation. The named terms describe input data, a processing step, and an output used elsewhere in the rendering workflow. On the slide, the concrete items are: - Number of computations direct proportional to number of 3D models / for all SceneObjects do { / for all Pixels do { / - Benefits / - Fast computation. The object-level relation is therefore input, operation, output, and the later graphics stage that consumes the output.
Technical commentary	This slide is about Object-Based Algorithms. The slide names a concrete relation between input data, an operation, and an output that another graphics stage can consume. Concrete items shown: - Number of computations direct proportional to number of 3D models / for all SceneObjects do { / for all Pixels do { / - Benefits / - Fast computation
Why it matters	Even a sparse slide usually names a relation you must be able to explain in words.
Check yourself	Can you turn 'Object-Based Algorithms' into a causal sentence instead of repeating the slide title?

Page 49	are assigned
Source cue	- Raster images are formed of pixels to which colors, transparencies and depth / are assigned / polygonal models / - Most frequent building blocks of polygonal models are triangles, / which are formed of vertices and edges
Professor-style explanation	The slide 'are assigned' explains the conversion from continuous geometry to a discrete sample grid. A mathematical line, triangle, or region is tested against pixel/sample positions. Covered samples become fragments, and attributes such as depth, color, normals, or texture coordinates can be interpolated across the primitive. On the slide, the concrete items are: - Raster images are formed of pixels to which colors, transparencies and depth / are assigned / polygonal models / - Most frequent building blocks of polygonal models are triangles, / which are formed of vertices and edges. Rasterization creates fragment candidates; later tests decide whether those candidates become visible pixel updates.

Technical commentary	This slide is about are assigned. The rasterization objects on the slide convert ideal geometric primitives into covered samples or fragments with interpolated attributes. Concrete items shown: - Raster images are formed of pixels to which colors, transparencies and depth / are assigned / polygonal models / - Most frequent building blocks of polygonal models are triangles, / which are formed of vertices and edges
Why it matters	Rasterization determines fragment generation; without it, shading and fragment tests have nothing to operate on.
Check yourself	Can you explain which samples/fragments are generated by 'are assigned'?

Page 50	Literature and other sources used in this chapter
Source cue	No object-level text was extracted from this page; the page is primarily title, image, diagram, or layout content.
Professor-style explanation	The slide 'Literature and other sources used in this chapter' introduces a concrete graphics object, operation, or relation. The named terms describe input data, a processing step, and an output used elsewhere in the rendering workflow. On the slide, the concrete items are: No object-level text was extracted from this page; the page is primarily title, image, diagram, or layout content. The object-level relation is therefore input, operation, output, and the later graphics stage that consumes the output.
Technical commentary	This slide is about Literature and other sources used in this chapter. The slide names a concrete relation between input data, an operation, and an output that another graphics stage can consume. Concrete items shown: No object-level text was extracted from this page; the page is primarily title, image, diagram, or layout content.
Why it matters	Even a sparse slide usually names a relation you must be able to explain in words.
Check yourself	Can you turn 'Literature and other sources used in this chapter' into a causal sentence instead of repeating the slide title?

Page 51	Peters 2016. (Chapters 1, 3 & 21)
Source cue	- Text Books / - P. Shirley, M. Ashikhmin, S. Marschner: Fundamentals of Computer Graphics (4th Edition), AK / Peters 2016. (Chapters 1, 3 & 21) / - Crassin, Cyril, Fabrice Neyret, Miguel Sainz, Simon Green, and Elmar Eisemann. "Interactive / indirect illumination using voxel cone tracing." In Computer Graphics Forum, vol. 30, no. 7, pp.
Professor-style explanation	The slide 'Peters 2016. (Chapters 1, 3 & 21)' explains local illumination at a surface point. The surface normal defines orientation, the light vector defines incoming light, the view vector defines the observer, and material parameters scale ambient, diffuse, or specular terms. On the slide, the concrete items are: - Text Books / - P. Shirley, M. Ashikhmin, S. Marschner: Fundamentals of Computer Graphics (4th Edition), AK / Peters 2016. (Chapters 1, 3 & 21) / - Crassin, Cyril, Fabrice Neyret, Miguel Sainz, Simon Green, and Elmar Eisemann. "Interactive / indirect illumination using voxel cone tracing." In Computer Graphics Forum, vol. 30, no. 7, pp. The object-level relation is light source, surface point, material response, and computed color.

Technical commentary	This slide is about Peters 2016. (Chapters 1, 3 & 21). The lighting objects on the slide combine normals, light directions, view directions, material coefficients, and shading locations to compute color. Concrete items shown: - Text Books / - P. Shirley, M. Ashikhmin, S. Marschner: Fundamentals of Computer Graphics (4th Edition), AK / Peters 2016. (Chapters 1, 3 & 21) / - Crassin, Cyril, Fabrice Neyret, Miguel Sainz, Simon Green, and Elmar Eisemann. "Interactive / indirect illumination using voxel cone tracing." In Computer Graphics Forum, vol. 30, no. 7, pp.
Why it matters	Lighting formulas are only meaningful when their vectors and material terms are interpreted correctly.
Check yourself	Can you identify the normal, light vector, view vector, and material term relevant to 'Peters 2016. (Chapters 1, 3 & 21)'?

01.1 Course Organization

Source location: Slides around 6-15

Commentary

The organizational slides matter because they explain how the theory and programming parts fit together. The exercises are not separate from the lecture; they are the practical version of the same pipeline ideas. When the course says that slides are generally not self-explanatory, that is a warning: the bullet points are anchors, not a textbook.

Treat every exercise sheet as an applied checkpoint. Rendering pipeline, primitive types, shaders, transformations, projection, clipping, and rasterization are introduced in the lectures and then turned into OpenGL tasks. If a topic appears both in a lecture and an exercise, it is more likely to be exam relevant.

Mental model

Lecture slides give the vocabulary; exercises force you to connect that vocabulary to code and visible output.

Check yourself

Can you list the five exercise themes and connect each one to a later lecture chapter?

01.2 Computer Graphics Overview

Source location: Section 1.2

Commentary

Computer graphics is about generating images from descriptions. The description can be pixel-based, object-based, physically motivated, artistic, or algorithmic. The common thread is that the computer must decide what color belongs at image samples.

Interactive graphics adds a time constraint. The image is not computed once and admired; it must respond to camera motion, user input, animation, and changing state. That is why real-time rendering often uses approximations and specialized GPU stages.

Mental model

Graphics is controlled image generation. Interactive graphics is controlled image generation under a strict time budget.

Check yourself

What changes when a renderer must be interactive rather than offline?

01.3 Pixel-Based Representations

Source location: Section 1.3

Commentary

A pixel-based representation stores an image directly as samples on a grid. It is easy to display and edit locally, but it does not know the underlying 3D scene. If you zoom into a raster image, you reveal the sampling grid, not more geometry.

This is the first place where sampling becomes important. Resolution, color depth, aliasing, and frame time are not cosmetic details. They decide what information can be represented and how much data must be processed per second.

Mental model

A raster image is already the answer. It contains color samples, not the geometric reasons behind them.

Check yourself

Why can a pixel image be easy to display but hard to reinterpret as a 3D scene?

01.4 3D Models

Source location: Section 1.4

Commentary

A 3D model is a structured description of objects before they become pixels. It may contain vertices, primitives, topology, normals, materials, textures, and transformations. Unlike a pixel image, it can be viewed from different camera positions.

The course mostly follows object-based rendering: start from model data, transform it, project it, rasterize it, shade it, test visibility, and finally update pixels. Later chapters explain these steps one by one.

Mental model

A model is not an image. It is a cause from which many possible images can be generated.

Check yourself

Which model attributes can influence final color besides vertex positions?

01.5 Algorithmic Paradigms

Source location: Section 1.5

Commentary

The lecture contrasts ways to generate images. Rasterization works from objects toward pixels and is the dominant real-time pipeline. Ray-based methods work from image samples into the scene and are powerful for visibility and lighting but can be more expensive.

Do not memorize these paradigms as names only. Ask what direction information flows. Does the algorithm start from geometry and find covered pixels, or from pixels/rays and find visible geometry? That direction explains the strengths and weaknesses.

Mental model

Rasterization asks, 'Which samples does this primitive cover?' Ray casting asks, 'What does this sample see?'

Check yourself

Which paradigm fits OpenGL's standard real-time pipeline most directly?

End-of-lecture summary

If you remember only one thing from Lecture 01, remember this: This lecture is the orientation layer for the whole course. It explains why interactive computer graphics is a pipeline problem: a scene must be represented, processed under time constraints, sampled into an image, and displayed fast enough for interaction.

Before moving on, you should be able to explain the lecture without reading slide bullets aloud. Use the vocabulary from the slides, but add causal links: why a step exists, what data it consumes, what it produces, and what can go wrong.