

Lecture 04 - Geometric Projection

This lecture explains how a 3D view becomes a 2D image. Projection is where camera geometry, homogeneous coordinates, clipping planes, depth precision, and viewport mapping meet.

Source chunk	course_text_parts/03_lectures/04_geometric-projection.txt
Extracted slide pages	61
Reader purpose	Commentary and causal explanation for human reading

How to read this lecture

- Read the section commentary before looking at the raw slide bullets.
- Use the mental model as the short version you should remember.
- Answer the check question without notes before continuing.

Per-slide commentary

Each extracted slide page gets its own note. Use this section as the spoken commentary that the terse slide deck is missing.

Page 1	Untitled slide
Source cue	No object-level text was extracted from this page; the page is primarily title, image, diagram, or layout content.
Professor-style explanation	The slide 'Untitled slide' introduces a concrete graphics object, operation, or relation. The named terms describe input data, a processing step, and an output used elsewhere in the rendering workflow. On the slide, the concrete items are: No object-level text was extracted from this page; the page is primarily title, image, diagram, or layout content. The object-level relation is therefore input, operation, output, and the later graphics stage that consumes the output.
Technical commentary	This slide is about Untitled slide. The slide names a concrete relation between input data, an operation, and an output that another graphics stage can consume. Concrete items shown: No object-level text was extracted from this page; the page is primarily title, image, diagram, or layout content.
Why it matters	Even a sparse slide usually names a relation you must be able to explain in words.
Check yourself	Can you turn 'Untitled slide' into a causal sentence instead of repeating the slide title?
Page 2	Projecting 3D Models
Source cue	- To compute the 2D representation of a 3D model on the screen, / it needs to be projected, whereby it loses its z-coordinates / - Depending on the projection type, the object might get skewed / (perspective shortening) / - Projection can also be expressed as a matrix multiplication,

Professor-style explanation	The slide 'Projecting 3D Models' explains how geometric objects change coordinate systems. A point, vector, normal, or local coordinate frame is multiplied by a transformation matrix or affected by an affine operation. Translations move positions, rotations change orientation, scaling changes size, and composed matrices combine several such effects. On the slide, the concrete items are: - To compute the 2D representation of a 3D model on the screen, / it needs to be projected, whereby it loses its z-coordinates / - Depending on the projection type, the object might get skewed / (perspective shortening) / - Projection can also be expressed as a matrix multiplication,. The object-level relation is input coordinate space, transformation object, and output coordinate space.
Technical commentary	This slide is about Projecting 3D Models. The transformation objects on the slide move points, vectors, or coordinate frames from one space into another using matrices or affine operations. Concrete items shown: - To compute the 2D representation of a 3D model on the screen, / it needs to be projected, whereby it loses its z-coordinates / - Depending on the projection type, the object might get skewed / (perspective shortening) / - Projection can also be expressed as a matrix multiplication,
Why it matters	A wrong coordinate-space assumption can make correct formulas produce wrong images.
Check yourself	Can you state the coordinate space before and after 'Projecting 3D Models'?

Page 3	4.1 Linear Perspective
Source cue	4.2 Planar Projections / 4.3 Camera Modeling / 4.4 Specifying Projections in OpenGL / 4.5 Perspective Projection Derivation / 4.6 Orthographic Projection Derivation
Professor-style explanation	The slide '4.1 Linear Perspective' describes the OpenGL side of the rendering pipeline. OpenGL represents rendering through objects such as contexts, buffers, vertex arrays, shaders, textures, samplers, and framebuffers. At draw time, the currently bound objects and state determine what data reaches the GPU and how the pipeline processes it. On the slide, the concrete items are: 4.2 Planar Projections / 4.3 Camera Modeling / 4.4 Specifying Projections in OpenGL / 4.5 Perspective Projection Derivation / 4.6 Orthographic Projection Derivation. The concrete relation is between API state, GPU resource, shader input, and final rendering result.
Technical commentary	This slide is about 4.1 Linear Perspective. The OpenGL objects and calls shown here control GPU state, bound resources, shader interfaces, buffer contents, or framebuffer access at draw time. Concrete items shown: 4.2 Planar Projections / 4.3 Camera Modeling / 4.4 Specifying Projections in OpenGL / 4.5 Perspective Projection Derivation / 4.6 Orthographic Projection Derivation
Why it matters	OpenGL bugs are usually state, binding, shader-interface, or buffer-layout bugs, so API details matter.
Check yourself	Can you name the OpenGL object, state, shader stage, or buffer involved in '4.1 Linear Perspective'?

Page 4	4.1 Linear Perspective
--------	------------------------

Source cue	Discovery of perspective distortion in art
Professor-style explanation	The slide '4.1 Linear Perspective' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: Discovery of perspective distortion in art. The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about 4.1 Linear Perspective. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: Discovery of perspective distortion in art
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how '4.1 Linear Perspective' changes positions before rasterization?
Page 5	Linear Perspective
Source cue	- What is wrong in this image? / William Hogarth: / False Perspective, 1754 / Satire on False Perspective / William Hogarth (1753)
Professor-style explanation	The slide 'Linear Perspective' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: - What is wrong in this image? / William Hogarth: / False Perspective, 1754 / Satire on False Perspective / William Hogarth (1753). The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about Linear Perspective. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: - What is wrong in this image? / William Hogarth: / False Perspective, 1754 / Satire on False Perspective / William Hogarth (1753)
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how 'Linear Perspective' changes positions before rasterization?
Page 6	Drawing by Projecting
Source cue	- Projection: method for imaging objects using parallel or central beams / - Perspective: / "The science which teaches how to represent tri-dimensional objects / on a bi-dimensional surface, so that the perspective image coincides with / the one which is given by direct vision."

Professor-style explanation	The slide 'Drawing by Projecting' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: - Projection: method for imaging objects using parallel or central beams / - Perspective: / "The science which teaches how to represent tri-dimensional objects / on a bi-dimensional surface, so that the perspective image coincides with / the one which is given by direct vision.". The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about Drawing by Projecting. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: - Projection: method for imaging objects using parallel or central beams / - Perspective: / "The science which teaches how to represent tri-dimensional objects / on a bi-dimensional surface, so that the perspective image coincides with / the one which is given by direct vision."
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how 'Drawing by Projecting' changes positions before rasterization?

Page 7	Projection in the Arts 1/5
Source cue	- Before the Renaissance, pictures often had a religious / and symbolic character / - Perspective was not understood: / accordingly, they seem 2-dimensional / Fresco from an Egyptian grave
Professor-style explanation	The slide 'Projection in the Arts 1/5' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: - Before the Renaissance, pictures often had a religious / and symbolic character / - Perspective was not understood: / accordingly, they seem 2-dimensional / Fresco from an Egyptian grave. The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about Projection in the Arts 1/5. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: - Before the Renaissance, pictures often had a religious / and symbolic character / - Perspective was not understood: / accordingly, they seem 2-dimensional / Fresco from an Egyptian grave
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how 'Projection in the Arts 1/5' changes positions before rasterization?

Page 8	Projection in the Arts 2/5
--------	----------------------------

Source cue	- Techniques to simulate space: / - Shaded round volumetric shapes / - Spatial depth through converging lines / Giotto di Bondone / (1266-1337, Florence)
Professor-style explanation	The slide 'Projection in the Arts 2/5' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: - Techniques to simulate space: / - Shaded round volumetric shapes / - Spatial depth through converging lines / Giotto di Bondone / (1266-1337, Florence). The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about Projection in the Arts 2/5. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: - Techniques to simulate space: / - Shaded round volumetric shapes / - Spatial depth through converging lines / Giotto di Bondone / (1266-1337, Florence)
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how 'Projection in the Arts 2/5' changes positions before rasterization?

Page 9	Projection in the Arts 3/5
Source cue	- Renaissance (1400-1700) / - New emphasis on the importance of personal views and interpretation of / the world, power of observation, especially of nature / (astronomy, anatomy, botany, ...) / - Universe as a clockwork:
Professor-style explanation	The slide 'Projection in the Arts 3/5' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: - Renaissance (1400-1700) / - New emphasis on the importance of personal views and interpretation of / the world, power of observation, especially of nature / (astronomy, anatomy, botany, ...) / - Universe as a clockwork. The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about Projection in the Arts 3/5. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: - Renaissance (1400-1700) / - New emphasis on the importance of personal views and interpretation of / the world, power of observation, especially of nature / (astronomy, anatomy, botany, ...) / - Universe as a clockwork:
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.

Check yourself	Can you explain how 'Projection in the Arts 3/5' changes positions before rasterization?
Page 10	Projection in the Arts 4/5
Source cue	- Examples from the Renaissance
Professor-style explanation	The slide 'Projection in the Arts 4/5' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: - Examples from the Renaissance. The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about Projection in the Arts 4/5. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: - Examples from the Renaissance
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how 'Projection in the Arts 4/5' changes positions before rasterization?
Page 11	Projection in the Arts 4/5
Source cue	- Examples from the Renaissance / The Last Supper / Leonardo da Vinci (1498)
Professor-style explanation	The slide 'Projection in the Arts 4/5' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: - Examples from the Renaissance / The Last Supper / Leonardo da Vinci (1498). The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about Projection in the Arts 4/5. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: - Examples from the Renaissance / The Last Supper / Leonardo da Vinci (1498)
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how 'Projection in the Arts 4/5' changes positions before rasterization?
Page 12	Projection in the Arts 5/5
Source cue	- "The Invention of the Painting" (1830) by Karl Friedrich Schinkel (1781-1841): / - An image based on a legend by Pliny the Elder / - Tracing the shadow contours on a drawing surface

Professor-style explanation	The slide 'Projection in the Arts 5/5' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: - "The Invention of the Painting" (1830) by Karl Friedrich Schinkel (1781-1841): / - An image based on a legend by Pliny the Elder / - Tracing the shadow contours on a drawing surface. The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about Projection in the Arts 5/5. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: - "The Invention of the Painting" (1830) by Karl Friedrich Schinkel (1781-1841): / - An image based on a legend by Pliny the Elder / - Tracing the shadow contours on a drawing surface
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how 'Projection in the Arts 5/5' changes positions before rasterization?
Page 13	Projection in the Arts 6/5
Source cue	- M. C. Escher (1898 – 1972)
Professor-style explanation	The slide 'Projection in the Arts 6/5' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: - M. C. Escher (1898 – 1972). The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about Projection in the Arts 6/5. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: - M. C. Escher (1898 – 1972)
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how 'Projection in the Arts 6/5' changes positions before rasterization?
Page 14	Projection Technics 1/3
Source cue	- Filippo Brunelleschi (1377-1446): / Systematic method for obtaining / a perspective projection

Professor-style explanation	The slide 'Projection Technics 1/3' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: - Filippo Brunelleschi (1377-1446): / Systematic method for obtaining / a perspective projection. The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about Projection Technics 1/3. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: - Filippo Brunelleschi (1377-1446): / Systematic method for obtaining / a perspective projection
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how 'Projection Technics 1/3' changes positions before rasterization?

Page 15	Projection Technics 1/3
Source cue	The Delivery of the Keys / Perugino (1482)
Professor-style explanation	The slide 'Projection Technics 1/3' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: The Delivery of the Keys / Perugino (1482). The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about Projection Technics 1/3. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: The Delivery of the Keys / Perugino (1482)
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how 'Projection Technics 1/3' changes positions before rasterization?

Page 16	Projection Technics 2/3
Source cue	- Formal description of the perspective projection / - Leone Batista Alberti (1404-1472): / First essay on the subject of "La Pittura" (1435) / - "A painting [the projection plane] is the intersection of a visual pyramid [view / frustum] at a given distance, with a fixed center [center of projection] and a

Professor-style explanation	The slide 'Projection Technics 2/3' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: - Formal description of the perspective projection / - Leone Batista Alberti (1404-1472): / First essay on the subject of "La Pittura" (1435) / - "A painting [the projection plane] is the intersection of a visual pyramid [view / frustum] at a given distance, with a fixed center [center of projection] and a. The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about Projection Technics 2/3. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: - Formal description of the perspective projection / - Leone Batista Alberti (1404-1472): / First essay on the subject of "La Pittura" (1435) / - "A painting [the projection plane] is the intersection of a visual pyramid [view / frustum] at a given distance, with a fixed center [center of projection] and a
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how 'Projection Technics 2/3' changes positions before rasterization?

Page 17	Projection Technics 3/3
Source cue	- Albrecht Dürer (1471-1528): / Geometric and mechanical / description of the concept / of similar triangles / - Construction of several
Professor-style explanation	The slide 'Projection Technics 3/3' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: - Albrecht Dürer (1471-1528): / Geometric and mechanical / description of the concept / of similar triangles / - Construction of several. The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about Projection Technics 3/3. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: - Albrecht Dürer (1471-1528): / Geometric and mechanical / description of the concept / of similar triangles / - Construction of several
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how 'Projection Technics 3/3' changes positions before rasterization?

Page 18	Projection Technics 3/3
---------	-------------------------

Source cue	- Camera Obscura
Professor-style explanation	The slide 'Projection Technics 3/3' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: - Camera Obscura. The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about Projection Technics 3/3. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: - Camera Obscura
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how 'Projection Technics 3/3' changes positions before rasterization?
Page 19	4.2 Planar Projections
Source cue	Perspective and parallel projections
Professor-style explanation	The slide '4.2 Planar Projections' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: Perspective and parallel projections. The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about 4.2 Planar Projections. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: Perspective and parallel projections
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how '4.2 Planar Projections' changes positions before rasterization?
Page 20	Geometric Projections
Source cue	- Method of mapping objects onto a screen using projectors / - Planar geometric projections / - Projection beams are straight lines / - Projection surface is a plane / (image plane, picture plane,

Professor-style explanation	The slide 'Geometric Projections' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: - Method of mapping objects onto a screen using projectors / - Planar geometric projections / - Projection beams are straight lines / - Projection surface is a plane / (image plane, picture plane, . The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about Geometric Projections. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: - Method of mapping objects onto a screen using projectors / - Planar geometric projections / - Projection beams are straight lines / - Projection surface is a plane / (image plane, picture plane,
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how 'Geometric Projections' changes positions before rasterization?

Page 21	Projection Types 1/2
Source cue	- Perspective projection (= central projection) / - Established by projection center / (COP, center of projection) / - Perspective reduction: The size of the projection / of an object decreases with increasing distance
Professor-style explanation	The slide 'Projection Types 1/2' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: - Perspective projection (= central projection) / - Established by projection center / (COP, center of projection) / - Perspective reduction: The size of the projection / of an object decreases with increasing distance. The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about Projection Types 1/2. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: - Perspective projection (= central projection) / - Established by projection center / (COP, center of projection) / - Perspective reduction: The size of the projection / of an object decreases with increasing distance
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how 'Projection Types 1/2' changes positions before rasterization?

Page 22	Projection Types 2/2
---------	----------------------

Source cue	Planar geometric Projections / Parallel Perspective / Orthographic Oblique 1-Point / 2-Point / Top Axonometric
Professor-style explanation	The slide 'Projection Types 2/2' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: Planar geometric Projections / Parallel Perspective / Orthographic Oblique 1-Point / 2-Point / Top Axonometric. The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about Projection Types 2/2. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: Planar geometric Projections / Parallel Perspective / Orthographic Oblique 1-Point / 2-Point / Top Axonometric
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how 'Projection Types 2/2' changes positions before rasterization?

Page 23	Orthographic Projections
Source cue	- Orthographic projections often used for / construction drawings of machines and parts / - Main views: Front view, top view and side view / - Advantages / - Accurate length and angle measurements possible
Professor-style explanation	The slide 'Orthographic Projections' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: - Orthographic projections often used for / construction drawings of machines and parts / - Main views: Front view, top view and side view / - Advantages / - Accurate length and angle measurements possible. The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about Orthographic Projections. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: - Orthographic projections often used for / construction drawings of machines and parts / - Main views: Front view, top view and side view / - Advantages / - Accurate length and angle measurements possible
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how 'Orthographic Projections' changes positions before rasterization?

Page 24	Axonometric Projections
---------	-------------------------

Source cue	- Projection beams perpendicular to the projection plane / Isometric / - Projection plane not perpendicular to a coordinate axis / - Visible effects / - Several perpendicular surfaces visible
Professor-style explanation	The slide 'Axonometric Projections' explains how geometric objects change coordinate systems. A point, vector, normal, or local coordinate frame is multiplied by a transformation matrix or affected by an affine operation. Translations move positions, rotations change orientation, scaling changes size, and composed matrices combine several such effects. On the slide, the concrete items are: - Projection beams perpendicular to the projection plane / Isometric / - Projection plane not perpendicular to a coordinate axis / - Visible effects / - Several perpendicular surfaces visible. The object-level relation is input coordinate space, transformation object, and output coordinate space.
Technical commentary	This slide is about Axonometric Projections. The transformation objects on the slide move points, vectors, or coordinate frames from one space into another using matrices or affine operations. Concrete items shown: - Projection beams perpendicular to the projection plane / Isometric / - Projection plane not perpendicular to a coordinate axis / - Visible effects / - Several perpendicular surfaces visible
Why it matters	A wrong coordinate-space assumption can make correct formulas produce wrong images.
Check yourself	Can you state the coordinate space before and after 'Axonometric Projections'?

Page 25	Isometric Projections
Source cue	- Applications in illustrations, furniture design, ... / - Advantages / - Communicate spatial impression in a single view / - Same length ratios along the main axes / - Disadvantages
Professor-style explanation	The slide 'Isometric Projections' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: - Applications in illustrations, furniture design, ... / - Advantages / - Communicate spatial impression in a single view / - Same length ratios along the main axes / - Disadvantages. The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about Isometric Projections. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: - Applications in illustrations, furniture design, ... / - Advantages / - Communicate spatial impression in a single view / - Same length ratios along the main axes / - Disadvantages
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how 'Isometric Projections' changes positions before rasterization?

Page 26	Oblique Projection 1/2
Source cue	- Projection rays not perpendicular to the projection plane / - Common: $\theta = 30^\circ$ / - Cavalier projection $\alpha = 45^\circ$, i.e., $\tan(\theta) = 1$ / a' projectors
Professor-style explanation	The slide 'Oblique Projection 1/2' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: - Projection rays not perpendicular to the projection plane / - Common: $\theta = 30^\circ$ / - Cavalier projection $\alpha = 45^\circ$, i.e., $\tan(\theta) = 1$ / a' projectors. The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about Oblique Projection 1/2. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: - Projection rays not perpendicular to the projection plane / - Common: $\theta = 30^\circ$ / - Cavalier projection $\alpha = 45^\circ$, i.e., $\tan(\theta) = 1$ / a' projectors
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how 'Oblique Projection 1/2' changes positions before rasterization?
Page 27	Oblique Projection 2/2
Source cue	- Advantages / - Can accurately represent the shape of a boundary surface / of an object for accurate measurements / - Missing foreshortening simplifies comparison of sizes / - Gives a good impression of the 3D appearance
Professor-style explanation	The slide 'Oblique Projection 2/2' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: - Advantages / - Can accurately represent the shape of a boundary surface / of an object for accurate measurements / - Missing foreshortening simplifies comparison of sizes / - Gives a good impression of the 3D appearance. The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about Oblique Projection 2/2. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: - Advantages / - Can accurately represent the shape of a boundary surface / of an object for accurate measurements / - Missing foreshortening simplifies comparison of sizes / - Gives a good impression of the 3D appearance
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.

Check yourself	Can you explain how 'Oblique Projection 2/2' changes positions before rasterization?
Page 28	Properties of Parallel Projections
Source cue	- Assumption: Object surface of greatest interest lies parallel to a main plane / - Direction of projection: DOP (direction of projection) / - Normal of the projection plane: VPN (view plane normal) / - Top view (orthographic) / - VPN Main axis, DOP VPN
Professor-style explanation	The slide 'Properties of Parallel Projections' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: - Assumption: Object surface of greatest interest lies parallel to a main plane / - Direction of projection: DOP (direction of projection) / - Normal of the projection plane: VPN (view plane normal) / - Top view (orthographic) / - VPN Main axis, DOP VPN. The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about Properties of Parallel Projections. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: - Assumption: Object surface of greatest interest lies parallel to a main plane / - Direction of projection: DOP (direction of projection) / - Normal of the projection plane: VPN (view plane normal) / - Top view (orthographic) / - VPN Main axis, DOP VPN
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how 'Properties of Parallel Projections' changes positions before rasterization?
Page 29	Perspective Projections 1/3
Source cue	- Properties / - Communicate realistic views of three-dimensional objects / and give a spatial impression / - Distort objects in perspective view / - Scaling of objects is lost
Professor-style explanation	The slide 'Perspective Projections 1/3' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: - Properties / - Communicate realistic views of three-dimensional objects / and give a spatial impression / - Distort objects in perspective view / - Scaling of objects is lost. The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.

Technical commentary	This slide is about Perspective Projections 1/3. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: - Properties / - Communicate realistic views of three-dimensional objects / and give a spatial impression / - Distort objects in perspective view / - Scaling of objects is lost
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how 'Perspective Projections 1/3' changes positions before rasterization?

Page 30	Perspective Projections 2/3
Source cue	- Vanishing points / - For rectangular objects (e.g., axis parallel cubes) whose surface normals / are parallel to the x-, y-, or z-axis, the number of vanishing points is equal / to the number of coordinate axes intersected by the projection plane / 1-Point Perspective 2-Point Perspective 3-Point Perspective
Professor-style explanation	The slide 'Perspective Projections 2/3' explains how geometric objects change coordinate systems. A point, vector, normal, or local coordinate frame is multiplied by a transformation matrix or affected by an affine operation. Translations move positions, rotations change orientation, scaling changes size, and composed matrices combine several such effects. On the slide, the concrete items are: - Vanishing points / - For rectangular objects (e.g., axis parallel cubes) whose surface normals / are parallel to the x-, y-, or z-axis, the number of vanishing points is equal / to the number of coordinate axes intersected by the projection plane / 1-Point Perspective 2-Point Perspective 3-Point Perspective. The object-level relation is input coordinate space, transformation object, and output coordinate space.
Technical commentary	This slide is about Perspective Projections 2/3. The transformation objects on the slide move points, vectors, or coordinate frames from one space into another using matrices or affine operations. Concrete items shown: - Vanishing points / - For rectangular objects (e.g., axis parallel cubes) whose surface normals / are parallel to the x-, y-, or z-axis, the number of vanishing points is equal / to the number of coordinate axes intersected by the projection plane / 1-Point Perspective 2-Point Perspective 3-Point Perspective
Why it matters	A wrong coordinate-space assumption can make correct formulas produce wrong images.
Check yourself	Can you state the coordinate space before and after 'Perspective Projections 2/3'?

Page 31	Perspective Projections 3/3
Source cue	- What happens if the cube is rotated so that its surface normals are not / parallel to the coordinate axes? / - Although the projection plane intersects only one coordinate axis, in this case / you get 3 vanishing points

Professor-style explanation	The slide 'Perspective Projections 3/3' explains how geometric objects change coordinate systems. A point, vector, normal, or local coordinate frame is multiplied by a transformation matrix or affected by an affine operation. Translations move positions, rotations change orientation, scaling changes size, and composed matrices combine several such effects. On the slide, the concrete items are: - What happens if the cube is rotated so that its surface normals are not / parallel to the coordinate axes? / - Although the projection plane intersects only one coordinate axis, in this case / you get 3 vanishing points. The object-level relation is input coordinate space, transformation object, and output coordinate space.
Technical commentary	This slide is about Perspective Projections 3/3. The transformation objects on the slide move points, vectors, or coordinate frames from one space into another using matrices or affine operations. Concrete items shown: - What happens if the cube is rotated so that its surface normals are not / parallel to the coordinate axes? / - Although the projection plane intersects only one coordinate axis, in this case / you get 3 vanishing points
Why it matters	A wrong coordinate-space assumption can make correct formulas produce wrong images.
Check yourself	Can you state the coordinate space before and after 'Perspective Projections 3/3'?
Page 32	4.3 Camera Modeling
Source cue	Orientation of the camera and definition of the view volume
Professor-style explanation	The slide '4.3 Camera Modeling' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: Orientation of the camera and definition of the view volume. The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about 4.3 Camera Modeling. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: Orientation of the camera and definition of the view volume
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how '4.3 Camera Modeling' changes positions before rasterization?
Page 33	Camera Modeling
Source cue	- Application of planar geometric projections, represented by 4×4 matrices, / to project a 3D scene onto a projection screen, i.e., the canvas / - Basic camera parameters / - Camera position / - Camera orientation

Professor-style explanation	The slide 'Camera Modeling' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: - Application of planar geometric projections, represented by 4×4 matrices, / to project a 3D scene onto a projection screen, i.e., the canvas / - Basic camera parameters / - Camera position / - Camera orientation. The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about Camera Modeling. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: - Application of planar geometric projections, represented by 4×4 matrices, / to project a 3D scene onto a projection screen, i.e., the canvas / - Basic camera parameters / - Camera position / - Camera orientation
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how 'Camera Modeling' changes positions before rasterization?

Page 34	View Volume
Source cue	- Objects that are within the view volume are visible for the camera / - Conical viewing volume / - Clipping the scene objects against a conical viewing volume is expensive / (solving quadratic equations) / - Frustum - rectangular viewing volume
Professor-style explanation	The slide 'View Volume' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: - Objects that are within the view volume are visible for the camera / - Conical viewing volume / - Clipping the scene objects against a conical viewing volume is expensive / (solving quadratic equations) / - Frustum - rectangular viewing volume. The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about View Volume. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: - Objects that are within the view volume are visible for the camera / - Conical viewing volume / - Clipping the scene objects against a conical viewing volume is expensive / (solving quadratic equations) / - Frustum - rectangular viewing volume
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how 'View Volume' changes positions before rasterization?

Page 35	Projection Specification
Source cue	- Specified by Height Angle, Aspect Ratio, / Near Plane Distance and Far Plane Distance / - Examples of Aspect Ratio / - NTSC 4 : 3, HDTV 16 : 9 / - Cinema 2.35 : 1, 2.39 : 1, 2.40 : 1, or 2.55 : 1
Professor-style explanation	The slide 'Projection Specification' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: - Specified by Height Angle, Aspect Ratio, / Near Plane Distance and Far Plane Distance / - Examples of Aspect Ratio / - NTSC 4 : 3, HDTV 16 : 9 / - Cinema 2.35 : 1, 2.39 : 1, 2.40 : 1, or 2.55 : 1. The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about Projection Specification. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: - Specified by Height Angle, Aspect Ratio, / Near Plane Distance and Far Plane Distance / - Examples of Aspect Ratio / - NTSC 4 : 3, HDTV 16 : 9 / - Cinema 2.35 : 1, 2.39 : 1, 2.40 : 1, or 2.55 : 1
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how 'Projection Specification' changes positions before rasterization?
Page 36	View Angle
Source cue	- Parallel projection: no viewing angle as rays are parallel / - Perspective projection: / viewing angle determines perspective distortion in the image / - Specification / - Through the viewing angle in height (field of view in y, fovy)
Professor-style explanation	The slide 'View Angle' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: - Parallel projection: no viewing angle as rays are parallel / - Perspective projection: / viewing angle determines perspective distortion in the image / - Specification / - Through the viewing angle in height (field of view in y, fovy). The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about View Angle. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: - Parallel projection: no viewing angle as rays are parallel / - Perspective projection: / viewing angle determines perspective distortion in the image / - Specification / - Through the viewing angle in height (field of view in y, fovy)

Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how 'View Angle' changes positions before rasterization?
Page 37	Clipping Planes
Source cue	- Position of the planes is determined by the distance along the look vector: / near distance and far distance / - Near plane hides objects that are behind or too close to the camera / - Far plane hides objects that are too far away (and may be hard to spot) / $\Rightarrow$ Reduction of rendering overhead
Professor-style explanation	The slide 'Clipping Planes' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: - Position of the planes is determined by the distance along the look vector: / near distance and far distance / - Near plane hides objects that are behind or too close to the camera / - Far plane hides objects that are too far away (and may be hard to spot) / $\Rightarrow$ Reduction of rendering overhead. The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about Clipping Planes. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: - Position of the planes is determined by the distance along the look vector: / near distance and far distance / - Near plane hides objects that are behind or too close to the camera / - Far plane hides objects that are too far away (and may be hard to spot) / $\Rightarrow$ Reduction of rendering overhead
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how 'Clipping Planes' changes positions before rasterization?
Page 38	4.4 Specifying Projections in OpenGL
Source cue	Functions to describe the view volume
Professor-style explanation	The slide '4.4 Specifying Projections in OpenGL' describes the OpenGL side of the rendering pipeline. OpenGL represents rendering through objects such as contexts, buffers, vertex arrays, shaders, textures, samplers, and framebuffers. At draw time, the currently bound objects and state determine what data reaches the GPU and how the pipeline processes it. On the slide, the concrete items are: Functions to describe the view volume. The concrete relation is between API state, GPU resource, shader input, and final rendering result.
Technical commentary	This slide is about 4.4 Specifying Projections in OpenGL. The OpenGL objects and calls shown here control GPU state, bound resources, shader interfaces, buffer contents, or framebuffer access at draw time. Concrete items shown: Functions to describe the view volume

Why it matters	OpenGL bugs are usually state, binding, shader-interface, or buffer-layout bugs, so API details matter.
Check yourself	Can you name the OpenGL object, state, shader stage, or buffer involved in '4.4 Specifying Projections in OpenGL'?
Page 39	Projection Matrix Generation 1/3
Source cue	- Convenient generation of perspective projection matrix with GLM / - <code>glm::perspective(fovy, aspect, near, far) / h -n -f / aspect ■ / fovy fovy</code>
Professor-style explanation	The slide 'Projection Matrix Generation 1/3' explains how geometric objects change coordinate systems. A point, vector, normal, or local coordinate frame is multiplied by a transformation matrix or affected by an affine operation. Translations move positions, rotations change orientation, scaling changes size, and composed matrices combine several such effects. On the slide, the concrete items are: - Convenient generation of perspective projection matrix with GLM / - <code>glm::perspective(fovy, aspect, near, far) / h -n -f / aspect ■ / fovy fovy</code> . The object-level relation is input coordinate space, transformation object, and output coordinate space.
Technical commentary	This slide is about Projection Matrix Generation 1/3. The transformation objects on the slide move points, vectors, or coordinate frames from one space into another using matrices or affine operations. Concrete items shown: - Convenient generation of perspective projection matrix with GLM / - <code>glm::perspective(fovy, aspect, near, far) / h -n -f / aspect ■ / fovy fovy</code>
Why it matters	A wrong coordinate-space assumption can make correct formulas produce wrong images.
Check yourself	Can you state the coordinate space before and after 'Projection Matrix Generation 1/3'?
Page 40	Projection Matrix Generation 2/3
Source cue	- Alternative generation of perspective projection matrix with GLM / - <code>glm::frustum(left, right, bottom, top, near, far) / (r, t, -n) / z = -f (far plane) / (l, b, -n)</code>
Professor-style explanation	The slide 'Projection Matrix Generation 2/3' explains how geometric objects change coordinate systems. A point, vector, normal, or local coordinate frame is multiplied by a transformation matrix or affected by an affine operation. Translations move positions, rotations change orientation, scaling changes size, and composed matrices combine several such effects. On the slide, the concrete items are: - Alternative generation of perspective projection matrix with GLM / - <code>glm::frustum(left, right, bottom, top, near, far) / (r, t, -n) / z = -f (far plane) / (l, b, -n)</code> . The object-level relation is input coordinate space, transformation object, and output coordinate space.
Technical commentary	This slide is about Projection Matrix Generation 2/3. The transformation objects on the slide move points, vectors, or coordinate frames from one space into another using matrices or affine operations. Concrete items shown: - Alternative generation of perspective projection matrix with GLM / - <code>glm::frustum(left, right, bottom, top, near, far) / (r, t, -n) / z = -f (far plane) / (l, b, -n)</code>

Why it matters	A wrong coordinate-space assumption can make correct formulas produce wrong images.
Check yourself	Can you state the coordinate space before and after 'Projection Matrix Generation 2/3'?
Page 41	Projection Matrix Generation 3/3
Source cue	- Implementation of glm:perspective / detail::tmat4x4<T> perspective(T const & fovy, T const & aspect, / T const & near, T const & far) { / T const & l, r, b, t; / t = n * tan(fovy * M_PI / 360.0);
Professor-style explanation	The slide 'Projection Matrix Generation 3/3' explains how geometric objects change coordinate systems. A point, vector, normal, or local coordinate frame is multiplied by a transformation matrix or affected by an affine operation. Translations move positions, rotations change orientation, scaling changes size, and composed matrices combine several such effects. On the slide, the concrete items are: - Implementation of glm:perspective / detail::tmat4x4<T> perspective(T const & fovy, T const & aspect, / T const & near, T const & far) { / T const & l, r, b, t; / t = n * tan(fovy * M_PI / 360.0). The object-level relation is input coordinate space, transformation object, and output coordinate space.
Technical commentary	This slide is about Projection Matrix Generation 3/3. The transformation objects on the slide move points, vectors, or coordinate frames from one space into another using matrices or affine operations. Concrete items shown: - Implementation of glm:perspective / detail::tmat4x4<T> perspective(T const & fovy, T const & aspect, / T const & near, T const & far) { / T const & l, r, b, t; / t = n * tan(fovy * M_PI / 360.0);
Why it matters	A wrong coordinate-space assumption can make correct formulas produce wrong images.
Check yourself	Can you state the coordinate space before and after 'Projection Matrix Generation 3/3'?
Page 42	Orthographic Matrix Specification
Source cue	- Convenient generation of parallel projection matrix with GLM / - glm::ortho(left, right, bottom, top, near, far) / (r, t, -f) / z = -f (far plane) / z = -n (near plane)
Professor-style explanation	The slide 'Orthographic Matrix Specification' explains how geometric objects change coordinate systems. A point, vector, normal, or local coordinate frame is multiplied by a transformation matrix or affected by an affine operation. Translations move positions, rotations change orientation, scaling changes size, and composed matrices combine several such effects. On the slide, the concrete items are: - Convenient generation of parallel projection matrix with GLM / - glm::ortho(left, right, bottom, top, near, far) / (r, t, -f) / z = -f (far plane) / z = -n (near plane). The object-level relation is input coordinate space, transformation object, and output coordinate space.

Technical commentary	This slide is about Orthographic Matrix Specification. The transformation objects on the slide move points, vectors, or coordinate frames from one space into another using matrices or affine operations. Concrete items shown: - Convenient generation of parallel projection matrix with GLM / - <code>glm::ortho(left, right, bottom, top, near, far) / (r, t, -f) / z = -f (far plane) / z = -n (near plane)</code>
Why it matters	A wrong coordinate-space assumption can make correct formulas produce wrong images.
Check yourself	Can you state the coordinate space before and after 'Orthographic Matrix Specification'?

Page 43	4.5 Orthographic Projection Derivation
Source cue	Step-wise transformation of a cuboid into a cube
Professor-style explanation	The slide '4.5 Orthographic Projection Derivation' explains how geometric objects change coordinate systems. A point, vector, normal, or local coordinate frame is multiplied by a transformation matrix or affected by an affine operation. Translations move positions, rotations change orientation, scaling changes size, and composed matrices combine several such effects. On the slide, the concrete items are: Step-wise transformation of a cuboid into a cube. The object-level relation is input coordinate space, transformation object, and output coordinate space.
Technical commentary	This slide is about 4.5 Orthographic Projection Derivation. The transformation objects on the slide move points, vectors, or coordinate frames from one space into another using matrices or affine operations. Concrete items shown: Step-wise transformation of a cuboid into a cube
Why it matters	A wrong coordinate-space assumption can make correct formulas produce wrong images.
Check yourself	Can you state the coordinate space before and after '4.5 Orthographic Projection Derivation'?

Page 44	Canonical View Volume
Source cue	- Canonical view volume – simplest possible view volume / - Cube centered at the origin / - Cube faces $x = \pm 1$, $y = \pm 1$, $z = \pm 1$ / - Defined in a left-handed coordinate system (LHS) / (1, 1, 1)
Professor-style explanation	The slide 'Canonical View Volume' explains how geometric objects change coordinate systems. A point, vector, normal, or local coordinate frame is multiplied by a transformation matrix or affected by an affine operation. Translations move positions, rotations change orientation, scaling changes size, and composed matrices combine several such effects. On the slide, the concrete items are: - Canonical view volume – simplest possible view volume / - Cube centered at the origin / - Cube faces $x = \pm 1$, $y = \pm 1$, $z = \pm 1$ / - Defined in a left-handed coordinate system (LHS) / (1, 1, 1). The object-level relation is input coordinate space, transformation object, and output coordinate space.

Technical commentary	This slide is about Canonical View Volume. The transformation objects on the slide move points, vectors, or coordinate frames from one space into another using matrices or affine operations. Concrete items shown: - Canonical view volume – simplest possible view volume / - Cube centered at the origin / - Cube faces $x = \pm 1, y = \pm 1, z = \pm 1$ / - Defined in a left-handed coordinate system (LHS) / (1, 1, 1)
Why it matters	A wrong coordinate-space assumption can make correct formulas produce wrong images.
Check yourself	Can you state the coordinate space before and after 'Canonical View Volume'?

Page 45	Orthographic Projection 1/4
Source cue	- Transform right-handed view volume specified as $[\text{■}, \text{■}] \times [\text{■}, \text{■}] \times [-\text{■}, -\text{■}]$ / into left-handed canonical view volume $-1, 1 \times -1, 1 \times -1, 1$ / and then create the projected image by neglecting z-values / (r, t, -f) / (1, 1, 1)
Professor-style explanation	The slide 'Orthographic Projection 1/4' explains how geometric objects change coordinate systems. A point, vector, normal, or local coordinate frame is multiplied by a transformation matrix or affected by an affine operation. Translations move positions, rotations change orientation, scaling changes size, and composed matrices combine several such effects. On the slide, the concrete items are: - Transform right-handed view volume specified as $[\text{■}, \text{■}] \times [\text{■}, \text{■}] \times [-\text{■}, -\text{■}]$ / into left-handed canonical view volume $-1, 1 \times -1, 1 \times -1, 1$ / and then create the projected image by neglecting z-values / (r, t, -f) / (1, 1, 1). The object-level relation is input coordinate space, transformation object, and output coordinate space.
Technical commentary	This slide is about Orthographic Projection 1/4. The transformation objects on the slide move points, vectors, or coordinate frames from one space into another using matrices or affine operations. Concrete items shown: - Transform right-handed view volume specified as $[\text{■}, \text{■}] \times [\text{■}, \text{■}] \times [-\text{■}, -\text{■}]$ / into left-handed canonical view volume $-1, 1 \times -1, 1 \times -1, 1$ / and then create the projected image by neglecting z-values / (r, t, -f) / (1, 1, 1)
Why it matters	A wrong coordinate-space assumption can make correct formulas produce wrong images.
Check yourself	Can you state the coordinate space before and after 'Orthographic Projection 1/4'?

Page 46	Orthographic Projection 2/4
Source cue	- Let $\text{■}(x, y, z)$ be a model point and $\text{■}(x', y', z')$ its transformed point / - The desired pixel (x, y) results from orthographic projection of $\text{■} / \text{■} \text{■} /$ onto the plane $z = -1$: $x = x'$ and $y = y'$ / $\text{■} \text{■}$

Professor-style explanation	The slide 'Orthographic Projection 2/4' explains how geometric objects change coordinate systems. A point, vector, normal, or local coordinate frame is multiplied by a transformation matrix or affected by an affine operation. Translations move positions, rotations change orientation, scaling changes size, and composed matrices combine several such effects. On the slide, the concrete items are: - Let $\mathbf{p}(x, y, z)$ be a model point and $\mathbf{p}'(x', y', z')$ its transformed point / - The desired pixel (x, y) results from orthographic projection of $\mathbf{p} / \mathbf{p}'$ onto the plane $z = -1$: $x = x'$ and $y = y' / \mathbf{p}'$. The object-level relation is input coordinate space, transformation object, and output coordinate space.
Technical commentary	This slide is about Orthographic Projection 2/4. The transformation objects on the slide move points, vectors, or coordinate frames from one space into another using matrices or affine operations. Concrete items shown: - Let $\mathbf{p}(x, y, z)$ be a model point and $\mathbf{p}'(x', y', z')$ its transformed point / - The desired pixel (x, y) results from orthographic projection of $\mathbf{p} / \mathbf{p}'$ onto the plane $z = -1$: $x = x'$ and $y = y' / \mathbf{p}'$
Why it matters	A wrong coordinate-space assumption can make correct formulas produce wrong images.
Check yourself	Can you state the coordinate space before and after 'Orthographic Projection 2/4'?
Page 47	Orthographic Projection 3/4
Source cue	- Step 2, scale cuboid from step 1 into cube / - Original cuboid bounds are $/ \mathbf{p} - \mathbf{p}' - \mathbf{p}'' - \mathbf{p}''' - \mathbf{p}'''' - \mathbf{p}''''' - \mathbf{p}'''''' - \mathbf{p}''''''' / - , x - , x - , / 2 2 2 2 2 2$
Professor-style explanation	The slide 'Orthographic Projection 3/4' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: - Step 2, scale cuboid from step 1 into cube / - Original cuboid bounds are $/ \mathbf{p} - \mathbf{p}' - \mathbf{p}'' - \mathbf{p}''' - \mathbf{p}'''' - \mathbf{p}''''' - \mathbf{p}'''''' - \mathbf{p}''''''' / - , x - , x - , / 2 2 2 2 2 2$. The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about Orthographic Projection 3/4. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: - Step 2, scale cuboid from step 1 into cube / - Original cuboid bounds are $/ \mathbf{p} - \mathbf{p}' - \mathbf{p}'' - \mathbf{p}''' - \mathbf{p}'''' - \mathbf{p}''''' - \mathbf{p}'''''' - \mathbf{p}''''''' / - , x - , x - , / 2 2 2 2 2 2$
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how 'Orthographic Projection 3/4' changes positions before rasterization?
Page 48	Orthographic Projection 4/4
Source cue	- Multiplication of all orthographic projection matrices results in $/ 2 \mathbf{p} + \mathbf{p}' / 0 0 - / \mathbf{p} - \mathbf{p}' - \mathbf{p}'' - \mathbf{p}''' / 2 \mathbf{p} + \mathbf{p}'$

Professor-style explanation	The slide 'Orthographic Projection 4/4' explains how camera geometry maps 3D positions toward a 2D image. The projection matrix maps view-space objects into clip space. Perspective projection uses the homogeneous component so that the perspective divide makes distant objects appear smaller; orthographic projection preserves apparent size. On the slide, the concrete items are: - Multiplication of all orthographic projection matrices results in $\begin{bmatrix} 2 & 0 & 0 & 0 \\ 0 & 2 & 0 & 0 \\ 0 & 0 & 2 & 0 \\ 0 & 0 & 0 & 2 \end{bmatrix}$. The object-level chain is camera/view volume, projection matrix, clip coordinates, normalized device coordinates, and viewport coordinates.
Technical commentary	This slide is about Orthographic Projection 4/4. The projection objects on the slide convert view-space geometry into clip coordinates, normalized coordinates, and finally screen-related positions. Concrete items shown: - Multiplication of all orthographic projection matrices results in $\begin{bmatrix} 2 & 0 & 0 & 0 \\ 0 & 2 & 0 & 0 \\ 0 & 0 & 2 & 0 \\ 0 & 0 & 0 & 2 \end{bmatrix}$.
Why it matters	Projection controls both image composition and depth precision, so it affects visibility and rasterization later.
Check yourself	Can you explain how 'Orthographic Projection 4/4' changes positions before rasterization?

Page 49	4.6 Perspective Projection Derivation
Source cue	Step-wise transformation of a frustum into a cube
Professor-style explanation	The slide '4.6 Perspective Projection Derivation' explains how geometric objects change coordinate systems. A point, vector, normal, or local coordinate frame is multiplied by a transformation matrix or affected by an affine operation. Translations move positions, rotations change orientation, scaling changes size, and composed matrices combine several such effects. On the slide, the concrete items are: Step-wise transformation of a frustum into a cube. The object-level relation is input coordinate space, transformation object, and output coordinate space.
Technical commentary	This slide is about 4.6 Perspective Projection Derivation. The transformation objects on the slide move points, vectors, or coordinate frames from one space into another using matrices or affine operations. Concrete items shown: Step-wise transformation of a frustum into a cube
Why it matters	A wrong coordinate-space assumption can make correct formulas produce wrong images.
Check yourself	Can you state the coordinate space before and after '4.6 Perspective Projection Derivation'?

Page 50	Perspective Projection
Source cue	- Transform view volume created by <code>glm::frustum</code> or <code>glm::perspective</code> into / canonical view volume / and then create the projected image by neglecting z-values / $(1, 1, 1) / (-1, -1, -1)$

Professor-style explanation	The slide 'Perspective Projection' explains how geometric objects change coordinate systems. A point, vector, normal, or local coordinate frame is multiplied by a transformation matrix or affected by an affine operation. Translations move positions, rotations change orientation, scaling changes size, and composed matrices combine several such effects. On the slide, the concrete items are: - Transform view volume created by <code>glm::frustum</code> or <code>glm::perspective</code> into / canonical view volume / and then create the projected image by neglecting z-values / (1, 1, 1) / (-1,-1,-1). The object-level relation is input coordinate space, transformation object, and output coordinate space.
Technical commentary	This slide is about Perspective Projection. The transformation objects on the slide move points, vectors, or coordinate frames from one space into another using matrices or affine operations. Concrete items shown: - Transform view volume created by <code>glm::frustum</code> or <code>glm::perspective</code> into / canonical view volume / and then create the projected image by neglecting z-values / (1, 1, 1) / (-1,-1,-1)
Why it matters	A wrong coordinate-space assumption can make correct formulas produce wrong images.
Check yourself	Can you state the coordinate space before and after 'Perspective Projection'?
Page 51	Transformation of z-Values 1/2
Source cue	- After the perspective projection, z-values shall be mapped as follows / - All z-values lying on the near plane shall have a value of -1 / - All z-values lying on the far plane shall have a value of 1 / - The following matrix ■ allows modification of the depth values / and assures the flip (left-handed to right-handed conversion)
Professor-style explanation	The slide 'Transformation of z-Values 1/2' explains how geometric objects change coordinate systems. A point, vector, normal, or local coordinate frame is multiplied by a transformation matrix or affected by an affine operation. Translations move positions, rotations change orientation, scaling changes size, and composed matrices combine several such effects. On the slide, the concrete items are: - After the perspective projection, z-values shall be mapped as follows / - All z-values lying on the near plane shall have a value of -1 / - All z-values lying on the far plane shall have a value of 1 / - The following matrix ■ allows modification of the depth values / and assures the flip (left-handed to right-handed conversion). The object-level relation is input coordinate space, transformation object, and output coordinate space.
Technical commentary	This slide is about Transformation of z-Values 1/2. The transformation objects on the slide move points, vectors, or coordinate frames from one space into another using matrices or affine operations. Concrete items shown: - After the perspective projection, z-values shall be mapped as follows / - All z-values lying on the near plane shall have a value of -1 / - All z-values lying on the far plane shall have a value of 1 / - The following matrix ■ allows modification of the depth values / and assures the flip (left-handed to right-handed conversion)
Why it matters	A wrong coordinate-space assumption can make correct formulas produce wrong images.

Check yourself	Can you state the coordinate space before and after 'Transformation of z-Values 1/2'?
Page 52	Transformation of z-Values 2/2
Source cue	- Choosing values for a and b in $\begin{bmatrix} a & b \\ 0 & 0 \end{bmatrix}$ and $\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$ must fulfill the following $\begin{bmatrix} a & b \\ 0 & 0 \end{bmatrix} + \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix} = \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$ (cid:3549) $\begin{bmatrix} 0 & 0 \\ -1 & 0 \end{bmatrix}$
Professor-style explanation	The slide 'Transformation of z-Values 2/2' explains how geometric objects change coordinate systems. A point, vector, normal, or local coordinate frame is multiplied by a transformation matrix or affected by an affine operation. Translations move positions, rotations change orientation, scaling changes size, and composed matrices combine several such effects. On the slide, the concrete items are: - Choosing values for a and b in $\begin{bmatrix} a & b \\ 0 & 0 \end{bmatrix}$ and $\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$ must fulfill the following $\begin{bmatrix} a & b \\ 0 & 0 \end{bmatrix} + \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix} = \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$ (cid:3549) $\begin{bmatrix} 0 & 0 \\ -1 & 0 \end{bmatrix}$. The object-level relation is input coordinate space, transformation object, and output coordinate space.
Technical commentary	This slide is about Transformation of z-Values 2/2. The transformation objects on the slide move points, vectors, or coordinate frames from one space into another using matrices or affine operations. Concrete items shown: - Choosing values for a and b in $\begin{bmatrix} a & b \\ 0 & 0 \end{bmatrix}$ and $\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$ must fulfill the following $\begin{bmatrix} a & b \\ 0 & 0 \end{bmatrix} + \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix} = \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$ (cid:3549) $\begin{bmatrix} 0 & 0 \\ -1 & 0 \end{bmatrix}$
Why it matters	A wrong coordinate-space assumption can make correct formulas produce wrong images.
Check yourself	Can you state the coordinate space before and after 'Transformation of z-Values 2/2'?
Page 53	Transformation of x- and y-Values 1/2
Source cue	- Derivation so far leaves us with the following matrix $\begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \end{bmatrix}$ which only changes z-coordinates $\begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \end{bmatrix} = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \end{bmatrix}$
Professor-style explanation	The slide 'Transformation of x- and y-Values 1/2' explains how geometric objects change coordinate systems. A point, vector, normal, or local coordinate frame is multiplied by a transformation matrix or affected by an affine operation. Translations move positions, rotations change orientation, scaling changes size, and composed matrices combine several such effects. On the slide, the concrete items are: - Derivation so far leaves us with the following matrix $\begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \end{bmatrix}$ which only changes z-coordinates $\begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \end{bmatrix} = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \end{bmatrix}$. The object-level relation is input coordinate space, transformation object, and output coordinate space.
Technical commentary	This slide is about Transformation of x- and y-Values 1/2. The transformation objects on the slide move points, vectors, or coordinate frames from one space into another using matrices or affine operations. Concrete items shown: - Derivation so far leaves us with the following matrix $\begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \end{bmatrix}$ which only changes z-coordinates $\begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \end{bmatrix} = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \end{bmatrix}$
Why it matters	A wrong coordinate-space assumption can make correct formulas produce wrong images.

Check yourself	Can you state the coordinate space before and after 'Transformation of x- and y-Values 1/2'?
Page 54	Transformation of x- and y-Values 2/2
Source cue	- To transform p to the coordinates (1,0,-1), the following equation must hold / $\begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} 1 \\ 0 \\ -1 \end{bmatrix}$ / $\begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} 1 \\ 0 \\ -1 \end{bmatrix}$
Professor-style explanation	The slide 'Transformation of x- and y-Values 2/2' explains how geometric objects change coordinate systems. A point, vector, normal, or local coordinate frame is multiplied by a transformation matrix or affected by an affine operation. Translations move positions, rotations change orientation, scaling changes size, and composed matrices combine several such effects. On the slide, the concrete items are: - To transform p to the coordinates (1,0,-1), the following equation must hold / $\begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} 1 \\ 0 \\ -1 \end{bmatrix}$ / $\begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} 1 \\ 0 \\ -1 \end{bmatrix}$. The object-level relation is input coordinate space, transformation object, and output coordinate space.
Technical commentary	This slide is about Transformation of x- and y-Values 2/2. The transformation objects on the slide move points, vectors, or coordinate frames from one space into another using matrices or affine operations. Concrete items shown: - To transform p to the coordinates (1,0,-1), the following equation must hold / $\begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} 1 \\ 0 \\ -1 \end{bmatrix}$ / $\begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} 1 \\ 0 \\ -1 \end{bmatrix}$
Why it matters	A wrong coordinate-space assumption can make correct formulas produce wrong images.
Check yourself	Can you state the coordinate space before and after 'Transformation of x- and y-Values 2/2'?
Page 55	4.7 Viewport Transformation
Source cue	Mapping the normalized device coordinates to the screen
Professor-style explanation	The slide '4.7 Viewport Transformation' explains how geometric objects change coordinate systems. A point, vector, normal, or local coordinate frame is multiplied by a transformation matrix or affected by an affine operation. Translations move positions, rotations change orientation, scaling changes size, and composed matrices combine several such effects. On the slide, the concrete items are: Mapping the normalized device coordinates to the screen. The object-level relation is input coordinate space, transformation object, and output coordinate space.
Technical commentary	This slide is about 4.7 Viewport Transformation. The transformation objects on the slide move points, vectors, or coordinate frames from one space into another using matrices or affine operations. Concrete items shown: Mapping the normalized device coordinates to the screen
Why it matters	A wrong coordinate-space assumption can make correct formulas produce wrong images.
Check yourself	Can you state the coordinate space before and after '4.7 Viewport Transformation'?
Page 56	Screen Coordinate Mapping
Source cue	- Mapping of the viewing plane on a drawing surface / - Define the pixel rectangle to be mapped to / - Initially, this rectangle is the size of the entire canvas / - glViewport(GLint x, GLint y, GLsizei width, GLsizei height) / - When window size changes, adjust the aspect ratio to avoid distortion

Professor-style explanation	The slide 'Screen Coordinate Mapping' explains how geometric objects change coordinate systems. A point, vector, normal, or local coordinate frame is multiplied by a transformation matrix or affected by an affine operation. Translations move positions, rotations change orientation, scaling changes size, and composed matrices combine several such effects. On the slide, the concrete items are: - Mapping of the viewing plane on a drawing surface / - Define the pixel rectangle to be mapped to / - Initially, this rectangle is the size of the entire canvas / - <code>glViewport(GLint x, GLint y, GLsizei width, GLsizei height)</code> / - When window size changes, adjust the aspect ratio to avoid distortion. The object-level relation is input coordinate space, transformation object, and output coordinate space.
Technical commentary	This slide is about Screen Coordinate Mapping. The transformation objects on the slide move points, vectors, or coordinate frames from one space into another using matrices or affine operations. Concrete items shown: - Mapping of the viewing plane on a drawing surface / - Define the pixel rectangle to be mapped to / - Initially, this rectangle is the size of the entire canvas / - <code>glViewport(GLint x, GLint y, GLsizei width, GLsizei height)</code> / - When window size changes, adjust the aspect ratio to avoid distortion
Why it matters	A wrong coordinate-space assumption can make correct formulas produce wrong images.
Check yourself	Can you state the coordinate space before and after 'Screen Coordinate Mapping'?

Page 57	Viewport Transformation 1/2
Source cue	- Specification of the viewport parameters by <code>glm::perspective</code> / Projection / <code>glm::frustum</code> / transformation / - <code>glViewport(x, y, w, h)</code> <code>glm::ortho</code>
Professor-style explanation	The slide 'Viewport Transformation 1/2' explains how geometric objects change coordinate systems. A point, vector, normal, or local coordinate frame is multiplied by a transformation matrix or affected by an affine operation. Translations move positions, rotations change orientation, scaling changes size, and composed matrices combine several such effects. On the slide, the concrete items are: - Specification of the viewport parameters by <code>glm::perspective</code> / Projection / <code>glm::frustum</code> / transformation / - <code>glViewport(x, y, w, h)</code> <code>glm::ortho</code> . The object-level relation is input coordinate space, transformation object, and output coordinate space.
Technical commentary	This slide is about Viewport Transformation 1/2. The transformation objects on the slide move points, vectors, or coordinate frames from one space into another using matrices or affine operations. Concrete items shown: - Specification of the viewport parameters by <code>glm::perspective</code> / Projection / <code>glm::frustum</code> / transformation / - <code>glViewport(x, y, w, h)</code> <code>glm::ortho</code>
Why it matters	A wrong coordinate-space assumption can make correct formulas produce wrong images.
Check yourself	Can you state the coordinate space before and after 'Viewport Transformation 1/2'?

Page 58	Viewport Transformation 2/2
---------	-----------------------------

Source cue	- Viewport transformation is a 2D transformation defined as $\begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} a & b \\ c & d \end{bmatrix} \cdot \begin{bmatrix} x \\ y \end{bmatrix}$ with $\begin{bmatrix} a & b \\ c & d \end{bmatrix} = \begin{bmatrix} \frac{x_2 - x_1}{\Delta x} & \frac{y_2 - y_1}{\Delta y} \\ \frac{y_1 - y_2}{\Delta x} & \frac{x_2 - x_1}{\Delta y} \end{bmatrix}$ and $\begin{bmatrix} x_1 \\ y_1 \end{bmatrix} = \begin{bmatrix} x_2 \\ y_2 \end{bmatrix} - \begin{bmatrix} a & b \\ c & d \end{bmatrix} \cdot \begin{bmatrix} x_2 \\ y_2 \end{bmatrix}$
Professor-style explanation	The slide 'Viewport Transformation 2/2' explains how geometric objects change coordinate systems. A point, vector, normal, or local coordinate frame is multiplied by a transformation matrix or affected by an affine operation. Translations move positions, rotations change orientation, scaling changes size, and composed matrices combine several such effects. On the slide, the concrete items are: - Viewport transformation is a 2D transformation defined as $\begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} a & b \\ c & d \end{bmatrix} \cdot \begin{bmatrix} x \\ y \end{bmatrix}$ with $\begin{bmatrix} a & b \\ c & d \end{bmatrix} = \begin{bmatrix} \frac{x_2 - x_1}{\Delta x} & \frac{y_2 - y_1}{\Delta y} \\ \frac{y_1 - y_2}{\Delta x} & \frac{x_2 - x_1}{\Delta y} \end{bmatrix}$ and $\begin{bmatrix} x_1 \\ y_1 \end{bmatrix} = \begin{bmatrix} x_2 \\ y_2 \end{bmatrix} - \begin{bmatrix} a & b \\ c & d \end{bmatrix} \cdot \begin{bmatrix} x_2 \\ y_2 \end{bmatrix}$. The object-level relation is input coordinate space, transformation object, and output coordinate space.
Technical commentary	This slide is about Viewport Transformation 2/2. The transformation objects on the slide move points, vectors, or coordinate frames from one space into another using matrices or affine operations. Concrete items shown: - Viewport transformation is a 2D transformation defined as $\begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} a & b \\ c & d \end{bmatrix} \cdot \begin{bmatrix} x \\ y \end{bmatrix}$ with $\begin{bmatrix} a & b \\ c & d \end{bmatrix} = \begin{bmatrix} \frac{x_2 - x_1}{\Delta x} & \frac{y_2 - y_1}{\Delta y} \\ \frac{y_1 - y_2}{\Delta x} & \frac{x_2 - x_1}{\Delta y} \end{bmatrix}$ and $\begin{bmatrix} x_1 \\ y_1 \end{bmatrix} = \begin{bmatrix} x_2 \\ y_2 \end{bmatrix} - \begin{bmatrix} a & b \\ c & d \end{bmatrix} \cdot \begin{bmatrix} x_2 \\ y_2 \end{bmatrix}$
Why it matters	A wrong coordinate-space assumption can make correct formulas produce wrong images.
Check yourself	Can you state the coordinate space before and after 'Viewport Transformation 2/2'?

Page 59	volume, we can differentiate different projection types
Source cue	- Projection has its origins in the arts / - Based on the deformation of the initial view volume to the canonical view / volume, we can differentiate different projection types / - In OpenGL two main projection types exist / - Perspective projection results in perspective shortening
Professor-style explanation	The slide 'volume, we can differentiate different projection types' describes the OpenGL side of the rendering pipeline. OpenGL represents rendering through objects such as contexts, buffers, vertex arrays, shaders, textures, samplers, and framebuffers. At draw time, the currently bound objects and state determine what data reaches the GPU and how the pipeline processes it. On the slide, the concrete items are: - Projection has its origins in the arts / - Based on the deformation of the initial view volume to the canonical view / volume, we can differentiate different projection types / - In OpenGL two main projection types exist / - Perspective projection results in perspective shortening. The concrete relation is between API state, GPU resource, shader input, and final rendering result.
Technical commentary	This slide is about volume, we can differentiate different projection types. The OpenGL objects and calls shown here control GPU state, bound resources, shader interfaces, buffer contents, or framebuffer access at draw time. Concrete items shown: - Projection has its origins in the arts / - Based on the deformation of the initial view volume to the canonical view / volume, we can differentiate different projection types / - In OpenGL two main projection types exist / - Perspective projection results in perspective shortening

Why it matters	OpenGL bugs are usually state, binding, shader-interface, or buffer-layout bugs, so API details matter.
Check yourself	Can you name the OpenGL object, state, shader stage, or buffer involved in 'volume, we can differentiate different projection types'?
Page 60	Literature and other sources used in this chapter
Source cue	No object-level text was extracted from this page; the page is primarily title, image, diagram, or layout content.
Professor-style explanation	The slide 'Literature and other sources used in this chapter' introduces a concrete graphics object, operation, or relation. The named terms describe input data, a processing step, and an output used elsewhere in the rendering workflow. On the slide, the concrete items are: No object-level text was extracted from this page; the page is primarily title, image, diagram, or layout content. The object-level relation is therefore input, operation, output, and the later graphics stage that consumes the output.
Technical commentary	This slide is about Literature and other sources used in this chapter. The slide names a concrete relation between input data, an operation, and an output that another graphics stage can consume. Concrete items shown: No object-level text was extracted from this page; the page is primarily title, image, diagram, or layout content.
Why it matters	Even a sparse slide usually names a relation you must be able to explain in words.
Check yourself	Can you turn 'Literature and other sources used in this chapter' into a causal sentence instead of repeating the slide title?
Page 61	- Text Books
Source cue	- J. Foley, A. van Dam, S. Feiner: Computer Graphics: Principles and Practice (3rd / - P. Shirley, M. Ashikhmin, S. Marschner: Fundamentals of Computer Graphics
Professor-style explanation	The slide '- Text Books' introduces a concrete graphics object, operation, or relation. The named terms describe input data, a processing step, and an output used elsewhere in the rendering workflow. On the slide, the concrete items are: - J. Foley, A. van Dam, S. Feiner: Computer Graphics: Principles and Practice (3rd / - P. Shirley, M. Ashikhmin, S. Marschner: Fundamentals of Computer Graphics. The object-level relation is therefore input, operation, output, and the later graphics stage that consumes the output.
Technical commentary	This slide is about - Text Books. The slide names a concrete relation between input data, an operation, and an output that another graphics stage can consume. Concrete items shown: - J. Foley, A. van Dam, S. Feiner: Computer Graphics: Principles and Practice (3rd / - P. Shirley, M. Ashikhmin, S. Marschner: Fundamentals of Computer Graphics
Why it matters	Even a sparse slide usually names a relation you must be able to explain in words.
Check yourself	Can you turn '- Text Books' into a causal sentence instead of repeating the slide title?

04.1 Linear Perspective and Planar Projections

Source location: Sections 4.1-4.2

Commentary

Perspective projection models the visual effect that farther objects appear smaller. Orthographic projection removes this distance-based size change and keeps parallel lines parallel. Both are useful, but they communicate different spatial relationships.

Planar projection means mapping points onto an image plane. The lecture's art examples are not decoration; they show that projection is a geometric rule for constructing an image from a viewpoint.

Mental model

Projection is the rule that turns 3D positions into image-plane positions.

Check yourself

What visual cue does perspective projection add that orthographic projection lacks?

04.2 Camera Modeling

Source location: Section 4.3

Commentary

A virtual camera is defined by position, orientation, projection type, viewing volume, and image/viewport settings. The view transform places the world relative to the camera. The projection transform maps that view into clip coordinates.

Near and far clipping planes are part of the camera model. They decide what range of depths is represented and strongly affect depth buffer precision. A careless near/far setup can create z-fighting even if the scene geometry is correct.

Mental model

A camera is not only an eye position; it is also a volume and a mapping rule.

Check yourself

Why can changing the near plane affect depth artifacts?

04.3 Specifying Projections in OpenGL

Source location: Section 4.4

Commentary

In OpenGL, projection is usually encoded in a projection matrix sent to a shader. The matrix maps view-space coordinates to clip space. Clipping and the perspective divide then lead toward normalized device coordinates.

Aspect ratio and field of view must match the intended viewport. If the aspect ratio is wrong, objects appear stretched. If the field of view is extreme, the image can look distorted even though the math is functioning.

Mental model

The projection matrix is the camera lens encoded as linear algebra in homogeneous coordinates.

Check yourself

What symptom suggests that the projection aspect ratio does not match the window?

04.4 Orthographic and Perspective Derivations

Source location: Sections 4.5-4.6

Commentary

The derivations are there to explain where the matrix entries come from. Orthographic projection maps a box-shaped view volume into normalized coordinates. Perspective projection maps a frustum and uses the homogeneous component for the later divide.

You do not need to treat these matrices as random formulas. Each part maps a coordinate range into a standard range. The perspective matrix additionally arranges w so that the perspective divide creates foreshortening.

Mental model

Projection matrices normalize a viewing volume; perspective also prepares the divide by w .

Check yourself

What does the perspective divide do to x and y coordinates?

04.5 Viewport Transformation

Source location: Section 4.7

Commentary

After normalized device coordinates, the viewport transform maps the normalized range to actual window coordinates. This is the last geometric mapping before rasterization uses the target grid.

Separating projection from viewport mapping helps debugging. A wrong projection can produce wrong normalized coordinates; a wrong viewport can map otherwise valid coordinates into the wrong part of the window.

Mental model

Projection decides normalized position; viewport decides where that position lands on the screen.

Check yourself

Why is resizing a window related to both viewport and projection settings?

End-of-lecture summary

If you remember only one thing from Lecture 04, remember this: This lecture explains how a 3D view becomes a 2D image. Projection is where camera geometry, homogeneous coordinates, clipping planes, depth precision, and viewport mapping meet.

Before moving on, you should be able to explain the lecture without reading slide bullets aloud. Use the vocabulary from the slides, but add causal links: why a step exists, what data it consumes, what it produces, and what can go wrong.