

CE

ISO 13485: 2016 REGISTERED FIRM



SCW MEDICATH LTD.

Manufacture Add: No.4 Baolong 6th Road, Baolong Industrial Town, Longgang District, Shenzhen 518116, P.R. China

Tel: 86-755-89926266 ext 4 / +8613691980679 Email: sales@scwmed.com
Fax: 86-755-89668199 ext 827 [Https://www.scwmed.com/](https://www.scwmed.com/)



Version Number:En.A5.02

Since 1996



Contents

- 03 LOCKING DRAINAGE CATHETERS
- 04 DRAINAGE CATHETER SETS
- 05 URETERAL STENT SETS (With Hydrophilic Coating)
- 06 URETERAL STENT SETS
- 07 URETERAL ACCESS SHEATH
- 08 PERCUTANEOUS NEPHROSTOMY SETS
- 09 ZEBRA GUIDE WIRES
- 10 GUIDE WIRES (Super Stiff PTFE Coated)

LOCKING DRAINAGE CATHETERS

Features

Used for nephrostomy, abscess, and other drainage

Catheter placement is performed using either direct access or Seldinger technique

The safety string lock system provides strong fixation of the pigtail

Large drainage holes increase drainage capability



| Product No. | Size(Fr) | Length (cm) | Product No. | Size(Fr) | Length (cm) |
|-------------|----------|-------------|-------------|----------|-------------|
| 45.02.50001 | 5 | 25 | 45.02.50007 | 10.2 | 40 |
| 45.02.50028 | 6 | 25 | 45.02.50029 | 12 | 25 |
| 45.02.50003 | 8.5 | 25 | 45.02.50010 | 12 | 40 |
| 45.02.50004 | 8.5 | 40 | 45.02.50012 | 14 | 25 |
| 45.02.50006 | 10.2 | 25 | | | |

DRAINAGE CATHETER SETS

Features

- Easy to use for one-handed operation

- Supports direct insertion technique

- Kink resistant body and tip design

- Black thread designed for easy visualization and quick release



Without Hydrophilic Coating

| Product No. | Size (Fr) | Length (cm) | Product No. | Size (Fr) | Length (cm) |
|-------------|-----------|-------------|-------------|-----------|-------------|
| 45.02.10001 | 5 | 25 | 45.02.40001 | 5 | 25 |
| 45.02.10002 | 6 | 25 | 45.02.40002 | 6 | 25 |
| 45.02.10003 | 7 | 25 | 45.02.40003 | 7 | 25 |
| 45.02.10004 | 8 | 25 | 45.02.40005 | 8 | 25 |
| 45.02.10020 | 8.5 | 25 | 45.02.40004 | 8.5 | 25 |
| 45.02.10005 | 10 | 25 | 45.02.40006 | 10 | 25 |
| 45.02.10006 | 12 | 25 | 45.02.40007 | 12 | 25 |
| 45.02.10007 | 14 | 25 | 45.02.40008 | 14 | 25 |

URETERAL STENT SETS (With Hydrophilic Coating)

Features

- Hydrophilic decreased friction of the distal catheter facilitates easy insertion
- Designed to facilitate easy placement and prevent stent migration
- Markers that visualize stent advancement and placement
- Low encrustation tendency
- Close–Open OEM available



Open–Open

| Product No. | Size (Fr) | Length (cm) | Product No. | Size (Fr) | Length (cm) | Product No. | Size (Fr) | Length (cm) |
|-------------|-----------|-------------|-------------|-----------|-------------|-------------|-----------|-------------|
| 45.04.02123 | 4 | 22 | 45.04.02127 | 5 | 24 | 45.04.02048 | 7 | 22 |
| 45.04.02124 | 4 | 24 | 45.04.02128 | 5 | 26 | 45.04.02049 | 7 | 24 |
| 45.04.02125 | 4 | 26 | 45.04.02040 | 5 | 28 | 45.04.02050 | 7 | 26 |
| 45.04.02035 | 4 | 28 | 45.04.02041 | 6 | 20 | 45.04.02051 | 7 | 28 |
| 45.04.02036 | 4.8 | 22 | 45.04.02042 | 6 | 22 | 45.04.02053 | 8 | 20 |
| 45.04.02037 | 4.8 | 24 | 45.04.02043 | 6 | 24 | 45.04.02054 | 8 | 22 |
| 45.04.02038 | 4.8 | 26 | 45.04.02044 | 6 | 26 | 45.04.02055 | 8 | 24 |
| 45.04.02039 | 4.8 | 28 | 45.04.02045 | 6 | 28 | 45.04.02056 | 8 | 26 |
| 45.04.02126 | 5 | 22 | 45.04.02047 | 7 | 20 | 45.04.02057 | 8 | 28 |

URETERAL STENT SETS

Features

- Designed to facilitate easy placement and prevent stent migration
- Markers that visualize stent advancement and placement
- Low encrustation tendency
- Soft body designed to enhance patient comfort
- Close–Open OEM available




Open–Open

| Product No. | Size (Fr) | Length (cm) | Product No. | Size (Fr) | Length (cm) | Product No. | Size (Fr) | Length (cm) |
|-------------|-----------|-------------|-------------|-----------|-------------|-------------|-----------|-------------|
| 45.04.02005 | 4 | 22 | 45.04.02009 | 5 | 24 | 45.04.02014 | 7 | 22 |
| 45.04.02006 | 4 | 24 | 45.04.02010 | 5 | 26 | 45.04.02015 | 7 | 24 |
| 45.04.02007 | 4 | 26 | 45.04.05000 | 5 | 28 | 45.04.07001 | 7 | 26 |
| 45.04.02000 | 4 | 28 | 45.04.02021 | 6 | 20 | 45.04.07000 | 7 | 28 |
| 45.04.02002 | 4.8 | 22 | 45.04.02011 | 6 | 22 | 45.04.02026 | 8 | 20 |
| 45.04.02003 | 4.8 | 24 | 45.04.02012 | 6 | 24 | 45.04.02017 | 8 | 22 |
| 45.04.02004 | 4.8 | 26 | 45.04.06001 | 6 | 26 | 45.04.02018 | 8 | 24 |
| 45.04.02001 | 4.8 | 28 | 45.04.06000 | 6 | 28 | 45.04.02019 | 8 | 26 |
| 45.04.02008 | 5 | 22 | 45.04.02023 | 7 | 20 | 45.04.08000 | 8 | 28 |

URETERAL ACCESS SHEATH

Features

- Less Trauma
soft tip design, Protects the ureter during ureteroscopy
- Continuous access
Reduces procedural time, Protects scopes from costly repairs
- Limit the intrarenal pressures



| Product No. | Size(Fr) | Length (cm) |
|-------------|----------|-------------|
| 45.10.03001 | 10 | 35 |
| 45.10.03002 | 10 | 45 |
| 45.10.04001 | 12 | 35 |
| 45.10.04002 | 12 | 45 |
| 45.10.05001 | 14 | 35 |
| 45.10.05002 | 14 | 45 |

PERCUTANEOUS NEPHROSTOMY SETS

Features

- Excellent designed that ensures smooth sequential percutaneous expansion
- Gradual dilation of the nephrostomy tract
- Smooth surface maximizes patient comfort




| Product No. | With Fascial Dilators | Size (Fr) | Product No. | With Fascial Dilators | Size (Fr) |
|-------------|-----------------------|-----------|-------------|--------------------------------|-----------|
| 45.01.06001 | 8F/10F | 10F | 45.01.06005 | 8F/10F/12F/14F/16F/18F | 18F |
| 45.01.06002 | 8F/10F/12F | 12F | 45.01.06000 | 8F/10F/12F/14F/16F/18F/20F | 20F |
| 45.01.06003 | 8F/10F/12F/14F | 14F | 45.01.06007 | 8F/10F/12F/14F/16F/18F/20F/22F | 22F |
| 45.01.06004 | 8F/10F/12F/14F/16F | 16F | | | |

ZEBRA GUIDE WIRES

Features

- Easy to fix without displacement
- Ensuring normal venous blood circulation
- Easy for observation and adjust the pressure

| Product No. | Diameter | Length (cm) |
|-------------|-------------|-------------|
| Straight | Angled | |
| 45.06.22000 | 0.025" | 430 |
| 45.06.32000 | 45.06.31000 | 0.032" 150 |
| 45.06.32500 | 45.06.31500 | 0.032" 430 |
| 45.06.42000 | 45.06.41000 | 0.035" 150 |
| 45.06.42300 | 45.06.41300 | 0.035" 260 |
| 45.06.42500 | 45.06.41500 | 0.035" 430 |
| 45.06.52000 | 45.06.51000 | 0.038" 150 |
| 45.06.52500 | 45.06.51500 | 0.038" 430 |



GUIDE WIRES (Super Stiff PTFE Coated)

Features

- PTFE coated surface ensures smooth pass-through
- Stiff Stainless Steel core designed for extra support



| Product No. | Diameter | Length (cm) | Tip Shape |
|-------------|----------|-------------|-----------|
| 45.07.61001 | 0.032" | 80 | J tip |
| 42.01.60028 | 0.035" | 80 | J tip |