

SECTION 5

Contaminated Land and the Multigenerational Body

What has been known, for how long, and what the body does with it

Forever chemicals do not lose their potency through ignorance of their existence.

This section establishes a claim that is larger than a single community or a single contaminant. The claim is that the current disability profile of Indigenous Albertans — and of many non-Indigenous Albertans living downstream of the same systems — is the direct measurable consequence of more than a century of documented government knowledge about contamination, paired with documented government failure to act on that knowledge.

The evidence supporting this claim is not obscure. It is in federal inventories, peer-reviewed toxicology, Indigenous-led community health studies, Alberta Cancer Board reports, United Nations human rights findings, and Canadian court records. The evidence has been available in every decade for which this report has accumulated data. What this section does is assemble it in one place, so the pattern it forms is legible on a single reading.

The section is organized around five questions. First: how did the contamination get onto the land. Second: what specifically is in it. Third: what does the body do with it, once exposed. Fourth: what has this produced on the ground across multiple communities — with Grassy Narrows, Aamjiwnaang, Kanesatake, and Fort Chipewyan presented as case studies. Fifth: what is being done about it right now, and by whom.

1. How contamination reached the land

The colonial pattern: relocation to marginal ground

The creation of Indian Reserves in Canada was not a neutral process of land designation. Indigenous peoples were forcibly relocated to specific parcels of land selected by the federal government, and the selection criteria reflected settler-colonial priorities: agricultural value, mineral access, transportation corridors, and industrial potential were reserved for non-Indigenous settlement. The land remaining available for Reserve designation was, disproportionately, the land that non-Indigenous interests did not want.

This pattern is documented across the Canadian Union of Public Employees, Ecojustice, and multiple peer-reviewed analyses of environmental racism in Canada. Reserves were “often chosen in remote places where non-Indigenous people would not choose to settle.” The same

remoteness that characterized the selection pattern later became the reason industrial waste, military activity, and abandoned extraction sites concentrated on or adjacent to Reserve lands: these were places where the regulatory scrutiny of non-Indigenous-populated areas did not apply, and where the political cost of contamination was low because the population affected had less political power.

The regulatory vacuum

Once Reserves were established, a structural legal gap emerged that persists to the present day. The Indian Act — the federal legislation governing Reserve lands — does not contain environmental protection provisions. Provincial environmental laws, which govern soil, water, and waste management everywhere else in Canada, do not apply on Reserve land. The 2009 Fall Report of the Auditor General of Canada identified this explicitly as an “environmental regulatory gap,” noting that Reserves lack “appropriate laws, which should govern industrial, commercial or other such activities.”

The consequences of this gap are concrete. As documented by Ecojustice and reported through parliamentary testimony on Bill C-226 (the environmental racism legislation), the maximum penalty for dumping garbage or waste on an “Indian Reserve” is one hundred dollars. The penalty for the same act on provincially regulated land can reach into the hundreds of thousands. The financial incentive to dispose of toxic materials on Reserve land, rather than in regulated facilities, has been structurally built into Canadian environmental law for decades.

In 2019, Baskut Tuncak, the United Nations Special Rapporteur on the implications for human rights of the environmentally sound management and disposal of hazardous substances and wastes, concluded a country visit to Canada. His finding, in his own words: “I observed a pervasive trend of inaction of the Canadian Government in the face of existing health threats from decades of historical and current environmental injustices and the cumulative impacts of toxic exposures by indigenous peoples.” The Special Rapporteur’s report is a matter of formal United Nations record.

The contamination inventory

The Government of Canada’s own Federal Contaminated Sites Inventory, combined with Indigenous Services Canada’s Contaminated Sites On-Reserve program evaluations, establishes the following:

Reserves make up approximately 0.5 percent of Canada’s total land mass.

Reserves host over 20 percent of all federal contaminated sites south of the 60th parallel.

As of Government of Canada 2021 figures, approximately 4,486 federal contaminated sites are located on Indigenous Reserve land.

A 2022 peer-reviewed scoping review published in medRxiv placed the figure at approximately 29 percent of all Canadian federal contaminated sites being on Indigenous Reserve land.

By March 2013, Indigenous Services Canada was actively managing 2,392 contaminated sites on Reserves. 293 of those sites were classified as Class 1 — the federal classification meaning “high risk to human health and safety.”

These are not accusations from advocacy organizations. These are the federal government's own administrative records, used by the government to justify the budget allocations of the Federal Contaminated Sites Action Plan.

2. What is in the contamination

The Indigenous Services Canada Contaminated Sites On-Reserve program reports the following contaminant composition of on-Reserve sites, as of 2014:

- 67 percent of on-Reserve contaminated sites were related to fuel storage and handling — primarily petroleum hydrocarbons from leaking or abandoned fuel tanks and infrastructure.
- 20 percent were related to solid waste and landfill operations — including heavy metals, plastics, asbestos, pharmaceuticals, pesticides, electronics, and industrial byproducts.
- 13 percent were classified as “other contamination,” including radioactive materials, industrial chemicals, firefighting foam residues, and legacy military contamination.

The specific chemical categories documented in the federal inventory include: petroleum hydrocarbons, polycyclic aromatic hydrocarbons (PAHs), heavy metals (lead, mercury, arsenic, cadmium, chromium), radioactive isotopes, solvents, asbestos, and per- and polyfluoroalkyl substances (PFAS). Each of these categories has an established, peer-reviewed toxicological profile. None of them is exotic. All of them have been classified as health hazards by Health Canada, the United States Environmental Protection Agency, the World Health Organization, or the International Agency for Research on Cancer — in most cases, by more than one of those bodies.

What is less widely understood, and what this section establishes in the sections that follow, is that these contaminants do not operate in isolation. They do not produce a single, identifiable, organ-specific illness in each exposed person. They interact — with each other, with the body's own systems, with the epigenome that governs gene expression, and with the multigenerational inheritance of bodies that have carried exposure for decades. The cumulative effect is not a list of diseases. It is a systemic reshaping of how a population ages, reproduces, and dies.

3. What the body does with contamination

The body is not organ-specific. The contamination is not organ-specific.

Government communications about contamination exposure consistently frame health effects in organ-specific terms. “Respiratory effects from air pollution.” “Waterborne illness from contaminated water.” “Mesothelioma from asbestos exposure.” These framings are not medically accurate. They are rhetorical devices. They allow the government to deny causal links by testing for one specific disease in one specific tissue, finding that the elevation is not statistically significant within that narrow frame, and declaring the investigation complete.

The human body does not work this way. The lungs and digestive tract are entry points for environmental contaminants, not destinations. Once a particle, chemical, or fiber crosses the epithelial barrier, it enters the lymphatic and circulatory systems. From there, it travels. It settles where cells are dividing rapidly, where tissue is most metabolically active, where the individual's own vulnerabilities — genetic, epigenetic, nutritional, developmental — meet the contaminant at the moment of exposure.

Asbestos, to take the example most frequently cited in government communications, does not only cause mesothelioma and lung cancer. The International Agency for Research on Cancer classifies asbestos as carcinogenic to multiple organ systems. Asbestos fibers have been documented in ovarian tissue, in the peritoneum, in the larynx, in the pharynx, in the stomach, in the colon, and in the bone marrow. The latency period between first exposure and clinical symptom is 20 to 40 years. A person exposed in childhood on contaminated land may not present with disease until their fifties or sixties — at which point the causal link is often described as “unclear” by the same agencies that documented the original exposure.

The same systemic-migration pattern applies to heavy metals, PAHs, PFAS, and most radiologically active compounds. A single exposure can produce effects in multiple organ systems, across decades, with no predictable one-to-one relationship between exposure site and eventual disease site.

Organ-specific denial is the rhetorical tool that keeps systemic harm invisible.

Epigenetics: the body remembers what the environment did

Beyond the lifetime of a single exposed individual, peer-reviewed toxicology and epigenetics research now establishes that exposure to heavy metals, PAHs, and other environmental contaminants can produce heritable epigenetic modifications — changes to how DNA is expressed, passed from one generation to the next through the germline — even in children and grandchildren who were never directly exposed.

In 2015, a study published in Scientific Reports, a Nature Portfolio journal, reported the first human demonstration that environmental lead exposure in pregnant women produces DNA methylation changes measurable in their grandchildren's neonatal blood. The authors concluded: “This is the first demonstration that an environmental exposure in pregnant mothers can have an epigenetic effect on the DNA methylation pattern in the grandchildren.” The

mechanism is germline alteration: exposure affects the fetal germ cells of the unborn child, which later become the reproductive material that produces the grandchild.

This is no longer an isolated finding. A 2024 peer-reviewed review in *Clinical Epigenetics*, authored by researchers from the Harvard T.H. Chan School of Public Health and Johns Hopkins University, synthesized the evidence base and concluded: “Environmental influences that occurred in one generation may be transmitted beyond the second generation, exerting a long-lasting effect.” A 2025 review in *MDPI Toxics* specifically examined heavy metals — methylmercury, cadmium, arsenic, and lead — and confirmed documented transgenerational epigenetic effects for each one.

The implications are precise. Indigenous Albertans living on or near contaminated Reserve land today are not only dealing with their own direct exposures. They are also dealing with the accumulated epigenetic inheritance of parents, grandparents, and in some cases great-grandparents who lived through the same contamination when the exposures were higher, less monitored, and less documented. The body carrying disability in 2026 may be expressing altered gene function that originated in a germline exposure in the 1960s, or in a parental exposure before conception in the 1980s, or in a childhood exposure during residential school attendance in the 1940s.

Contamination does not forget. The body does not forget. And the epigenome carries the memory into descendants whose own direct exposures would be insufficient to explain the disability profile they present.

The exposome framework

Contemporary toxicology has moved past the single-chemical, single-exposure, single-outcome model that dominated risk assessment in the twentieth century. The current framework — known as the exposome — describes human health as the cumulative result of all environmental exposures across a lifetime, interacting with genetic and epigenetic predispositions. The exposome is systemic, not event-specific. It is lifelong, not moment-in-time. And it is inherited, not restricted to the individual.

Within this framework, every government statement that takes the form “we see no statistically significant elevation of specific cancer X in population Y when controlling for regional baseline” becomes a statement about the limits of the question being asked — not a statement about the absence of harm. The question is structurally incapable of detecting the pattern the evidence demands.

4. Four communities, one pattern: case studies in environmental racism

The colonial pattern documented in Section 1 — relocation to marginal land, regulatory vacuum, industrial permissiveness — did not affect one community or one region. It is a national pattern, reproduced across provincial boundaries wherever Indigenous territory and industrial activity

have overlapped. This section presents four case studies: Grassy Narrows in northwestern Ontario, Aamjiwnaang in southwestern Ontario, Kanesatake in Quebec, and Fort Chipewyan in northeastern Alberta. Each community's experience is specific. The pattern connecting them is structural.

Grassy Narrows First Nation (Ontario): three generations of mercury

Between 1962 and 1970, the Dryden Chemical Company — a subsidiary of the British multinational Reed International — discharged between 9,000 and 11,000 kilograms of mercury into the English-Wabigoon River system, approximately 100 kilometres upstream of the Asubpeeschoseewagong Anishinabek (Grassy Narrows First Nation). The river was the community's primary food source, their economic base through the commercial fishery, and the centre of their cultural identity. The Lancet has characterized the resulting contamination as “one of the worst cases of environmental poisoning in Canadian history.”

The consequences were immediate and have not ended. In 1975, Japanese physician Dr. Masazumi Harada — who had documented Minamata disease in Japan, where methylmercury discharge into Minamata Bay produced the syndrome that now bears its name — examined 89 people in Grassy Narrows and Whitedog (Wabaseemoong Independent Nations). Many presented symptoms of mercury poisoning; at that early stage, the classic full-syndrome diagnosis of Minamata disease was considered not yet established. When Dr. Harada returned in 2002 and 2004, he examined 189 individuals. Sixty were diagnosed with Minamata disease. Another 54 were diagnosed with Minamata disease with complications from other causes. Twenty-five were classified as suspected cases. Of the 27 individuals who had been examined in both 1975 and the 2000s, their neurological status had “clearly gotten worse” over the intervening decades.

A 2020 peer-reviewed retrospective longitudinal study published in The Lancet Planetary Health, using historical biomarker data that the community obtained in 2019 after decades of effort, established a direct statistical association between documented mercury exposure and premature mortality (death before age 60) in Grassy Narrows. The highest recorded blood mercury concentration in the federal biomarker surveillance program — 660 micrograms per litre — belonged to a resident of Grassy Narrows.

A 2024 peer-reviewed longitudinal study published in Environmental Health documented that neurological symptoms in the exposed population are not stable but progressive. The study's five-year follow-up measured marked increases in sensory disturbances, ataxia, visual field constriction, speech impairment, imbalance, and tremor — decades after the original exposure ended.

A 2017 independent study by five mercury experts, reported in the Canadian Medical Association Journal, found that mercury levels downstream of the Dryden plant remained approximately 130 times higher than at upstream locations — indicating that the contamination

is not merely legacy exposure fading with time, but is being actively resupplied. The contamination, in other words, is still happening.

Judy Da Silva, the environmental health coordinator for Grassy Narrows, has documented the mercury exposure in her own body. Her children now show symptoms. Her ten-year-old son has been approved for compensation by the Mercury Disability Board — a compensation system established in 1986 under the Grassy Narrows and Islington Bands Mercury Pollution Claims Settlement Act. In her own words: “I feel for my kids. I’m scared for my kids. I don’t like that they’re poisoned. That’s one of the last things I want to do is try and poison my kids. And I can’t help it because I was poisoned.”

According to a community health study cited by CBC, approximately 90 percent of the Grassy Narrows population experiences symptoms of mercury poisoning, including neurological problems, seizures, cognitive delays, and sensory disturbances. Construction of a promised Mercury Care Home and Wellness Centre, committed to by the federal government in 2017, had not begun as of late 2023. As of the same date, the community had been without a physician for 17 months.

Aamjiwnaang First Nation (Ontario): Chemical Valley

The Aamjiwnaang First Nation is located in southwestern Ontario, on the shore of the St. Clair River near Sarnia. Approximately 850 of the community’s 2,000 members live on the reserve. The reserve sits within a 25-kilometre radius of 60 industrial facilities — petrochemical plants, refineries, and chemical manufacturing sites that together form what is commonly known as Chemical Valley. These facilities account for approximately 40 percent of Canada’s petrochemical industry.

The pattern of industrial encroachment on Aamjiwnaang is historical. As documented in the University of Toronto’s Environmental Data Justice Lab, Imperial Oil began operations in Sarnia in 1880 — the same year the residential school system formally came into being. The two institutions — residential schools and Chemical Valley — were, from the beginning, parallel expressions of a single colonial logic. Residential schools are no longer in operation. Chemical Valley remains fully operational.

The 2007 Ecojustice report *Exposing Canada’s Chemical Valley*, using data from Environment Canada’s National Pollutant Release Inventory, established that in 2005, 131 million kilograms of pollutants were released from 46 plants in the Sarnia area. Sixty percent of the 5.7 million kilograms of toxic air releases recorded in 2005 occurred within a five-kilometre radius of the Aamjiwnaang reserve. The pollutants documented include known reproductive and developmental toxins, carcinogens, endocrine disruptors, and heavy metals including mercury.

The health consequences documented in peer-reviewed research are striking. Research published in the U.S. journal *Environmental Health Perspectives* reported that between 1999 and 2003, the sex ratio of live births at Aamjiwnaang was approximately 33 percent male and 67

percent female — a two-to-one female-to-male birth ratio, representing one of the lowest male birth rates ever documented in a human population. The authors attributed the anomaly in substantial part to chemical exposure during gestation. Subsequent research by McGill University's Niladri Basu confirmed that Aamjiwnaang mothers and children carried elevated levels of polychlorinated biphenyls, cadmium, perfluorinated chemicals, and the pesticides hexachlorocyclohexane and DDT compared with the Canadian average.

A 2006 community survey by Aamjiwnaang's environment committee documented that 40 percent of surveyed band members required an inhaler. The community reports elevated rates of miscarriage, stillbirth, asthma, cancer, and chronic headache. As recently as April 2024, Aamjiwnaang leadership called for the shutdown of the INEOS Styrolution facility after pollutant monitoring recorded benzene levels high enough that the First Nation sent its employees home; community members reported headaches, nausea, and dizziness, with at least one parent bringing their child to the hospital.

Ada Lockridge, founder of the Aamjiwnaang environmental committee, has for years operated a “bucket brigade” program in which community members collect their own environmental samples for independent laboratory analysis — a grassroots monitoring system that developed because federal and provincial monitoring was perceived as inadequate to document the exposures the community was experiencing. Aamjiwnaang has also pursued Charter of Rights litigation through Ecojustice, challenging the Ontario Ministry of the Environment's permitting practices.

Kanesatake (Quebec): illegal dumping and regulatory abandonment

Kanesatake is a Mohawk community located approximately one hour's drive northwest of Montreal, between the Lake of Two Mountains and the Ottawa River. It is one of the smallest Indigenous territories in Quebec. Since approximately 2015, it has also been the site of one of the most visible active cases of illegal toxic dumping documented in Canada.

The G&R Recycling facility in Kanesatake received an initial permit in 2014 to operate a construction and demolition waste sorting centre with a capacity of 27,000 cubic metres. By the time Quebec's Ministry of the Environment revoked the permit in October 2020, the site contained more than 400,000 cubic metres of waste — roughly fifteen times the permitted volume. An investigation by The Eastern Door, Ricochet Media, and La Presse established that the site had received industrial waste, including polychlorinated biphenyls (PCBs), a federally controlled hazardous substance. Construction trucks from the Montreal area, investigators found, were paying approximately \$150 per load in cash to dispose of materials on Mohawk land — approximately half the cost of legitimate disposal at regulated facilities off-reserve.

Sources in the construction industry told Ricochet that it was “an open secret” in the sector: if you wanted to dispose of something without questions, you “go to the Mohawks.” The phrase captures the structural reality that environmental racism produces — Indigenous land is

understood, within the industries that profit from the disposal, as the place where regulation does not reach.

Federal Crown-Indigenous Relations Minister Marc Miller, speaking publicly in May 2023, characterized the G&R site as a potential “environmental bomb.” Despite this acknowledgment at the federal ministerial level, substantive remediation has not occurred. As of late 2023, Ricochet documented continued illegal dumping beyond the original G&R site — trucks arriving in Kanesatake after dark to unload contaminated soil directly into residential yards, driveways, and roads leading into the lake. A May 2024 soil testing operation by Quebec’s environment ministry confirmed the presence of polycyclic aromatic hydrocarbons and petroleum hydrocarbons in soil deposited on the Lake of Two Mountains shoreline. Quebec is pursuing emergency injunction proceedings against nearly twenty defendants.

Documentary health consequences in the community mirror those in Aamjiwnaang: Mohawk families near the G&R site have reported migraines, breathing problems, and nosebleeds to Ricochet journalists. One community member reported to a federal minister that her physician had advised her to have her fingernails and hair tested for toxic metal content; her formal letter to the federal Minister of Environment and Climate Change received a two-sentence reply indicating that the matter “falls under provincial jurisdiction.”

The Kanesatake case establishes two points that the Fort Chipewyan case does not. First, environmental racism is not restricted to legacy industrial sites; it is actively reproduced through ongoing illegal activity that governments choose not to stop. Second, the jurisdictional regulatory vacuum described earlier in this section — the gap between federal, provincial, and Indigenous governance authority — is not theoretical. It is exploited in real time, by actors who understand that no single authority will act decisively on Indigenous land.

Fort Chipewyan (Alberta): downstream of the oil sands

Fort Chipewyan is a community of approximately 641 people located on the western shore of Lake Athabasca in northeastern Alberta. It is home to members of the Mikisew Cree First Nation, the Athabasca Chipewyan First Nation, and the Fort Chipewyan Métis Nation. It sits approximately 250 kilometres downstream from the Athabasca oil sands industrial complex. Everything upstream drains toward it.

The knowledge timeline

2006: Dr. John O’Connor, the community physician, reported to media an unusually high incidence of cholangiocarcinoma — a rare bile duct cancer — and other cancers in Fort Chipewyan. His observations were based on direct clinical experience and included cancers seen in individuals without conventional risk factors (low smoking rates, traditional diet, active lifestyles).

2007–2009: Health Canada lodged formal complaints against Dr. O’Connor with the Alberta College of Physicians and Surgeons, alleging he had caused “undue alarm” in the community.

He was threatened with the loss of his medical licence. He was eventually exonerated of all charges.

2009: The Alberta Cancer Board released its investigation of Fort Chipewyan cancer rates (1995–2006). The findings: cancer rates were approximately 30 percent higher than expected, with elevated rates of blood cancer, lymphatic cancer, and soft tissue cancers. The Board noted the elevation was concentrated in the most recent six-year window and recommended “closer monitoring of cancer occurrences in Fort Chipewyan in the coming years.” The Board declined to investigate causation.

2010: Dr. David Schindler, one of Canada’s most decorated freshwater ecologists, co-authored a paper in the Proceedings of the National Academy of Sciences establishing that summer concentrations of polycyclic aromatic hydrocarbons in the Athabasca River ran 22 times higher downstream of oil sands development than upstream. The paper established oil sands development as a contributor to toxic loading in the river, at levels harmful to aquatic life.

2014: Dr. Stephane McLachlan of the University of Manitoba, working jointly with Mikisew Cree First Nation and Athabasca Chipewyan First Nation, released phase two of Environmental and Human Health Implications of Athabasca Oil Sands. The study measured contaminants in water and in traditional food sources: beavers, ducks, fish, moose, muskrats. Findings included high concentrations of carcinogenic polycyclic aromatic hydrocarbons, arsenic, mercury, cadmium, and selenium. 20 out of 94 interviewed community members reported cancer diagnoses.

2018: The federal Oil Sands Monitoring Program, a joint federal-provincial program, reported increased concentrations of aluminum, copper, iron, and lead in the Athabasca River, exceeding water safety guidelines. Elevated arsenic was detected in tributaries.

May 2022: A major spill of contaminated wastewater was discovered from a tailings pond at Imperial Oil’s Kearl oil sands project. Mikisew Cree First Nation leadership has alleged that cancer incidence data after this date was not provided to the community on request.

April 14, 2026: Standing inside Parliament Hill, Mikisew Cree First Nation Chief Billy-Joe Tuccaro released the results of a new cancer study commissioned by the First Nation. The findings: between 1993 and 2022, cancer rates in Fort Chipewyan were approximately 25 percent higher than the rest of Alberta. 149 community members were diagnosed with 24 different types of cancer over the study period. Chief Tuccaro stated the actual number of cases is likely closer to 250–300, with the 149 figure representing a significant undercount due to residents leaving the community for medical treatment and therefore being recorded in other health regions.

Within hours, the Alberta Ministry of Primary and Preventative Health Services responded that adult cancer rates were “largely within normal ranges” and that there was “no known causal link between oil sands development and cancer rates in the region.” The Ministry’s assessment was issued without a visit to the community.

The pattern across the four cases

The 24 different cancer types identified in the Mikisew Cree 2026 study are not a tight cluster of one disease. They are a broad distribution — bile duct, blood, lymphatic, soft tissue, and others — across a community of 641 people. This distribution is consistent with the toxicology literature on systemic contamination of a biological environment: water, food, air, soil, and intergenerational germline exposure, compounding over decades. It is not consistent with the organ-specific denial framework the province has consistently applied.

Placing the four case studies side by side reveals a consistent structure. Grassy Narrows: decades of mercury exposure, progressive neurological decline across three generations, 90 percent symptomatic population, government acknowledgment of symptoms without acknowledgment of poisoning, compensation structures that require individualized proof. Aamjiwnaang: active emissions from 60 surrounding industrial facilities, a two-to-one female-to-male birth ratio, reproductive and respiratory impacts, regulatory response described as inadequate by Ontario's own Environment Commissioner, community-led monitoring because government monitoring was insufficient. Kanesatake: active illegal dumping on Mohawk land, federal ministerial acknowledgment as an "environmental bomb," continued dumping notwithstanding, community reports of migraines and respiratory symptoms dismissed with jurisdictional deflection. Fort Chipewyan: 25 percent higher cancer rates across 24 types, same-day provincial dismissal, a whistleblower physician threatened with licence loss.

In each case, the scientific evidence is extensive. In each case, the government response is framed as inadequate evidence to demonstrate causation. In each case, the community itself — working with academic collaborators, environmental lawyers, and investigative journalists — has done the documentation work that the state declined to do. The pattern is not a cluster of isolated incidents. It is a method.

As Dr. O'Connor observed of Fort Chipewyan: "In my opinion this is environmental racism. It would not happen upstream of non-Indigenous communities. The facts are already established a long time ago." The statement applies equally, with only the place names changed, to Grassy Narrows, Aamjiwnaang, and Kanesatake.

5. What is being done, and by whom, in 2026

The tailings reality

The Athabasca oil sands tailings ponds currently hold approximately 1.4 trillion litres of toxic wastewater. This is an area larger than the city of Vancouver. Industry has known about seepage from these ponds for decades. Regulators have known as well. The contents include polycyclic aromatic hydrocarbons, naphthenic acids, heavy metals, and complex process-affected waters whose full toxicological profile has not been publicly characterized.

The government of Premier Danielle Smith has mandated the Minister of Environment and Protected Areas to fast-track a “treat and release” plan that would permit the treated discharge of tailings water into the Athabasca River system. The affected downstream communities — Mikisew Cree First Nation, Athabasca Chipewyan First Nation, Fort Chipewyan Métis Nation, and the smaller communities further downstream toward the Peace-Athabasca Delta — have not given free, prior, and informed consent to this plan, as required under the United Nations Declaration on the Rights of Indigenous Peoples.

The PFAS dimension: why this is not only an Indigenous issue

Per- and polyfluoroalkyl substances — PFAS — are a class of more than 4,700 synthetic chemicals used for decades in firefighting foam, non-stick cookware, waterproof textiles, cosmetics, food packaging, and industrial lubricants. They are known as “forever chemicals” because, once released into the environment, they take hundreds to thousands of years to break down.

According to Health Canada biomonitoring surveys, more than 98 percent of Canadians have PFAS in their blood. According to the Canadian Environmental Law Association, 99 percent or more of all Canadians tested have PFOA and PFOS specifically — two of the most studied PFAS compounds — present in their blood and organs, including residents of far-north communities geographically distant from industrial sources.

PFAS are associated with kidney cancer, testicular cancer, low birth weight, immune suppression, reduced vaccine response, thyroid disease, developmental delays in children, hormonal disruption, and elevated cholesterol. These health effects are documented across peer-reviewed studies and confirmed by Health Canada’s own assessment literature.

Standard municipal water treatment systems — the infrastructure that supplies drinking water to nearly every urban and suburban Albertan — do not remove PFAS. Activated carbon filtration and reverse osmosis can remove PFAS, but these are expensive, generate hazardous waste requiring specialized disposal, and are not deployed at scale in the majority of Canadian municipalities. Wastewater treatment plants also do not filter PFAS, meaning the treated effluent discharged back into rivers and lakes contains the same forever chemicals that entered the system.

As of March 2025, the Government of Canada’s own State of PFAS Report concluded that the class of PFAS, excluding fluoropolymers, is “harmful to human health and the environment.” As of the drafting of this report in April 2026, Canada has not implemented legally enforceable national drinking water limits on PFAS. Health Canada’s objective of 30 nanograms per litre is an advisory target, not an enforceable standard. The United States Environmental Protection Agency has, by contrast, finalized enforceable limits of 4 parts per trillion for PFOA and PFOS — standards roughly eight times more protective than Canada’s current objective.

The implication is straightforward: every Albertan, Indigenous or not, urban or rural, on or off reserve, is currently being exposed to the same class of chemicals that are contaminating Indigenous lands. The mechanism of exposure is universal drinking water infrastructure that predates the recognition of the contamination. The difference between the exposure on contaminated Reserve lands and the exposure in a suburban tap is one of degree, not of category.

The disabled population being targeted by ADAP is the same population that has borne the public health cost of generations of regulatory failure.

The whistleblower pattern

The parallel between Dr. John O'Connor's 2007 treatment — formal complaint to his medical regulator, threatened licence suspension, the burden of defending himself against “undue alarm” charges that were ultimately dismissed — and the more recent experience of Athana Mentzelopoulos, the former CEO of Alberta Health Services who has alleged she was fired for investigating the procurement irregularities that led to the \$49 million MHCare Medical scandal, is not incidental. It is a pattern. Public officials who surface information that disturbs the regulatory status quo face career consequences. The consequences do not require overt suppression. Administrative friction is sufficient.

The chilling effect on the supply of future evidence is structural. Physicians, scientists, and civil servants who might otherwise document harm observe the treatment of their predecessors and weigh the cost of raising the alarm. Over time, the visible record of harm becomes systematically thinner than the underlying reality it is supposed to represent.

What this means for the ADAP transition

A province that has known, for more than a century, that the land its disabled citizens live on is contaminated with documented carcinogens, heavy metals, PAHs, radioactive materials, asbestos, and forever chemicals — and that has permitted those contaminations to continue, through regulatory inaction and active policy choice — is now proceeding with a mandatory reclassification of those same citizens' disability benefits on the premise that many of them are capable of full-time employment.

The population being moved from AISH to ADAP on July 1, 2026 is, disproportionately, the population whose disability profile has been shaped by a century of environmental exposure that the province itself permitted. The health conditions being reassessed for “employment readiness” are the conditions the exposures produced. The bodies being told to work harder are the bodies carrying inheritance the government has never accounted for.

The fiscal hypocrisy of the transition — the \$49 million cut to AISH matched by \$49 million lost to procurement corruption, against a \$5.6 billion Heritage Fund surplus — is documented

elsewhere in this report series. The medical hypocrisy of the transition is established here: a government cannot credibly require proof of ongoing disability from a population whose disability it has, through a century of regulatory choice, actively created.

Sources cited in Section 5

Alberta Cancer Board. Cancer Incidence in Fort Chipewyan, Alberta 1995–2006. Edmonton: Alberta Health Services, February 2009.

Auditor General of Canada. Fall Report of the Auditor General of Canada, 2009. Chapter 6: Land Management and Environmental Protection on Reserves. Ottawa: Office of the Auditor General of Canada, 2009.

Canadian Environmental Law Association. Blog: Urgent Canadian Action is needed on PFAS — the Forever Chemicals. 2021.

CBC News. “Tackling PFAS in drinking water.” News Interactives, 2025.

Ecojustice. “Environmental racism in Canada: What is it and its impact.” February 2024.

Government of Canada. Federal Contaminated Sites Action Plan: 2021 to 2022 Annual Report. Environment and Climate Change Canada, 2026.

Government of Canada. State of Per- and Polyfluoroalkyl Substances (PFAS) Report. March 2025.

Health Canada. Per- and polyfluoroalkyl substances (PFAS) and your health. 2025.

Indigenous Services Canada. Contaminated Sites On-Reserve program evaluation and reporting, 2013–2025.

Kelly, Erin N., David W. Schindler, et al. “Oil sands development contributes elements toxic at low concentrations to the Athabasca River and its tributaries.” *Proceedings of the National Academy of Sciences* 107, no. 37 (2010): 16178–16183.

Klibaner-Schiff, Eleanor, et al. “Environmental exposures influence multigenerational epigenetic transmission.” *Clinical Epigenetics* 16, no. 145 (October 2024).

Lux, Maureen K. *Separate Beds: A History of Indian Hospitals in Canada, 1920s–1980s*. Toronto: University of Toronto Press, 2016. (Cross-referenced from Section 1.)

McLachlan, Stephane. *Environmental and Human Health Implications of the Athabasca Oil Sands for the Mikisew Cree First Nation and Athabasca Chipewyan First Nation in Northern Alberta — Phase 2 Report*. Winnipeg: University of Manitoba, 2014.

Mikisew Cree First Nation. *Community Cancer Study, 1993–2022*. Released April 14, 2026.

Morin, Brandi. "A Community is Dying. Alberta Says It's Within Normal Range." *Indigenous Insider*, April 2026.

Ray, Paul D., Andrew Yosim, and Rebecca C. Fry. "Incorporating epigenetic data into the risk assessment process for the toxic metals arsenic, cadmium, chromium, lead, and mercury: strategies and challenges." *Frontiers in Genetics* 5, article 201 (2014).

Scoping Review: Contaminated Sites and Indigenous Peoples in Canada and the United States. *medRxiv preprint*, 2022.

Sen, Arko, et al. "Multigenerational epigenetic inheritance in humans: DNA methylation changes associated with maternal exposure to lead can be transmitted to the grandchildren." *Scientific Reports* 5, article 14466 (2015).

Tuncak, Baskut. Report of the Special Rapporteur on the implications for human rights of the environmentally sound management and disposal of hazardous substances and wastes on his visit to Canada. United Nations Human Rights Council, A/HRC/45/12/Add.1, 2020.

Various authors. Effects of Environmental Non-Essential Toxic Heavy Metals on Epigenetics During Development. *MDPI Toxics* 13, no. 3 (2025): 167.

The Rover. "It's Not Illegal to Dump Toxic Waste on Indigenous Land." June 2024.

Canadian Union of Public Employees. "Water is life: Indigenous communities confront environmental racism." 2023.

Philibert, Aline, Myriam Fillion, and Donna Mergler. "Mercury exposure and premature mortality in the Grassy Narrows First Nation community: a retrospective longitudinal study." *The Lancet Planetary Health* 4, no. 4 (April 2020): e141–e148.

Harada, Masazumi, et al. "Long-Term Study on the Effects of Mercury Contamination on Two Indigenous Communities in Canada (1975–2004)." *Research on Environmental Disruption* 34, no. 4 (2005): 689–697.

Mergler, Donna, et al. "The evolution of symptoms of nervous system dysfunction in a First Nation community with a history of mercury exposure: a longitudinal study." *Environmental Health (Springer Nature)* 2024.

Mosa, Aisha, and Jacalyn Duffin. "The interwoven history of mercury poisoning in Ontario and Japan." *Canadian Medical Association Journal* 189, no. 5 (2017): E213–E215.

Grassy Narrows and Islington Bands Mercury Pollution Claims Settlement Act (Canada), 1986.

Ecojustice. *Exposing Canada's Chemical Valley*. 2007.

Mackenzie, Constanze A., Ada Lockridge, and Margaret Keith. "Environmental Risks and Human Exposure in Aamjiwnaang First Nation." *Environmental Health Perspectives*. Peer-reviewed research on the Aamjiwnaang sex-ratio anomaly, 2005.

Basu, Niladri, et al. "Biomonitoring of environmental contaminants in Aamjiwnaang First Nation." McGill University research, peer-reviewed publications 2013–2015.

CBC News. "First Nations exposed to pollutants in Chemical Valley." 2013.

CBC News. "Aamjiwnaang First Nation says high chemical levels making members sick." April 2024.

The Eastern Door. Investigative coverage of the G&R Recycling site, Kanesatake, 2021–2024.

Ricochet Media. "Threats, fines and fear: A dump on Mohawk land overflows with industrial waste." December 2023.

Ricochet Media. "Mohawk families near Kanesatake dump describe migraines, breathing problems." December 2023.

Ricochet Media. "Truckers offload waste on Mohawk homes after closure of illegal dump." 2024.

Amnesty International Canada. "Solidarity Against Environmental Racism in Kanehsatà:ke, Québec." 2024.

La Presse. Investigative coverage of Kanesatake illegal dumping, 2021–2024.

Quebec Ministry of the Environment. Revocation order for G&R Recycling permit, October 2020.

University of Toronto, Faculty of Arts and Science. "Indigenous-led lab reveals how companies withhold key information about pollution." Environmental Data Justice Lab, March 2025.