



CCIE Security Version 5 Advanced Technologies Class



Fragmentation Attack Protection via ACL

How can ACL's stop fragmentation attacks?

How are fragments processed against IP ACL's?

IPv4 vs. IPv6 Header

▶ Quick comparison:

- http://www.cisco.com/en/US/technologies/tk648/tk872/technologies_white_paper0900aecd8054d37d.html

Fragments Filtering via ACL

▶ How can ACL drop fragments?

- By using the '**fragment**' keyword attached to your ACE, it matches on non-initial fragments

▶ What are the challenges with filtering fragments via ACL?

- For both IPv4 and IPv6, non-initial fragments do not contain layer 4 information

▶ ACL and IP fragments matching

- <http://www.cisco.com/c/en/us/support/docs/ip/generic-routing-encapsulation-gre/8014-acl-wp.html>

Fragments Filtering via ACL

▶ How can ACL drop fragments?

- By using the '**fragment**' keyword attached to your ACE, it matches on non-initial fragments

▶ What are the challenges with filtering fragments via ACL?

- For both IPv4 and IPv6, non-initial fragments do not contain layer 4 information

Fragments Filtering via ACL

▶ ACL and IP fragments matching

- <http://www.cisco.com/c/en/us/support/docs/ip/generic-routing-encapsulation-gre/8014-acl-wp.html>

▶ What is the issue with fixing fragmentation attacks via ACL, CAR, policing, packet discard?

- All fragments are dropped, both good and bad



Knowledge is Power!