



MANUAL

Controller Studio

for LiveProfessor

MIDI controllers, Plugin Studio, and AutoMap for LiveProfessor

English edition - V.2026

SiLeMI/O - By Mamat -----[]---

AutoMap never changes the source project. A new .rack2 copy is created and validated before it is saved.

Independent product created by SiLeMI/O. LiveProfessor and the plug-in brands mentioned belong to their respective publishers.

Contents

1. Quick start
2. Choose a controller and use Live mode
3. Create an AutoMap copy
4. Organize parameters with Plugin Studio
5. Profile library
6. Interface, log, and updates
7. Safety and troubleshooting

1. Quick start

The shortest workflow

1	Open the Controller bank and choose an existing profile, or create your own.
2	Export the .ctrl2 file when you want to add that controller to LiveProfessor.
3	Click AutoMap, choose a .rack2 project, and analyze it.
4	Select the required plug-ins and create a new project copy.
5	Load the .ctrl2 file and the AutoMap copy in LiveProfessor.

Always preserve the original LiveProfessor project. Work only with the copy created by AutoMap.

2. Choose a controller and use Live mode

Controller bank

Each profile describes MIDI controls, banks, pushes, feedback, and capabilities. Its status identifies it as built-in, verified, local, or community supplied.

Active controller

The Live page selector stays synchronized with the bank. When a real-time driver is available, Start, Stop, bank, and matching settings become available. Otherwise, the profile remains ready for export and AutoMap.

Export to LiveProfessor

1	Select the controller in the bank.
2	Click Export controller .ctrl2.
3	In LiveProfessor, open Hardware Controllers Setup, then Load from file.

3. Create an AutoMap copy

Analyze and choose

1	Choose the source project, then click Analyze.
2	Choose the controller profile and preferably reuse the controller already present in the project.
3	Select all plug-ins or check only the required instances.
4	Choose the number of controls per bank, then create the copy.

Parameter order

Existing manual assignments remain authoritative. Free slots then follow the Plugin Studio profile so every instance of a plug-in type keeps the same order.

Multiple controllers sharing the same Companion addresses can mix labels. Reuse the existing controller when the assistant offers it.

4. Organize parameters with Plugin Studio

Recognize a plug-in

1	Open the Plug-ins tab and choose a .rack2 project.
2	Analyze the project; matching instances are grouped automatically.
3	Open the profile for one plug-in type.
4	Name useful parameters and set their priority.
5	Save locally, then use the profile in AutoMap.

Safe local profiles

Profiles are declarative JSON files. Replaced versions can be backed up, downloaded code is never executed, and the analyzed project remains unchanged.

5. Profile library

Update

The public library provides controller and plug-in profiles. Preview changes before installing them, then keep working offline from the local cache.

Contribute

Users can propose profiles through GitHub. Never publish a .rack2 project, audio setting, machine identity, production address, or licence information.

- strict format validation;
- version and SHA-256 checks;
- backup before replacement;
- no executable code in profiles.

6. Interface, log, and updates

A simple first page


The Live page keeps only the active controller, essential actions, status, and last event. MIDI/OSC connections are under Settings, and the complete log opens in a separate window.

Language and notification area

Options > Language switches immediately between French and English. Minimizing to the notification area hides the window without stopping an active engine; Quit actually stops the application.

Manual, updates, and support

Help opens the manual in the active language and checks stable releases. Installer size and SHA-256 are verified before launch.



PayPal support is optional. Every feature remains available free of charge.

<https://www.paypal.com/paypalme/MamatLeroy>

7. Safety and troubleshooting

When a label does not match a control

1	Check that only one Companion controller uses the same address range.
2	Open AutoMap again and reuse the controller already in the project.
3	Check the Plugin Studio order and preserved manual assignments.
4	Create a fresh copy from the preserved source project.

Diagnostics

The separate log window can copy events or open the complete file. Diagnostics checks ports, configuration, and engine state without changing the LiveProfessor project.