



MANUAL

# Controller Studio

for LiveProfessor

MIDI controllers, Plugin Studio, and AutoMap for LiveProfessor

English edition - V.2026

SiLeMI/O - By Mamat -----[]--

**AutoMap never changes the source project. A new .rack2 copy is created and validated before it is saved.**

Independent product created by SiLeMI/O. LiveProfessor and the plug-in brands mentioned belong to their respective publishers.

# Contents

1. Quick start
2. Choose a controller and use Live mode
3. Create an AutoMap copy
4. Organize parameters with Plugin Studio
5. Profile library
6. Interface, log, and updates
7. Safety and troubleshooting

# 1. Quick start

## The shortest workflow

|   |                                                                               |
|---|-------------------------------------------------------------------------------|
| 1 | Open the Controller bank and choose the profile for your hardware.            |
| 2 | Export the .ctrl2 file when you want to add that controller to LiveProfessor. |
| 3 | Click AutoMap, choose a .rack2 project, and analyze it.                       |
| 4 | Select the required plug-ins and create a new project copy.                   |
| 5 | Load the .ctrl2 file and the AutoMap copy in LiveProfessor.                   |

**Always preserve the original LiveProfessor project. Work only with the copy created by AutoMap.**

## 2. Choose a controller and use Live mode

### Controller bank

Each profile describes MIDI controls, banks, pushes, feedback, and capabilities. Its status identifies it as built-in, verified, local, or community supplied.

### Active controller

The Live page selector stays synchronized with the bank. When a real-time driver is available, Start, Stop, bank, and matching settings become available. Otherwise, the profile remains ready for export and AutoMap.

### Export to LiveProfessor

|   |                                                                         |
|---|-------------------------------------------------------------------------|
| 1 | Select the controller in the bank.                                      |
| 2 | Click Export controller .ctrl2.                                         |
| 3 | In LiveProfessor, open Hardware Controllers Setup, then Load from file. |

## 3. Create an AutoMap copy

### Analyze and choose

|   |                                                                                                   |
|---|---------------------------------------------------------------------------------------------------|
| 1 | Choose the source project, then click Analyze.                                                    |
| 2 | Choose the controller profile and preferably reuse the controller already present in the project. |
| 3 | Select all plug-ins or check only the required instances.                                         |
| 4 | Choose the number of controls per bank, then create the copy.                                     |

### Parameter order

Existing manual assignments remain authoritative. Free slots then follow the Plugin Studio profile so every instance of a plug-in type keeps the same order.

**Multiple controllers sharing the same Companion addresses can mix labels. Reuse the existing controller when the assistant offers it.**

## 4. Organize parameters with Plugin Studio

### Recognize a plug-in

|   |                                                                                          |
|---|------------------------------------------------------------------------------------------|
| 1 | Open the Plug-ins tab and choose a .rack2 project.                                       |
| 2 | Analyze the project; matching instances are grouped automatically.                       |
| 3 | Open the profile for one plug-in type.                                                   |
| 4 | In the LiveProfessor top bar, recall SiLeMI/O AutoMap - PluginName, not the Dynamic map. |
| 5 | Click Automatically retrieve real names.                                                 |
| 6 | Use Select all, Select none, or individual checkboxes to choose AutoMap parameters.      |
| 7 | Adjust names and priorities if needed, save locally, then use the profile in AutoMap.    |

### Safe local profiles

Profiles are declarative JSON files. Replaced versions can be backed up, downloaded code is never executed, and the analyzed project remains unchanged.

## 5. Profile library

### Update

The public library provides controller and plug-in profiles. Preview changes before installing them, then keep working offline from the local cache.

### Contribute

In Controller bank, Submit to the library validates the selected profile, copies its JSON, and opens a pre-titled GitHub form. Paste the JSON, add available documentation or test results, then submit it.

- strict format validation;
- version and SHA-256 checks;
- backup before replacement;
- no executable code in profiles.

## 6. Interface, log, and updates

### A simple first page


The Live page keeps only the active controller, essential actions, status, and last event. MIDI/OSC connections are under Settings, and the complete log opens in a separate window.

### Language and notification area

Options > Language switches immediately between French and English. Minimizing to the notification area hides the window without stopping an active engine; Quit actually stops the application.

### Manual, updates, and support

Help opens the manual in the active language and checks stable releases. Installer size and SHA-256 are verified before launch.



PayPal support is optional. Every feature remains available free of charge.

<https://www.paypal.com/paypalme/MamatLeroy>



## 7. Safety and troubleshooting

### When a label does not match a control

|   |                                                                       |
|---|-----------------------------------------------------------------------|
| 1 | Check that only one Companion controller uses the same address range. |
| 2 | Open AutoMap again and reuse the controller already in the project.   |
| 3 | Check the Plugin Studio order and preserved manual assignments.       |
| 4 | Create a fresh copy from the preserved source project.                |

### Diagnostics

The separate log window can copy events or open the complete file. Diagnostics checks ports, configuration, and engine state without changing the LiveProfessor project.