

Dante Config Editor V3.05 Beta

Full user guide - version 3.05-beta

Important: this application is an unofficial beta and may contain bugs. It edits XML files offline, without connecting to a Dante network or using an Audinate API. Keep the original and validate the generated file in Dante Controller before production use.

1. Installation and startup

The self-contained installer includes the application and the required .NET 8 runtime. A Windows x64 computer normally does not need a separate .NET installation.

- The default location is Program Files, with a Start menu shortcut.
- A previous installation can be replaced or kept alongside in another folder.
- All four French and English PDFs are installed. The finish page offers the documents matching the installer language.

2. Safety principles

- Work on a copy of the exported XML and use Save as.
- A temporary file is reloaded before saving, and sensitive technical XML areas are checked.
- A backup is stored in DanteConfigEditor_Backups next to the source file.
- A successful import into Dante Controller is the final validation before operation.

3. Open a project

Click Open XML, choose the file, then review device, TX/RX channel, and active subscription counts. Language and theme can be changed at any time.

Editing is immediately available, but the source file is protected by requiring a different output name.

4. Configuration page

The Configuration page combines the selected device, its channels, global actions, and the device table.

Selected device

- Apply the name, network mode, latency, and Preferred Master state together with Apply settings.
- Double-click a row or use Device details to edit IP settings, sample rate, bits per sample, and TX/RX channel names.
- Clear actions can disconnect Rx inputs, remove subscriptions using Tx channels, or do both.
- Deleting a device also removes subscription points that reference it.

Device table

- Multiple selection defines the Selected unlocked target. The Lock column protects devices from global actions.
- Preferred Master can be toggled directly. Hide settings enlarges the table.

Search and filters

- Search finds devices, channels, and subscription references after at least two characters.
- Quick lists filter network modes, latencies, sample rates, bits, static IPs, and Preferred Masters.
- Modified only shows changed devices; Before / after lists every difference.

Global actions

Choose the target first: all unlocked devices, selected unlocked devices, or the visible unlocked filter. A preview lists the affected devices before application.

5. Navigable alerts

The Items to check banner reports mixed redundant/daisychain modes, static IPs, multiple sample rates, and multiple bit depths.

- Click Show devices, choose an alert, then review the filtered devices.
- After correcting an item, verify that the alert disappears and review File health.

6. Quick profiles

Under Global actions > Profiles, built-in profiles combine coherent settings:

Profile	Applied settings
48 kHz / 24 bit / 1 ms	Automatic IP
48 kHz / 24 bit / 2 ms	Automatic IP
96 kHz / 24 bit / 1 ms	Automatic IP
96 kHz / 24 bit / 2 ms	Automatic IP
48 kHz / 24 bit / 1 ms / Redundant	Redundant mode and automatic IP
48 kHz / 24 bit / 1 ms / Daisychain	Daisychain mode and automatic IP

Warning: verify that every device supports the requested sample rate, bit depth, latency, and network mode.

7. Automatic recovery

After every successful action, a temporary copy is stored in the Windows user profile without replacing the source XML.

- When reopening the same XML, choose whether to restore or discard the previous session.
- If the original changed in the meantime, a warning requests careful comparison.
- The copy is deleted after saving or reverting; copies older than 30 days are cleaned automatically.

8. Channels and subscriptions

TX/RX channels can be renamed individually. Batch rename accepts a range and patterns such as {00}, {000}, {n}, and {device}.

- Renaming a used Tx channel updates recognized subscription references throughout the project.
- Dante IDs are not renumbered. The local subscribed_device="." marker is preserved.

9. Add XML to project

- Devices with unique names are always imported.
- Only conflicting names are offered for automatic or manual rename.
- Imported subscriptions follow renamed imported devices.

10. IP and audio formats

- Automatic or static IP is editable per device. A global action can assign a static range or return recognized fields to automatic.
- Sample rate and bits per sample are editable per device, globally, or through a profile.
- Incorrect settings can make a device unreachable or incompatible; verify the actual hardware capabilities.

11. File health, comparison, and exports

- File health combines statistics, errors, warnings, free/local subscriptions, and compatibility checks.
- XML comparison displays differences in a table.
- TXT/PDF exports include the application version and the By Mamat signature.

12. Save and final validation

Use Save as. Before writing, the application displays a summary, checks structure and protected technical changes, then reloads a temporary file.

Check	Recommended action
Items to check	Open affected devices and explain or correct every unexpected difference.
Modified only	Verify that only the intended devices appear.
Before / after	Review every changed setting, channel, and subscription.
Dante Controller	Import the generated file into a working copy before any field operation.

13. Regression tests

Automated tests cover loading, alerts, rename and subscription propagation, undo, profiles, save/reload, delete, merge, and recovery. A local real-world corpus can also be checked without publishing those files.

14. Known limitations

- No real-time Dante control and no communication with devices.
- No Audinate SDK/API and no proprietary protocol bypass.
- Compatibility depends on the XML structure; only an official import confirms the final file.

15. Help and information

The Quick start and Full guide buttons automatically open the French PDF when the interface is in French and the English PDF when it is in English.

Public project: github.com/Mamat79/DanteConfigEditorV3
Credit: By Mamat