


Basic explanation of code

default in GameManager
 $\text{freq}[3] = \{5.5, 6.6, 7.5\}$



* center stimuli are created by code forming a polygon of $\text{numCenterStimuli}(12)$ sides at a distance from the center of distance $\text{ToPlayer}(24)$. The frequencies are set so that everywhere they look, 3 different frequencies will be moving the object.

$\text{centerstimuli}[0] \rightarrow \text{freq}[2]$
 $\text{centerstimuli}[11] \rightarrow \text{freq}[1]$
 $\text{centerstimuli}[1] \rightarrow \text{freq}[0]$
 $\text{centerstimuli}[4] \rightarrow \text{freq}[0]$
 $\text{centerstimuli}[3] \rightarrow \text{freq}[1]$
 $\text{centerstimuli}[2] \rightarrow \text{freq}[2]$
 $\vdots$

Every stimuli is saved as an object called StimuliObj with properties:

- frequency
- framecounter
- originalScale/Position/rotation
- InFieldOfView?
- index (centerSim)

④ Outer stimuli are saved in a parallel array where:

$\text{outerStimuliObj}[2] [\text{corresponding Center Sim, :}]$
 $\left. \begin{matrix} 0 \rightarrow \text{right} \\ 1 \rightarrow \text{center} \\ 2 \rightarrow \text{left} \end{matrix} \right\}$

Script Responsibilities

