




Topology 1



PC0

IP Configuration

☐ DHCP ☒ Static

IPv4 Address: 192.168.0.1

Subnet Mask: 255.255.255.0

Default Gateway: 0.0.0.0

DNS Server: 0.0.0.0

IPv6 Configuration

☐ Automatic ☒ Static

IPv6 Address: /

Link Local Address: FE80::20A:F3FF:FE0E:55CA

Default Gateway:

DNS Server:

802.1X

☒ Use 802.1X Security

Authentication: MD5

Username:

Password:

FastEthernet0

Port Status: ☒ On

Link Speed: ☒ 100 Mbps ☐ 10 Mbps ☒ Auto

Duplex: ☐ Half Duplex ☒ Full Duplex ☒ Auto

MAC Address: 000A.F30E.55CA

IP Configuration

☐ DHCP ☒ Static

IPv4 Address: 192.168.0.1

Subnet Mask: 255.255.255.0

IPv6 Configuration

☐ Automatic ☒ Static

IPv6 Address: /

Link Local Address: FE80::20A:F3FF:FE0E:55CA

PC1

IP Configuration

X

InterfaceFastEthernet0

IP Configuration

DHCP

Static

IPv4 Address192.168.0.2

Subnet Mask255.255.255.0

Default Gateway0.0.0.0

DNS Server0.0.0.0

IPv6 Configuration

Automatic

Static

IPv6 Address /

Link Local AddressFE80::209:7CFF:FE71:5E20

Default Gateway

DNS Server

802.1X

Use 802.1X Security

AuthenticationMD5

Username

Password

Host: PC0(IP 192.168.0.1) , PC1(IP 192.168.0.2)

Network: PC0 - PC1


NetworkMask: 255.255.255.0

Router: None

Default Gateway: 0.0.0.0

Interface: FastEthernet

Topology 2



PC2

Physical Config Desktop Programming Attributes

IP Configuration [X]

Interface FastEthernet0

IP Configuration

☐ DHCP ☒ Static

IPv4 Address 192.168.0.1

Subnet Mask 255.255.255.0

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

IPv6 Configuration

☐ Automatic ☒ Static

IPv6 Address /

Link Local Address FE80::2E0:F9FF:FE1C:B2D2

Default Gateway

DNS Server

802.1X

☒ Use 802.1X Security

Authentication MD5

Username

Password

PC3

IP Configuration

InterfaceFastEthernet0

IP Configuration

DHCP

Static

IPv4 Address

192.168.0.2

Subnet Mask

255.255.255.0

Default Gateway

0.0.0.0

DNS Server

0.0.0.0

IPv6 Configuration

Automatic

Static

IPv6 Address

/

Link Local Address

FE80::2D0:97FF:FEEA:AE58

Default Gateway

DNS Server

802.1X

Use 802.1X Security

Authentication

MD5

Username

Password

PC4

IP Configuration

InterfaceFastEthernet0

IP Configuration

DHCP

Static

IPv4 Address

192.168.0.3

Subnet Mask

255.255.255.0

Default Gateway

0.0.0.0

DNS Server

0.0.0.0

IPv6 Configuration

Automatic

Static

IPv6 Address

/

Link Local Address

FE80::201:64FF:FE96:71AD

Default Gateway

DNS Server

802.1X

Use 802.1X Security

Authentication

MD5

Username

Password

Host: PC2(IP 192.168.0.1) , PC3(IP 192.168.0.2), PC4(IP 192.168.0.3)

Network: Switch -> PC2,PC3,PC4


NetworkMask: 255.255.255.0

Router: None


Default Gateway: 0.0.0.0

Interface: FastEthernet

Topology 3



Switch0(1)



PC2(1)

IP Configuration

InterfaceFastEthernet0

IP Configuration

☐ DHCP

☒ Static

IPv4 Address

192.168.0.2

Subnet Mask

255.255.255.0

Default Gateway

192.168.0.1

DNS Server

0.0.0.0

IPv6 Configuration

☐ Automatic

☒ Static

IPv6 Address

Link Local Address

FE80::20C:85FF:FEB4:1B57

Default Gateway

DNS Server

802.1X

☐ Use 802.1X Security

Authentication

MD5

Username

Password

PC3(1)

IP Configuration

InterfaceFastEthernet0

IP Configuration

☐ DHCP

☒ Static

IPv4 Address

192.168.0.3

Subnet Mask

255.255.255.0

Default Gateway

192.168.0.1

DNS Server

0.0.0.0

IPv6 Configuration

☐ Automatic

☒ Static

IPv6 Address

Link Local Address

FE80::202:16FF:FE2E:1778

Default Gateway

DNS Server

802.1X

☒ Use 802.1X Security

Authentication

MD5

Username

Password

Top

PC4(1)

The image shows a network configuration window titled "IP Configuration" with a close button (X) in the top right corner. The "Interface" dropdown menu is set to "FastEthernet0".

IP Configuration

☐ DHCP ☒ Static

IPv4 Address: 192.168.0.4

Subnet Mask: 255.255.255.0

Default Gateway: 192.168.0.1

DNS Server: 0.0.0.0

IPv6 Configuration

☐ Automatic ☒ Static

IPv6 Address: /

Link Local Address: FE80::20C:CFFF:FEDA:C645

Default Gateway:

DNS Server:

802.1X

☐ Use 802.1X Security

Authentication: MD5

Username:

Password:

Host: PC2(1)(IP 192.168.0.2) , PC3(1)(IP 192.168.0.3), PC4(1)(IP 192.168.0.4)


Network: Switch0(1) -> PC2(1),PC3(1),PC4(1)

NetworkMask: 255.255.255.0

Default Gateway: 192.168.0.1

Interface: FastEthernet

Switch0(2)



PC2(2)

IP Configuration

Interface: FastEthernet0

IP Configuration

☐ DHCP ☒ Static

IPv4 Address: 192.168.1.2

Subnet Mask: 255.255.255.0

Default Gateway: 192.168.1.1

DNS Server: 0.0.0.0

IPv6 Configuration

☐ Automatic ☒ Static

IPv6 Address: /

Link Local Address: FE80::20D:BDFF:FE1B:C9A8

Default Gateway:

DNS Server:

802.1X

☒ Use 802.1X Security

Authentication: MD5

Username:

Password:

Host: PC2(2)(IP 192.168.1.2) , PC3(2)(IP 192.168.1.3), PC4(2)(IP 192.168.1.4)

Network: Switch0(2) -> PC2(2),PC3(2),PC4(2)

NetworkMask: 255.255.255.0

Default Gateway: 192.168.1.1

Interface: FastEthernet

Router : 1 ตัว

-What is the smallest network?

+Topology 1

-What network requires switches?

+Topology 2 and Topology 3

-What network requires routers?

+Topology 3

ธนภูมิ แทนทุมมา 673380271-3 sec 2 CP-CS