

Assignment : 6

Upload a static website on S3.

Step 1: Make two static HTML pages with first page containing Title and paragraph and other page containing link to page1 and Google or any other site.

Page:

Index:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Hello Web Page</title>
</head>
<body>
  <h1>Hello, Welcome to My Web Page!</h1>
  <p><a href="c:\Users\AKASH\OneDrive\Desktop\nextpage.html">Go to the next page</a></p>
</body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Next Page</title>
</head>
<body>
  <h1>This is Next</h1>
  <p>This is a Next Page</p>
</body>
</html>
```

Step 2: Create a Public bucket (similar to which we've done in the previous assignment).

The screenshot shows the AWS Management Console 'Create bucket' page. The browser address bar shows the URL: `ap-south-1.console.aws.amazon.com/s3/bucket/create?region=ap-south-1&bucketType=general`. The page title is 'Create bucket'. Below the title, it says 'Buckets are containers for data stored in S3.' The 'General configuration' section is expanded, showing the 'General purpose' bucket type selected. The bucket name 'my720bucket' is entered in the 'Bucket name' field. The 'Object Ownership' section is also visible, showing 'ACLs disabled (recommended)' selected. The footer of the page shows '© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences'.


Step 3: Open the bucket and click on 'Upload'.

The screenshot shows the Amazon S3 console interface for a bucket named 'my720bucket'. The breadcrumb navigation at the top reads 'Amazon S3 > Buckets > my720bucket'. The main header includes tabs for 'Objects', 'Properties', 'Permissions', 'Metrics', 'Management', and 'Access Points', with 'Objects' selected. Below the tabs, there's a section titled 'Objects (0)' with a description: 'Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)'. A search bar labeled 'Find objects by prefix' is present. Below the search bar is a table with columns: Name, Type, Last modified, Size, and Storage class. The table is empty, displaying the message 'No objects. You don't have any objects in this bucket.' at the bottom. Action buttons at the top right include 'Copy S3 URI', 'Copy URL', 'Download', 'Open', 'Delete', 'Actions', 'Create folder', and 'Upload'.


Step 4: Click on add files and select both the HTML files.

The screenshot shows the 'Upload' page in the Amazon S3 console. The breadcrumb navigation is 'Amazon S3 > Buckets > my720bucket > Upload'. The main header includes tabs for 'Upload', 'Properties', 'Permissions', 'Metrics', 'Management', and 'Access Points', with 'Upload' selected. Below the tabs, there's a section titled 'Upload' with a description: 'Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDKs or Amazon S3 REST API. [Learn more](#)'. A large dashed box contains the text 'Drag and drop files and folders you want to upload here, or choose [Add files](#) or [Add folder](#).' Below this is a section titled 'Files and folders (0)' with a description: 'All files and folders in this table will be uploaded.' A search bar labeled 'Find by name' is present. Below the search bar is a table with columns: Name, Folder, Type, and Size. The table is empty, displaying the message 'No files or folders. You have not chosen any files or folders to upload.' at the bottom. Action buttons at the top right include 'Remove', 'Add files', and 'Add folder'. Below the table is a section titled 'Destination' with a description: 'Destination: [s3://my720bucket](#)'. Below this is a section titled 'Destination details' with a description: 'Bucket settings that impact new objects stored in the specified destination.' At the bottom, there's a section titled 'Permissions'.

Step 5: After the upload is successful, click on close and go to the S3 bucket.



Step 6: In the S3 bucket, scroll down to the bottom where you'll find S3 Static Website Hosting, click on Edit.



Step 7: 'Enable' the Static website hosting and name the HTML file. Afterwards click on Save changes.

ap-south-1.console.aws.amazon.com/s3/bucket/my720bucket/property/website/edit?region=ap-south-1&bucketType=general

Static website hosting

Use this bucket to host a website or redirect requests. [Learn more](#)

Static website hosting

☐ Disable

☒ Enable

Hosting type

☒ Host a static website

Use the bucket endpoint as the web address. [Learn more](#)

☐ Redirect requests for an object

Redirect requests to another bucket or domain. [Learn more](#)

For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see [Using Amazon S3 Block Public Access](#)

Index document

Specify the home or default page of the website.

index.html

Error document - optional

This is returned when an error occurs.

error.html

Redirection rules - optional

Redirection rules, written in JSON, automatically redirect webpage requests for specific content. [Learn more](#)

Step 8: Now go to the index file and click on 'permissions' to edit the ACLs.

index.html - Object in S3 bucket

ap-south-1.console.aws.amazon.com/s3/object/my720bucket?region=ap-south-1&bucketType=general&prefix=index.html&tab=permissions

index.html

Properties Permissions Versions

Access control list (ACL) [Edit](#)

Grant basic read/write permissions to AWS accounts. [Learn more](#)

Grantee	Object	Object ACL
Object owner (your AWS account) Canonical ID: 72b0ba97914b3924a6fc12ee0513f5ec0b346f652c8a36fb0f37e7269f866402	Read	Read, Write
Everyone (public access) Group: http://acs.amazonaws.com/groups/global/AllUsers	-	-
Authenticated users group (anyone with an AWS account) Group: http://acs.amazonaws.com/groups/global/AuthenticatedUsers	-	-

Step 9: Check the boxes to make it public. After that click on save changes. And do the same for Next page.

The image displays two screenshots of the AWS console's 'Edit access control list' page, showing the configuration for an S3 bucket's ACL.


Top Screenshot (index.html):

- Access control list (ACL):** Grant basic read/write permissions to AWS accounts. [Learn more](#)
- Grantee:**
 - Object owner:** Canonical ID: 72bda97914b3924a6fc12ee0513f5ec0b346f62c cba36fb0f37e7269f866402
 - Objects:** ☒ Read
 - Object ACL:** ☒ Read, ☒ Write
 - Everyone (public access):** Group: <http://acs.amazonaws.com/groups/global/AllUsers>
 - Objects:** ☒ Read
 - Object ACL:** ☒ Read, ☒ Write
 - Authenticated users group (anyone with an AWS account):** Group: <http://acs.amazonaws.com/groups/global/AuthenticatedUsers>
 - Objects:** ☐ Read
 - Object ACL:** ☐ Read, ☐ Write
- Warning:** When you grant access to the Everyone or Authenticated users group grantees, anyone in the world can access this object. [Learn more](#)
☒ I understand the effects of these changes on this object.
- Access for other AWS accounts:** No other AWS accounts associated with the resource.
[Add grantee](#)


Bottom Screenshot (nextPage.html):

- Access control list (ACL):** Grant basic read/write permissions to AWS accounts. [Learn more](#)
- Grantee:**
 - Object owner (your AWS account):** Canonical ID: 72bda97914b3924a6fc12ee0513f5ec0b346f62c cba36fb0f37e7269f866402
 - Objects:** ☒ Read
 - Object ACL:** ☒ Read, ☒ Write
 - Everyone (public access):** Group: <http://acs.amazonaws.com/groups/global/AllUsers>
 - Objects:** ☒ Read
 - Object ACL:** ☒ Read, ☒ Write
 - Authenticated users group (anyone with an AWS account):** Group: <http://acs.amazonaws.com/groups/global/AuthenticatedUsers>
 - Objects:** ☐ Read
 - Object ACL:** ☐ Read, ☐ Write
- Warning:** When you grant access to the Everyone or Authenticated users group grantees, anyone in the world can access this object. [Learn more](#)
☒ I understand the effects of these changes on this object.
- Access for other AWS accounts:** No other AWS accounts associated with the resource.
[Add grantee](#)


Step 10: Now navigate back to the bucket and copy the selected HTML page URL.



Step 11: Open the incognito window and paste the copied URL.



Step 12: The webpage should open as follows.



Next-Page:



This is Next

This is a Next-Page

So, we've successfully uploaded a static website on S3 and executed it.