

Assignment No. : 06

Problem Statement : Upload a static website on S3.

Solution Process


Steps : 1. Create a public bucket and name the bucket and also change the object ownership info, and change the Block Public access settings for the named bucket.

The screenshot shows the 'Create bucket' page in the AWS Management Console. The browser address bar shows the URL: `us-east-1.console.aws.amazon.com/s3/bucket/create?region=us-east-1&bucketType=general`. The page title is 'Create bucket' with an 'Info' link. Below the title, it says 'Buckets are containers for data stored in S3.' The 'General configuration' section shows the 'AWS Region' as 'US East (N. Virginia) us-east-1'. Under 'Bucket type', the 'General purpose' option is selected, with a note: 'Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.' The 'Directory' option is also visible. The 'Bucket name' field contains 'madhupublicbucket1'. Below the field, a note states: 'Bucket names must be 3 to 63 characters and unique within the global namespace. Bucket names must also begin and end with a letter or number. Valid characters are a-z, 0-9, periods (.), and hyphens (-). Learn More'. There is a 'Copy settings from existing bucket - optional' section with a 'Choose bucket' button. At the bottom, there is an 'Object Ownership' section with a note: 'Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.'


2. The bucket is successfully created

The screenshot shows the 'madhupublicbucket1' page in the AWS Management Console. The browser address bar shows the URL: `us-east-1.console.aws.amazon.com/s3/buckets/madhupublicbucket1?region=us-east-1&bucketType=general&tab=objects`. The page title is 'madhupublicbucket1' with an 'Info' link. Below the title, there are tabs: 'Objects', 'Metadata', 'Properties', 'Permissions', 'Metrics', 'Management', and 'Access Points'. The 'Objects' tab is selected. It shows 'Objects (0)' and a list of actions: 'Copy S3 URI', 'Copy URL', 'Download', 'Open', 'Delete', 'Actions', 'Create folder', and 'Upload'. Below the actions, there is a search bar with the placeholder text 'Find objects by prefix'. A table header is visible with columns: 'Name', 'Type', 'Last modified', 'Size', and 'Storage class'. Below the table, it says 'No objects' and 'You don't have any objects in this bucket.' with an 'Upload' button.


3. Create 2 html file connected each other, then those 2 files are upload in the created public bucket.
4. In the files permission gave the access to 'Specify individual ACL permissions'.




5. Go to the Static Website Hosting and enable this option. Then give the index document name and save this.



6. Now in the Static Web Hosting option there is a link given, that link is used for any other user to access the web documents.



7. <http://madhupublicbucket1.s3-website-us-east-1.amazonaws.com/>



This s a Heading

This is a paragraph

[Google](#) [Next](#)

I am Madhusree Kar