



Assignment : 8

Deploy a project from a local machine to GitHub and vice-versa.


Step 1: Go to [GitHub](https://github.com). Click the "+" sign (top right) → New repository.




Step 2: Enter a repository name, choose public/private, and click Create repository.



Step3: Copy the repository URL (e.g., <https://github.com/username/repository.git>).



Step 4: Open a new folder with files in it then right click on the inside the folder and do Git Bash.



Step 5: Initialize a Git repository: using command “git init”.

```

MINGW64:/c/Users/HP/Desktop/Gitbash

HP@DESKTOP-H164QBF MINGW64 ~/Desktop/Gitbash
$ git init
Initialized empty Git repository in C:/Users/HP/Desktop/Gitbas
h/.git/

HP@DESKTOP-H164QBF MINGW64 ~/Desktop/Gitbash (master)
$

```

Step 6: Add all project files to Git: using command “git add .”

```

MINGW64:/c/Users/HP/Desktop/Gitbash

HP@DESKTOP-H164QBF MINGW64 ~/Desktop/Gitbash
$ git init
Initialized empty Git repository in C:/Users/HP/Desktop/Gitbas
h/.git/

HP@DESKTOP-H164QBF MINGW64 ~/Desktop/Gitbash (master)
$ git add .

HP@DESKTOP-H164QBF MINGW64 ~/Desktop/Gitbash (master)
$

```

Step 7: set your GitHub username and your email (use the email linked to GitHub): using commands: git config --global user.name "YourGitHubUsername" & git config --global user.email "youremail@example .com"

```

USER@DESKTOP-35C8RLG MINGW64 /d/madhu (master)
$ git config --global user.email "m.madhusree2003@gmail.com"

USER@DESKTOP-35C8RLG MINGW64 /d/madhu (master)
$ git config --global user.name "Mamon2003"

USER@DESKTOP-35C8RLG MINGW64 /d/madhu (master)
$

```

Step 8: Commit the files with a message: using command “git commit -m "Initial commit"”

```

HP@DESKTOP-H164QBF MINGW64 ~/Desktop/Gitbash (master)
$ git commit -m "First commit"
[master (root-commit) 3f0290d] First commit
2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 Asg1.docx
create mode 100644 Asg1.pdf

HP@DESKTOP-H164QBF MINGW64 ~/Desktop/Gitbash (master)
$

```


Step 9: Add the GitHub repository URL: using command “git remote add origin ...”

```
USER@DESKTOP-35C8RLG MINGW64 /d/madhu (master)
$ git remote add origin https://github.com/Mamon2003/madhupublic.git
```

Step 10: Push the files to GitHub: using commands “git branch -M main” & “git push -u origin main”.


```
USER@DESKTOP-35C8RLG MINGW64 /d/madhu (master)
$ git push -u origin master
remote: Permission to Mamon2003/madhupublic.git denied to Pu-rna.
fatal: unable to access 'https://github.com/Mamon2003/madhupublic.git/': The
requested URL returned error: 403
```

Step 11: Refresh your repository page on GitHub to see the uploaded project.



Cloning a GitHub Repository to Local Machine:

Step 1: Go to the GitHub repository you want to clone. Click the Code button and copy the HTTPS or SSH URL.



Step 2: Navigate to the directory where you want to store the project. Clone the repository: using the command “git clone ...”

```
USER@DESKTOP-35C8RLG MINGW64 /d/madhu git (master)
$ git clone https://github.com/Mamon2003/madhupublic.git
Cloning into 'madhupublic'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), 35.47 KiB | 5.91 MiB/s, done.
USER@DESKTOP-35C8RLG MINGW64 /d/madhu git (master)
$
```

Deleting a repository:

Now we delete the repository by Clicking on **"Settings"** (bottom left in the repo menu). Scroll down to the **"Danger Zone"** section. Click **"Delete this repository"**. Type the repository name to confirm.

Click **"I understand the consequences, delete this repository"**. Enter your **GitHub password** (if prompted).