

DATA DICTIONARY

BL Mart Sales Performance ETL

Prepared by

Mamoraka Letsoalo

Data Engineer

Document Classification: Internal | Data Warehouse BL Mart

1. Document Overview

This document defines the structure, data types and business meaning of every field used across the BL Mart Sales Performance ETL Pipeline. It covers the raw source attributes that flow through the bronze and silver layers, and the dimensional model that makes up the Gold layer of the Medallion Architecture.

The dictionary is intended as the single source of truth for engineers building or maintaining the pipeline, and for analysts consuming the gold layer views in Power BI.

2. Source Data Dictionary

The table below documents every column present in the raw retail sales extract as it lands in the bronze layer before cleansing and modeling.

Column Name	Data Type	Description
transaction_id	INT	Unique identifier for each sales transaction.
transaction_date	DATETIME	Date and time the transaction occurred.
payment_method	VARCHAR(50)	Method used to pay for the purchase.
cashier_name	VARCHAR(100)	Name of the cashier who processed the transaction.
transaction_amount	DECIMAL(12,2)	Total transaction value before discounts.
transaction_discount	DECIMAL(12,2)	Discount applied to the transaction.
customer_first_name	VARCHAR(100)	Customer first name.
customer_last_name	VARCHAR(100)	Customer surname.
customer_email	VARCHAR(255)	Customer email address.
customer_phone	VARCHAR(30)	Customer phone number.
customer_city	VARCHAR(100)	Customer city of residence.
customer_province	VARCHAR(100)	Customer province.
customer_loyalty_tier	VARCHAR(50)	Loyalty membership level (Bronze, Silver or Gold).
customer_since	DATE	Date the customer joined the loyalty programme.
store_name	VARCHAR(150)	Name of the retail store.
store_city	VARCHAR(100)	Store city.
store_province	VARCHAR(100)	Store province.
store_region	VARCHAR(100)	Geographic sales region.
store_manager	VARCHAR(100)	Store manager's name.
product_name	VARCHAR(200)	Name of the product sold.
category	VARCHAR(100)	Product category.
sub_category	VARCHAR(100)	Product sub-category.
sku	VARCHAR(50)	Stock Keeping Unit used to uniquely identify a product.

unit_price	DECIMAL(12,2)	Selling price per unit.
cost_price	DECIMAL(12,2)	Cost of the product to the retailer.
supplier	VARCHAR(150)	Supplier providing the product.
qty	INT	Quantity purchased in the transaction.
line_amount	DECIMAL(12,2)	Total amount for the individual product line.
stock_on_hand	INT	Current inventory quantity available.
reorder_threshold	INT	Minimum inventory level before replenishment is required.
created_at	DATETIME	Record creation timestamp.
updated_at	DATETIME	Timestamp of the last record update.

3. Gold Layer Tables

fact_sales

Stores transactional measures and foreign keys to all dimensions.

Measures:

- Transaction Amount
- Transaction Discount
- Unit Price
- Cost Price
- Quantity Sold
- Line Amount
- Stock on Hand

dim_customer

Stores customer demographic and loyalty information.

Primary Key:

- customer_email

dim_product

Stores product information.

Primary Key:

- sku

dim_store

Stores retail store information.

Primary Key:

- store_name + store_city + store_province

dim_supplier

Stores supplier information.

Primary Key:

- supplier_name

dim_inventory

Stores inventory details.

Primary Key:

- sku

dim_date

Stores calendar attributes used for time-based analysis.

Primary Key:

- full_date