







	Α		В		С		D		E	
Bill Of Nos #	Materials S	NES TST Designator	Value	Tolerance	Nominal Voltage	Dielectric	Footprint	Vendor	Part Number	
l	27	C1, C2, C3, C4, C5, C6, C11, C12, C13, C14, C15, C16, C17, C18, C19, C20, C21, C22, C23, C24, C25, C26, C27, C28, C29, C30, C32	100nF	+-20%	10V	X7R	Cap_0402_Chip	Vollage	T dit (tumbo	
2	4	C7, C8, C9, C10	10pF	+-20%	10V	X7R	Cap_0402_Chip			
1	3	C31, C33, C34	10nF	+-20%	10V	X7R	Cap_0402_Chip			
	1	C35	1uF	+-20%	10V	X7R	Cap_0603_Chip			
5	1	C36	10uF	+-20%	10V	X7R	Cap_0805_Chip			
i	1	C37	10uF	+-20%	25V	X7R	Cap_1206_Chip			
	4	D1, D2, D3, D4	Schottky Diode				SOD323	Diodes	BAT54WS-7-F	
3	4	FB1, FB2, FB3, FB4	1800Ohm 200mA				Ind_0402_Chip	TDK	MMZ1005S182ET000	
0	1	IC1 IC2	10M04SAE144C8G				EQFP-144_A:1P65_	Intel	10M08SAE144C8G	
11	1	IC3	14.318180 MHz TMUX1219				Quarz 7.5mm SOT23-6	IQD Frequenc		
12	1	IC5	SN74HCT541				TSSOP20 Narrow	Texas Instrume		
13	7	IC6, IC7, IC8, IC9, IC10, IC11, IC12	LSF0108				VQFN20	Texas Instrume		
14	2	IC13, IC15	OPA2356				MSOP8	Analog Device		
15	1	IC14	TMUX1574				SOT-23THIN16	Texas Instrume		
6	1	IC16	ADV7123				ST_48_ADI	Analog Devices		
17	1	IC17	THS7374				TSSOP14	Texas Instrume	nts THS7374IPW	
18	1	IC18	MCP1703T				SOT223-3	Microchip	MCP1703T-3302E/DB	
19	1	J2	80Pole Connector				DF40C-80DP	Hirose Connec		
20	1	Q1	IRLML6402				SOT23_FET	Diodes	IRLML6402	
21	1	Q2	MMBT3904				SOT23_Transistor	Diodes	MMBT3904	
22	1	Q3	BSS138	. 40/			SOT23_FET	Infenion	BSS138	
23 24	12	R1, R4, R28, R50, R55, R63 R2, R3, R5, R17, R18, R19, R41,	1k 10k	+-1% +-1%			Res_0402_Chip Res_0402_Chip			
		R42, R43, R58, R66, R78								
25	5	R6, R7, R12, R14, R44	470R	+-1%			Res_0603_Chip			
26 27	4	R8, R11, R13, R21	300R 0R	+-1%			Res_0603_Chip			
2 <i>7</i> 28	2	R10, R49, R54, R60 R15, R20	33R	+-1%			Res_0402_Chip Res_0603_Chip			
29	1	R15, K20	100R	+-1%			Res_0603_Chip			
30	8	R22, R24, R25, R33, R34, R38, R39, R40	1.8k	+-1%			Res_0402_Chip			
31	3	R23, R26, R27	10k	+-1%			1206_Array_Chip			
32	7	R29, R30, R31, R32, R35, R36, R37	200k	+-1%			Res 0402 Chip			
33	1	R45	1.24k	+-1%			Res 0402 Chip			
34	4	R46, R52, R57, R65	619R	+-1%			Res_0402_Chip			
35	1	R47	91R	+-1%			Res_0603_Chip			
36	4	R48, R53, R59, R81	100k	+-1%			Res_0402_Chip			
37	3	R51, R56, R64	237R	+-1%			Res_0402_Chip			
38	1	R61	470R	+-1%			Res_0402_Chip			
89 10	6	R62 R67, R68, R69, R70, R77, R79	11R 75R	+-1% +-1%			Res_0402_Chip Res_0603_Chip			
10 11	6	R71, R72, R73, R74, R75, R76	75R 75R	+-1%			Res_0402_Chip			
2	3	R80, R82, R83	3.3k	+-1%			Res 0402 Chip			
		, , , , , , , , , , , , , , , , , , , ,	*****	- 7,0						
									Project: SNES TST	
									Size: A4 Sheet: 5 of 5	Rev: Rev
										By: Opatu
	Α		В		С		D		E	