# Git

## What is **Git**?


it is a free and open-source version control system.

### What is Git?

it is a free and open-source version control system.

### What is Version Control System?

it refers to the management of changes to documents, specifically source code.




# A Day in the Life of a Software Developer




# A Day in the Life of a Software Developer




### A Day in the Life of a Software Developer




# After a few days...



### How do you handle file revisions?




## How do you handle file revisions?



### Interacting with the Operating System

Shell: software layer to interact with the OS. Examples: bash, zsh, csh

**CLI**: Command Line Interface



**Terminal**: Interface for Text commands

### Interacting with the Operating System

#### **Basic commands:**

#### **Directories**

pwd: tells you where you currently are (the path)

mkdir dirname: create a new directory

cd dirname : change directory

#### **Files**

*ls*: list files

rm filename : remove a file


mv filename1 filename2 : rename a file

diff filename1 filename2 : compare two files

cat filename(s) : print file(s) contents

which: shows path of a command

echo: write to standard output




### Creating and modifying files

Code Editor: vim, emacs, nano, IDEs,...


```
T#1
• •
                                             vi wrf.F
16! the top-level domain, either from initial or restart data, setting up time-keeping, and
17 ! then calling the <a href=integrate.html>integrate</a> routine to advance the domain
18! to the ending time of the simulation. After the integration is completed, the model
19 ! is properly shut down.
21 !</DESCRIPTION>
      IMPLICIT NONE
25 #ifdef _OPENMP
26 CALL setfeenv()
27 #endif
    ! Set up WRF model.
    CALL wrf_init
    ! Run digital filter initialization if requested.
    CALL wrf_dfi
35 #if ( WRFPLUS == 1 )
36 ! Run adjoint check and tangent linear check if requested.
    CALL wrf_adtl_check
38 #endif
40 ! WRF model time-stepping. Calls integrate().
41 #if ( WRFPLUS == 1 )
42 IF (config_flags%dyn_opt .EQ. dyn_em) &
43 #endif
44 CALL wrf_run
46 #if ( WRFPLUS == 1 )
47 ! WRF model time-stepping. Calls integrate().
    IF ( config_flags%dyn_opt .EQ. dyn_em_tl .and. config_flags%tl_standalone ) &
    CALL wrf_run_tl_standalone
```

```
□ …
           Users > ccruz > scratch > nu-wrf-dev > WRF > main > ≡ wrf.F
                                      : the top-tevet domain, either from initial of restart data, setting up time-keeping,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  Table 10 to 
                                    ! then calling the <a href=integrate.html>integrate</a> routine to advance the domain
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               The state of the s
                                     ! to the ending time of the simulation. After the integration is completed, the model
                                      ! is properly shut down.
                20
             21
                                         !</DESCRIPTION>
                22
                23
                                                     IMPLICIT NONE
                24
                25
                                      #ifdef OPENMP
                26
                                               CALL setfeenv()
                27
                                        #endif
                28
                29
                                                ! Set up WRF model.
                                                CALL wrf init
                                                ! Run digital filter initialization if requested.
                33
                                                CALL wrf_dfi
                34
                                       #if ( WRFPLUS == 1 )
                                               ! Run adjoint check and tangent linear check if requested.
                37
                                                CALL wrf adtl check
                38
                                        #endif
                39
                                                ! WRF model time-stepping. Calls integrate().
                                        #if ( WRFPLUS == 1 )
                                               IF ( config_flags%dyn_opt .EQ. dyn_em ) &
                43
                                        #endif
                                               CALL wrf_run
                                       #if ( WRFPLUS == 1 )
                                            ! WRF model time-stepping. Calls integrate().
                                                IF ( config_flags%dyn_opt .EQ. dyn_em_tl .and. config_flags%tl_standalone ) &
                                                CALL wrf_run_tl_standalone
                                                ! WRF model time-stepping. Calls integrate().
                                                IF ( config_flags%dyn_opt .EQ. dyn_em_ad ) &
                                                                                                                                                                                                                                                                                                                                                                                Ln 61, Col 1 Spaces: 2 UTF-8 LF Plain Text 🔊
```

Git application







init: creates a new local repository with some specified name

Git

Local repository


Working directory


init
add
commit
log
status
diff


Remote repository
Remote server

Local repository
Working directory


init
add
commit
log
status
diff









**Collaboration** 



### GitHub



### **GitHub**






# Development environment working Contents managed by git staging area repository


.git

### Git Workflow



Local environment

### Git Workflow



Local environment

### Git Customization

- **System:** /etc/gitconfig

- **User:** \$HOME/.gitconfig

Project: my\_project/.git/config

Git commands to edit configuration:

```
git config --system (system)
git config --global (user)
git config (project)
```

#### \$ git config --global user.name "[name]"

Sets the name you want attached to your commit transactions

\$ git config --global user.email "[email address]"

Sets the email you want attached to your commit transactions

\$ git config --global color.ui auto

Enables helpful colorization of command line output

### **Basic Git Commands**

#### Create repositories

\$ git init [project-name]

Creates a new local repository with the specified name

\$ git clone [url]

Downloads a project and its entire version history

Make changes

\$ git status

Lists all new or modified files to be committed

\$ git add [file]

Snapshots the file in preparation for versioning

\$ git reset [file]

Unstages the file, but preserve its contents

\$ git diff

Shows file differences not yet staged

\$ git diff --staged

Shows file differences between staging and the last file version

\$ git commit -m "[descriptive message]"

Records file snapshots permanently in version history

#### **Group changes**

\$ git branch

Lists all local branches in the current repository

\$ git branch [branch-name]

Creates a new branch

\$ git checkout [branch-name]

Switches to the specified branch and updates the working directory

\$ git merge [branch]

Combines the specified branch's history into the current branch

\$ git branch -d [branch-name]

Deletes the specified branch

Review history

\$ git log

Lists version history for the current branch

\$ git log --follow [file]

Lists version history for a file, including renames

\$ git diff [first-branch]...[second-branch]

Shows content differences between two branches

\$ git show [commit]

Outputs metadata and content changes of the specified commit