

# Butchery Temperature Checklist

Date Range: 2025-06-20 to 2025-06-23

## Temperature Logs

Showing data for: Date, Time, Area/Unit, Time Period, Temperature, Target Range, Status, Thermometer S/N, Logged By, Corrective Action

Date: 2025-06-23   Time: 10:54:53   Location: Walk in freezer	
Time Period: Morning	Temperature: -11.5°C
Target Range: -22.00°C - -8.00°C	Status: Within Range
Thermometer S/N: Rep 09120	Logged By: sinazo
Corrective Action: None	

Date: 2025-06-23   Time: 10:55:38   Location: Walk in Cold room	
Time Period: Morning	Temperature: 4.1°C
Target Range: 0.00°C - 5.00°C	Status: Within Range
Thermometer S/N: Rep 09120	Logged By: sinazo
Corrective Action: None	

Date: 2025-06-23   Time: 10:56:14   Location: Butchery Room	
Time Period: Morning	Temperature: 15.0°C
Target Range: 12.00°C - 16.00°C	Status: Within Range
Thermometer S/N: Rep 09120	Logged By: sinazo
Corrective Action: None	

Date: 2025-06-23   Time: 10:56:54   Location: Serving Counter 1	
Time Period: Morning	Temperature: 2.0°C
Target Range: 0.00°C - 5.00°C	Status: Within Range

<b>Thermometer S/N:</b> Rep 09120	<b>Logged By:</b> sinazo
<b>Corrective Action:</b> None	

Date: 2025-06-23   Time: 10:57:20   Location: Serving Counter 2	
<b>Time Period:</b> Morning	<b>Temperature:</b> 3.0°C
<b>Target Range:</b> 0.00°C - 5.00°C	<b>Status:</b> Within Range
<b>Thermometer S/N:</b> Rep 09120	<b>Logged By:</b> sinazo
<b>Corrective Action:</b> None	

Date: 2025-06-23   Time: 10:58:21   Location: Serving Counter 3	
<b>Time Period:</b> Morning	<b>Temperature:</b> -8.6°C
<b>Target Range:</b> -22.00°C - -12.00°C	<b>Status:</b> Out of Range
<b>Thermometer S/N:</b> Rep 09120	<b>Logged By:</b> sinazo
<b>Corrective Action:</b> None	

Date: 2025-06-23   Time: 10:59:58   Location: Grab and Go Fridge	
<b>Time Period:</b> Morning	<b>Temperature:</b> 4.5°C
<b>Target Range:</b> 0.00°C - 5.00°C	<b>Status:</b> Within Range
<b>Thermometer S/N:</b> Rep 09120	<b>Logged By:</b> sinazo
<b>Corrective Action:</b> None	

Date: 2025-06-23   Time: 11:00:39   Location: Display Fridge 1	
<b>Time Period:</b> Morning	<b>Temperature:</b> 4.4°C
<b>Target Range:</b> 0.00°C - 5.00°C	<b>Status:</b> Within Range
<b>Thermometer S/N:</b> Rep 09120	<b>Logged By:</b> sinazo
<b>Corrective Action:</b> None	

Date: 2025-06-23   Time: 11:02:52   Location: Serving Counter 3	
Time Period: Morning	Temperature: -13.0°C
Target Range: -22.00°C - -12.00°C	Status: Within Range
Thermometer S/N: Rep 09120	Logged By: sinazo
Corrective Action: None	

## Verification

---

Gerhard

Date: 2025-06-23

Date: \_\_\_\_\_

Manager Sign-off:

Name: \_\_\_\_\_

Signature: \_\_\_\_\_

Date: 2025-06-23

Time: 13:42