
LAB 7

1. Develop an Online Book Store application using ASP.NET Core MVC. The application should use a common Layout Page to maintain a consistent header, navigation menu, and footer across all pages. Create suitable Partial Views for reusable sections such as display of book information in the card and use them wherever appropriate. The application should contain multiple pages such as Home, Books, Categories, and About to demonstrate the effective use of Layout Pages and Partial Views.

Code:



1. BooksController.cs

```
using Microsoft.AspNetCore.Mvc;
using OnlineBookStore.Models;

namespace OnlineBookStore.Controllers
{
    public class BooksController : Controller
    {
        private readonly List<Book> books = new()
        {
            new Book
            {
                Id = 1,
                Title = "The Great Gatsby",
                Author = "F. Scott Fitzgerald",
                Category = "Classic",
                Price = 299,
                Description = "A classic novel about the American Dream.",
                ImageUrl = "https://placehold.co/300x400?text=The+Great+Gatsby"
            },

            new Book
            {
                Id = 2,
                Title = "Atomic Habits",
                Author = "James Clear",
                Category = "Self Help",
                Price = 499,
                Description = "A practical guide to building good habits.",
                ImageUrl = "https://placehold.co/300x400?text=Atomic+Habits"
            },

            new Book
            {
                Id = 3,
                Title = "Clean Code",
                Author = "Robert C. Martin",
```

```
    Category = "Programming",
    Price = 699,
    Description = "A handbook of agile software craftsmanship.",
    ImageUrl = "https://placehold.co/300x400?text=Clean+Code"
},

new Book
{
    Id = 4,
    Title = "The Alchemist",
    Author = "Paulo Coelho",
    Category = "Fiction",
    Price = 349,
    Description = "A story about following your dreams.",
    ImageUrl = "https://placehold.co/300x400?text=The+Alchemist"
},

new Book
{
    Id = 5,
    Title = "Rich Dad Poor Dad",
    Author = "Robert Kiyosaki",
    Category = "Finance",
    Price = 399,
    Description = "A book about financial education and investing.",
    ImageUrl = "https://placehold.co/300x400?text=Rich+Dad+Poor+Dad"
},

new Book
{
    Id = 6,
    Title = "Introduction to Algorithms",
    Author = "Thomas H. Cormen",
    Category = "Programming",
    Price = 899,
    Description = "A comprehensive introduction to algorithms.",
    ImageUrl = "https://placehold.co/300x400?text=Algorithms"
```

```
            }
        };

        public IActionResult Index()
        {
            return View(books);
        }

        public IActionResult Categories()
        {
            var categories = books
                .GroupBy(b => b.Category)
                .Select((group, index) => new Category
                {
                    Id = index + 1,
                    Name = group.Key,
                    Description = $"Explore our collection of {group.Key} books."
                })
                .ToList();

            return View(categories);
        }
    }
}
```

2. HomeConroller.cs

```
using Microsoft.AspNetCore.Mvc;
using OnlineBookStore.Models;

namespace OnlineBookStore.Controllers
{
    public class HomeController : Controller
    {
        public IActionResult Index()
        {
            var books = GetBooks()
```

```
        .Take(4)
        .ToList();

    return View(books);
}

public IActionResult About()
{
    return View();
}

public IActionResult Privacy()
{
    return View();
}

private List<Book> GetBooks()
{
    return new List<Book>
    {
        new Book
        {
            Id = 1,
            Title = "The Great Gatsby",
            Author = "F. Scott Fitzgerald",
            Category = "Classic",
            Price = 299,
            Description = "A classic novel about the American Dream.",
            ImageUrl = "https://placehold.co/300x400?text=The+Great+Gatsby"
        },

        new Book
        {
            Id = 2,
            Title = "Atomic Habits",
            Author = "James Clear",
            Category = "Self Help",
```

```
            Price = 499,
            Description = "A practical guide to building good habits.",
            ImageUrl = "https://placehold.co/300x400?text=Atomic+Habits"
        },

        new Book
        {
            Id = 3,
            Title = "Clean Code",
            Author = "Robert C. Martin",
            Category = "Programming",
            Price = 699,
            Description = "A handbook of agile software craftsmanship.",
            ImageUrl = "https://placehold.co/300x400?text=Clean+Code"
        },

        new Book
        {
            Id = 4,
            Title = "The Alchemist",
            Author = "Paulo Coelho",
            Category = "Fiction",
            Price = 349,
            Description = "A story about following your dreams.",
            ImageUrl = "https://placehold.co/300x400?text=The+Alchemist"
        }
    };
  }
 }
}
```

3. Books.cs

```
namespace OnlineBookStore.Models
{
    public class Book
    {
```

```
        public int Id { get; set; }

        public string Title { get; set; } = string.Empty;

        public string Author { get; set; } = string.Empty;

        public string Category { get; set; } = string.Empty;

        public decimal Price { get; set; }

        public string Description { get; set; } = string.Empty;

        public string ImageUrl { get; set; } = string.Empty;
    }
}
```

4. Category.cs

```
namespace OnlineBookStore.Models
{
    public class Category
    {
        public int Id { get; set; }

        public string Name { get; set; } = string.Empty;

        public string Description { get; set; } = string.Empty;
    }
}
```

5. View/Books/Category.cshtml

```
namespace OnlineBookStore.Models
{
    public class Category
    {
        public int Id { get; set; }
```

```
        public string Name { get; set; } = string.Empty;

        public string Description { get; set; } = string.Empty;
    }
}
```

6. View/Books/Index.cshtml

```
@model List<OnlineBookStore.Models.Book>

@{
    ViewData["Title"] = "Books";
}

<div class="text-center mb-5">

    <h1>Our Books</h1>

    <p class="lead text-muted">
        Explore our collection of books.
    </p>

</div>


<div class="row">

    @foreach (var book in Model)
    {
        <partial name="_BookCard" model="book" />
    }

</div>
```

7. View/Home/About.cshtml

```
@{
    ViewData["Title"] = "About";
}

<div class="text-center mb-5">

    <h1>About Us</h1>

    <p class="lead">
        Learn more about Online Book Store.
    </p>

</div>


<div class="row justify-content-center">

    <div class="col-md-9">

        <div class="card shadow-sm">

            <div class="card-body p-5">

                <h3>Who We Are</h3>

                <p>
                    Online Book Store is a simple web application
                    developed using ASP.NET Core MVC.
                    It allows users to browse and explore
                    different books and categories.
                </p>


                <h3 class="mt-4">
                    Our Mission
```

```
            </h3>

            <p>
                Our mission is to make discovering books
                simple, convenient and enjoyable.
            </p>


            <h3 class="mt-4">
                Technologies Used
            </h3>

            <ul>

                <li>ASP.NET Core MVC</li>

                <li>C#</li>

                <li>Razor Views</li>

                <li>Bootstrap</li>

                <li>HTML</li>

                <li>CSS</li>

            </ul>

        </div>

    </div>

</div>
```

8. View/Home/Index.cshtml

```
@model List<OnlineBookStore.Models.Book>

@{
    ViewData["Title"] = "Home";
}

<!-- Hero Section -->

<div class="hero-section text-center">

    <h1 class="display-4 fw-bold">
        Welcome to Online Book Store
    </h1>

    <p class="lead">
        Discover books that inspire, educate and entertain.
    </p>

    <a asp-controller="Books"
       asp-action="Index"
       class="btn btn-primary btn-lg">

        Browse Books

    </a>

</div>


<!-- Featured Books -->

<h2 class="text-center mt-5 mb-4">
    Featured Books
</h2>
```

```
<div class="row">

    @foreach (var book in Model)
    {
        <partial name="_BookCard" model="book" />
    }

</div>
```

9. View/Home/Privacy.cshtml

```
@{
    ViewData["Title"] = "Privacy Policy";
}

<div class="text-center mb-5">

    <h1>Privacy Policy</h1>

    <p class="lead">
        Your privacy is important to us.
    </p>

</div>


<div class="row justify-content-center">

    <div class="col-md-9">

        <div class="card shadow-sm">

            <div class="card-body p-5">

                <h3>Privacy Policy</h3>

                <p>
```

```
    Online Book Store respects the privacy of
    all users who visit and use this application.
</p>


<h4 class="mt-4">
    Information We Collect
</h4>

<p>
    We may collect basic information required
    to provide and improve our services.
</p>


<h4 class="mt-4">
    Use of Information
</h4>

<p>
    Information collected through this website
    is used to improve the user experience
    and provide better services.
</p>


<h4 class="mt-4">
    Data Security
</h4>

<p>
    We take reasonable measures to protect
    user information from unauthorized access.
</p>


<h4 class="mt-4">
```

```
            Contact
        </h4>

        <p>
            If you have any questions about our privacy
            policy, please contact the Online Book Store team.
        </p>

    </div>

</div>

</div>
```

10. _BookCard.cshtml

```
@model OnlineBookStore.Models.Book

<div class="col-md-6 col-lg-4 col-xl-3 mb-4">

  <div class="card book-card h-100 shadow-sm">

    <img src="@Model.ImageUrl"
         class="card-img-top book-image"
         alt="@Model.Title" />

    <div class="card-body d-flex flex-column">

      <h5 class="card-title">
        @Model.Title
      </h5>

      <p class="text-muted">
        By @Model.Author
      </p>
```

```
            <span class="badge bg-primary category-badge">
                @Model.Category
            </span>

            <p class="card-text mt-3">
                @Model.Description
            </p>

            <div class="mt-auto">

                <h5 class="text-success">
                    ₹@Model.Price
                </h5>

                <button class="btn btn-dark w-100">
                    Add to Cart
                </button>

            </div>

        </div>

    </div>

</div>
```

11._Layout.cshtml

```
<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="utf-8" />

    <meta name="viewport"
```

```
        content="width=device-width, initial-scale=1.0" />

    <title>@ViewData["Title"] - Online Book Store</title>

    <link rel="stylesheet"

href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" />

    <link rel="stylesheet"
        href="~/css/site.css" />

</head>

<body>

    <!-- Navigation Bar -->

    <nav class="navbar navbar-expand-lg navbar-dark bg-dark">

        <div class="container">

            <a class="navbar-brand fw-bold"
              asp-controller="Home"
              asp-action="Index">

                📚 Online Book Store

            </a>

            <button class="navbar-toggler"
                    type="button"
                    data-bs-toggle="collapse"
                    data-bs-target="#navbarMenu">

                <span class="navbar-toggler-icon"></span>

            </button>
```

```
<div class="collapse navbar-collapse"
     id="navbarMenu">

    <ul class="navbar-nav ms-auto">

        <li class="nav-item">

            <a class="nav-link"
               asp-controller="Home"
               asp-action="Index">

                Home

            </a>

        </li>

        <li class="nav-item">

            <a class="nav-link"
               asp-controller="Books"
               asp-action="Index">

                Books

            </a>

        </li>

        <li class="nav-item">

            <a class="nav-link"
               asp-controller="Books"
               asp-action="Categories">

                Categories
```

```
                </a>

            </li>

            <li class="nav-item">

                <a class="nav-link"
                   asp-controller="Home"
                   asp-action="About">

                    About

                </a>

            </li>

            <li class="nav-item">

                <a class="nav-link"
                   asp-controller="Home"
                   asp-action="Privacy">

                    Privacy

                </a>

            </li>

        </ul>

    </div>

</div>

</nav>
```

```
    <!-- Main Content -->

    <main class="container py-4">

        @RenderBody()

    </main>


    <!-- Footer -->

    <footer class="bg-dark text-white text-center py-4 mt-5">

        <div class="container">

            <h5>📚 Online Book Store</h5>

            <p class="mb-1">
                Find your next favorite book with us.
            </p>

            <p class="mb-0">
                © @DateTime.Now.Year Online Book Store
            </p>

        </div>

    </footer>


    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"
>
    </script>

    @await RenderSectionAsync("Scripts", required: false)
```

```
</body>

</html>
```

12. _ValidationScriptsPartial.cshtml

```
<script src="~/lib/jquery-validation/dist/jquery.validate.min.js"></script>
<script
src="~/lib/jquery-validation-unobtrusive/dist/jquery.validate.unobtrusive.min.js"></
script>
```

13. OnlineBookStore.csproj

```
<Project Sdk="Microsoft.NET.Sdk.Web">

   <PropertyGroup>
      <TargetFramework>net8.0</TargetFramework>
      <Nullable>enable</Nullable>
      <ImplicitUsings>enable</ImplicitUsings>
   </PropertyGroup>

</Project>
```

14. program.cs

```
var builder = WebApplication.CreateBuilder(args);

// Add MVC services
builder.Services.AddControllersWithViews();

var app = builder.Build();


// Configure HTTP request pipeline

if (!app.Environment.IsDevelopment())
```

```
{
    app.UseExceptionHandler("/Home/Error");

    app.UseHsts();
}

app.UseHttpsRedirection();

app.UseStaticFiles();

app.UseRouting();


app.UseAuthorization();


// MVC Default Route


app.MapControllerRoute(
    name: "default",
    pattern: "{controller=Home}/{action=Index}/{id?}"
);


app.Run();
```


Output:


Online Book Store
Home Books Categories About Privacy
Welcome to Online Book Store
Discover books that inspire, educate and entertain.
Browse Books
Featured Books
The Great Gatsby
Atomic Habits
Clean Code
The Alchemist
The Great Gatsby
By F. Scott Fitzgerald
Classic
A classic novel about the American Dream.
₹299
Add to Cart
Atomic Habits
By James Clear
Self Help
A practical guide to building good habits.
₹499
Add to Cart
Clean Code
By Robert C. Martin
Programming
A handbook of agile software craftsmanship.
₹699
Add to Cart
The Alchemist
By Paulo Coelho
Fiction
A story about following your dreams.
₹349
Add to Cart

Online Book Store
Home Books Categories About Privacy
Our Books
Explore our collection of books.
The Great Gatsby
Atomic Habits
Clean Code
The Alchemist
The Great Gatsby
By F. Scott Fitzgerald
Classic
A classic novel about the American Dream.
₹299
Add to Cart
Atomic Habits
By James Clear
Self Help
A practical guide to building good habits.
₹499
Add to Cart
Clean Code
By Robert C. Martin
Programming
A handbook of agile software craftsmanship.
₹699
Add to Cart
The Alchemist
By Paulo Coelho
Fiction
A story about following your dreams.
₹349
Add to Cart
Rich Dad Poor Dad
Algorithms
Rich Dad Poor Dad
By Robert Kiyosaki
Finance
Introduction to Algorithms
By Thomas H. Cormen
Programming



Online Book Store
Home
Books
Categories
About
Privacy
Book Categories
Choose a category and discover interesting books.
Classic
Explore our collection of Classic books.
View Books
Self Help
Explore our collection of Self Help books.
View Books
Programming
Explore our collection of Programming books.
View Books
Fiction
Explore our collection of Fiction books.
View Books
Finance
Explore our collection of Finance books.
View Books
Online Book Store
Find your next favorite book with us.
© 2026 Online Book Store


Online Book Store
Home
Books
Categories
About
Privacy
About Us
Learn more about Online Book Store.
Who We Are
Online Book Store is a simple web application developed using ASP.NET Core MVC. It allows users to browse and explore different books and categories.
Our Mission
Our mission is to make discovering books simple, convenient and enjoyable.
Technologies Used
ASP.NET Core MVC
C#
Razor Views
Bootstrap
HTML
CSS
Online Book Store
Find your next favorite book with us.
© 2026 Online Book Store


Online Book Store
Home
Books
Categories
About
Privacy
Privacy Policy
Your privacy is important to us.
Privacy Policy
Online Book Store respects the privacy of all users who visit and use this application.
Information We Collect
We may collect basic information required to provide and improve our services.
Use of Information
Information collected through this website is used to improve the user experience and provide better services.
Data Security
We take reasonable measures to protect user information from unauthorized access.
Contact
If you have any questions about our privacy policy, please contact the Online Book Store team.
Online Book Store
Find your next favorite book with us.
© 2026 Online Book Store

2.Develop a Product Order Management application using ASP.NET Core MVC. Create a suitable ViewModel that combines the information required to place a product order, such as customer details, product selection, quantity, and delivery information. Develop a form to accept the order details and demonstrate model binding by receiving the submitted data in the controller. Apply appropriate validation rules using Data Annotations and display meaningful validation messages when invalid or incomplete information is submitted.

Code:



1. Controllers/OrderControllers.html

```
using Microsoft.AspNetCore.Mvc;
using Microsoft.AspNetCore.Mvc.Rendering;
using ProductOrderManagement.Models;

namespace ProductOrderManagement.Controllers
{
    public class OrderController : Controller
    {
        private List<Product> GetProducts()
        {
            return new List<Product>
```

```
    {
        new Product
        {
            Id = 1,
            Name = "Laptop",
            Price = 55000
        },

        new Product
        {
            Id = 2,
            Name = "Smartphone",
            Price = 25000
        },

        new Product
        {
            Id = 3,
            Name = "Headphones",
            Price = 2500
        },

        new Product
        {
            Id = 4,
            Name = "Keyboard",
            Price = 1500
        },

        new Product
        {
            Id = 5,
            Name = "Mouse",
            Price = 800
        }
    };
}
```

```
// Display Order Form

[HttpGet]
public IActionResult Index()
{
    ViewBag.Products = new SelectList(
        GetProducts(),
        "Id",
        "Name"
    );

    return View();
}


// Receive submitted form

[HttpPost]
[ValidateAntiForgeryToken]
public IActionResult Index(OrderViewModel order)
{
    if (!ModelState.IsValid)
    {
        ViewBag.Products = new SelectList(
            GetProducts(),
            "Id",
            "Name",
            order.ProductId
        );

        return View(order);
    }


    // Model Binding has automatically populated
```

```
// the OrderViewModel object.

var products = GetProducts();

var selectedProduct = products
    .FirstOrDefault(p => p.Id == order.ProductId);

if (selectedProduct == null)
{
    ModelState.AddModelError(
        "ProductId",
        "The selected product does not exist."
    );

    ViewBag.Products = new SelectList(
        products,
        "Id",
        "Name",
        order.ProductId
    );

    return View(order);
}


decimal productPrice = selectedProduct.Price;

decimal deliveryCharge =
    order.DeliveryMethod == "Express" ? 100 : 0;

decimal total =
    (productPrice * order.Quantity)
    + deliveryCharge;


ViewBag.ProductName = selectedProduct.Name;
ViewBag.ProductPrice = productPrice;
```

```
            ViewBag.DeliveryCharge = deliveryCharge;
            ViewBag.Total = total;


            return View("Success", order);
        }
    }
}
```

2. Models/Product.cs

```
namespace ProductOrderManagement.Models
{
    public class Product
    {
        public int Id { get; set; }

        public string Name { get; set; } = string.Empty;

        public decimal Price { get; set; }
    }
}
```

3. Models/OrderViewModel.cs

```
using System.ComponentModel.DataAnnotations;

namespace ProductOrderManagement.Models
{
    public class OrderViewModel
    {
        // Customer Details

        [Required(ErrorMessage = "Please enter your full name.")]
        [StringLength(50, MinimumLength = 3,
            ErrorMessage = "Name must be between 3 and 50 characters.")]
        public string CustomerName { get; set; } = string.Empty;
```

```
[Required(ErrorMessage = "Please enter your email address.")]
[EmailAddress(ErrorMessage = "Please enter a valid email address.")]
public string Email { get; set; } = string.Empty;


[Required(ErrorMessage = "Please enter your phone number.")]
[Phone(ErrorMessage = "Please enter a valid phone number.")]
public string Phone { get; set; } = string.Empty;


// Product Selection

[Required(ErrorMessage = "Please select a product.")]
[Range(1, int.MaxValue,
    ErrorMessage = "Please select a valid product.")]
public int ProductId { get; set; }


// Quantity

[Required(ErrorMessage = "Please enter the quantity.")]
[Range(1, 100,
    ErrorMessage = "Quantity must be between 1 and 100.")]
public int Quantity { get; set; }


// Delivery Details

[Required(ErrorMessage = "Please enter the delivery address.")]
[StringLength(200,
    ErrorMessage = "Address cannot exceed 200 characters.")]
public string DeliveryAddress { get; set; } = string.Empty;


[Required(ErrorMessage = "Please enter your city.")]
public string City { get; set; } = string.Empty;
```

```
        [Required(ErrorMessage = "Please enter your PIN code.")]
        [RegularExpression(@"^[0-9]{6}$",
            ErrorMessage = "PIN code must contain exactly 6 digits.")]
        public string PinCode { get; set; } = string.Empty;


        [Required(ErrorMessage = "Please select a delivery method.")]
        public string DeliveryMethod { get; set; } = string.Empty;
    }
}
```

4. Order.Index.cshtml

```
@model ProductOrderManagement.Models.OrderViewModel

@{
    ViewData["Title"] = "Place Product Order";
}

<div class="container">

    <div class="text-center mb-4">

        <h1>Product Order Management</h1>

        <p class="text-muted">
            Enter your details and place your product order.
        </p>

    </div>


    <div class="row justify-content-center">

        <div class="col-md-8">

            <div class="card shadow">
```

```
<div class="card-body p-4">

    <form asp-controller="Order"
          asp-action="Index"
          method="post">

        @Html.AntiForgeryToken()


        <!-- Validation Summary -->

        <div asp-validation-summary="ModelOnly"
             class="text-danger mb-3">
        </div>


        <!-- Customer Details -->

        <h4 class="mb-3">
            Customer Details
        </h4>


        <div class="mb-3">

            <label asp-for="CustomerName"
                   class="form-label">
            </label>

            <input asp-for="CustomerName"
                   class="form-control"
                   placeholder="Enter your full name" />

            <span asp-validation-for="CustomerName"
                  class="text-danger">
            </span>
```

```
</div>


<div class="mb-3">

    <label asp-for="Email"
           class="form-label">
    </label>

    <input asp-for="Email"
           class="form-control"
           placeholder="example@email.com" />

    <span asp-validation-for="Email"
          class="text-danger">
    </span>

</div>


<div class="mb-4">

    <label asp-for="Phone"
           class="form-label">
    </label>

    <input asp-for="Phone"
           class="form-control"
           placeholder="Enter phone number" />

    <span asp-validation-for="Phone"
          class="text-danger">
    </span>

</div>
```

```
<hr />


<!-- Product Details -->

<h4 class="mb-3">
    Product Details
</h4>


<div class="mb-3">

    <label asp-for="ProductId"
           class="form-label">
        Select Product
    </label>

    <select asp-for="ProductId"
            asp-items="ViewBag.Products"
            class="form-select">

        <option value="">
            -- Select Product --
        </option>

    </select>

    <span asp-validation-for="ProductId"
          class="text-danger">
    </span>

</div>


<div class="mb-4">
```

```
    <label asp-for="Quantity"
           class="form-label">
    </label>

    <input asp-for="Quantity"
           class="form-control"
           type="number"
           min="1"
           max="100" />

    <span asp-validation-for="Quantity"
          class="text-danger">
    </span>

</div>


<hr />


<!-- Delivery Details -->

<h4 class="mb-3">
    Delivery Information
</h4>


<div class="mb-3">

    <label asp-for="DeliveryAddress"
           class="form-label">
    </label>

    <textarea asp-for="DeliveryAddress"
              class="form-control"
              rows="3"
              placeholder="Enter delivery address">
```

```
    </textarea>

    <span asp-validation-for="DeliveryAddress"
          class="text-danger">
    </span>

</div>


<div class="mb-3">

    <label asp-for="City"
           class="form-label">
    </label>

    <input asp-for="City"
           class="form-control"
           placeholder="Enter city" />

    <span asp-validation-for="City"
          class="text-danger">
    </span>

</div>


<div class="mb-3">

    <label asp-for="PinCode"
           class="form-label">
    </label>

    <input asp-for="PinCode"
           class="form-control"
           placeholder="Enter 6 digit PIN code" />

    <span asp-validation-for="PinCode"
```

```
        class="text-danger">
    </span>

</div>


<div class="mb-4">

    <label asp-for="DeliveryMethod"
           class="form-label">
        Delivery Method
    </label>

    <select asp-for="DeliveryMethod"
            class="form-select">

        <option value="">
            -- Select Delivery Method --
        </option>

        <option value="Standard">
            Standard Delivery - Free
        </option>

        <option value="Express">
            Express Delivery - ₹100
        </option>

    </select>

    <span asp-validation-for="DeliveryMethod"
          class="text-danger">
    </span>

</div>
```

```
                    <!-- Submit -->

                    <button type="submit"
                            class="btn btn-primary w-100">

                        Place Order

                    </button>

                </form>

            </div>

        </div>

    </div>

</div>


@section Scripts
{
    @{
        await Html.RenderPartialAsync(
            "_ValidationScriptsPartial"
        );
    }
}
```

5. Order/Success.html

```
@model ProductOrderManagement.Models.OrderViewModel

@{
    ViewData["Title"] = "Order Successful";
}
```

```
<div class="container">

    <div class="row justify-content-center">

        <div class="col-md-8">

            <div class="card shadow">

                <div class="card-body p-5">

                    <div class="text-center">

                        <div class="success-icon">
                            ✓
                        </div>

                        <h1 class="text-success">
                            Order Placed Successfully!
                        </h1>

                        <p class="lead">
                            Thank you, @Model.CustomerName.
                        </p>

                    </div>


                    <hr />


                    <h4>
                        Order Details
                    </h4>


                    <table class="table table-bordered mt-3">
```

```
<tr>
    <th>Customer Name</th>
    <td>@Model.CustomerName</td>
</tr>

<tr>
    <th>Email</th>
    <td>@Model.Email</td>
</tr>

<tr>
    <th>Phone</th>
    <td>@Model.Phone</td>
</tr>

<tr>
    <th>Product</th>
    <td>@ViewBag.ProductName</td>
</tr>

<tr>
    <th>Product Price</th>
    <td>₹@ViewBag.ProductPrice</td>
</tr>

<tr>
    <th>Quantity</th>
    <td>@Model.Quantity</td>
</tr>

<tr>
    <th>Delivery Address</th>
    <td>
        @Model.DeliveryAddress,
        @Model.City -
        @Model.PinCode
```

```
        </td>
    </tr>

    <tr>
        <th>Delivery Method</th>
        <td>@Model.DeliveryMethod</td>
    </tr>

    <tr>
        <th>Delivery Charge</th>
        <td>₹@ViewBag.DeliveryCharge</td>
    </tr>

    <tr class="table-success">

        <th>
            Total Amount
        </th>

        <td>
            <strong>
                ₹@ViewBag.Total
            </strong>
        </td>

    </tr>

</table>


<div class="text-center mt-4">

    <a asp-controller="Order"
       asp-action="Index"
       class="btn btn-primary">

        Place Another Order
```

```
                    </a>

                </div>

            </div>

        </div>

    </div>

</div>
```

6. Shared/_Layout.cshtml

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="utf-8" />

    <meta name="viewport"
          content="width=device-width, initial-scale=1.0" />

    <title>
        @ViewData["Title"] - Product Order Management
    </title>

    <link rel="stylesheet"

href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" />

    <link rel="stylesheet"
          href="~/css/site.css" />
```

```
</head>

<body>

    <nav class="navbar navbar-dark bg-dark">

        <div class="container">

            <a class="navbar-brand"
               asp-controller="Order"
               asp-action="Index">

                🛒 Product Order Management

            </a>

        </div>

    </nav>


    <main class="container py-5">

        @RenderBody()

    </main>


    <footer class="bg-dark text-white text-center p-3">

        <p class="mb-0">
            © @DateTime.Now.Year Product Order Management
        </p>

    </footer>
```

```
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"
>
    </script>

    @await RenderSectionAsync(
    "Scripts",
        required: false
        )

</body>

</html>
```

7. Shared/_ValidationScriptsPartial.cshtml

```
<script src="~/lib/jquery/dist/jquery.min.js"></script>

<script src="~/lib/jquery-validation/dist/jquery.validate.min.js"></script>

<script
src="~/lib/jquery-validation-unobtrusive/dist/jquery.validate.unobtrusive.min.js"></
script>
```

8. Program.cs

```
var builder = WebApplication.CreateBuilder(args);

// Add MVC services

builder.Services.AddControllersWithViews();

var app = builder.Build();


// Configure HTTP request pipeline

if (!app.Environment.IsDevelopment())
```

```
{
    app.UseExceptionHandler("/Home/Error");

    app.UseHsts();
}

app.UseHttpsRedirection();

app.UseStaticFiles();

app.UseRouting();


app.UseAuthorization();



// Default route

app.MapControllerRoute(
    name: "default",
    pattern: "{controller=Order}/{action=Index}/{id?}"
);

app.Run();
```

Output:


Product Order Management
Product Order Management
Enter your details and place your product order.
Customer Details
CustomerName
Enter your full name
Email
example@email.com
Phone
Enter phone number
Product Details
Select Product
-- Select Product --
Quantity
Delivery Information
DeliveryAddress
Enter delivery address
City
Enter city
PinCode
Enter 6 digit PIN code
Delivery Method
-- Select Delivery Method --
Place Order


Product Order Management
Order Placed Successfully!
Thank you, mansvi.
Order Details
Customer Name mansvi
Email mansvi@gmail.com
Phone 798465123
Product Laptop
Product Price ₹55000
Quantity 3
Delivery Address xyz, surat - 395006
Delivery Method Standard
Delivery Charge ₹0
Total Amount ₹165000
Place Another Order