

Henan Northern Yongsheng Motorcycle Co., Ltd.

Add:Yongsheng Industrial Park, Luolong District, Luoyang

City,henan,China

Contact person: Camilla ji

Tel: 0086 0379 69920007 Fax: 0086 0379 063530267

email:sale02@chinatricycles.com

QQ:597310202

Wechat ID : camilla91

skype:ly.bytain

website: <http://hnbfys.en.alibaba.com/>



specification

Model: DCYDG4865000

Carriage Dimension

1400 x 950 mm

Size	2850*950*1100MM
Voltage	48V
Motor Power	800W
Motor Category	JUJIE brushless motor
Controller	KEYA 18 tube
Absorber	Φ31 absorber
Front Tire	3.00-12
Rear Tire	16 x 3.0
Unladen Weight	180 kg(without the roof and battery)
Loading Capacity	400 kg
Max Range	85km
Charging Time	4h ~ 6h
Max Speed	35km/h(20km/h on shown)
Rear Axle	Directly Connect
Brake	Drum brake

FOB QINGDAO: USD520/PCS the price for quantity over
40HQ(50~55pcs)



Warrenty: motor and controller guaranteed within 12 month

The price is not including the battery and charger. Battery frame size need according to the size of battery of the customers market.

color: red, sliver, army green, blue

Feature:

Main advantage of three wheel motorcycle:

- 1/ high quality and reasonable price.
- 2/ fashion style and accept your request.
- 3/ and durable,stable carriage and strong loading capacity.

- 4/ suspension rear axle, enhance loading capacity.
- 5 / through the pickling, phosphating , electrophoresis
- 6/ electrophoresis dipping process paint, anti-corrosion ability is significant, ensure the color does not fade in 3 years.



Factory View and Certificates



our distributor

our sales
teamour research and
development
team

Established in 1995, Henan Northern Yongsheng Motorcycle Co., Ltd is a national designated rickshaw manufacturer. Over 17 years' development our company has developed into a large enterprise specializing in development and research, design, sales, service, import & export of motor auto rickshaw.

.



1 square tube carriage not triangle sheet



2 auto welding workshop



3 pickling and phosphating




5 average 2.00mm thickness frame



4 electrophoresis painting thickness 30 micron for frame and 20 micron for carriage



6 3 automated assembling lines
192 sets per day per line



7 whole vehicle inspection spot



8 visit our warehouse and see final color and structure appearance,

Factory Show



*standard workshop!
professional craft!
provide you best products*

hnbfys.en.alibaba.com



Production line and inspection



*high-efficiency
production line*

*strict quality
inspection*

Container and Truck Loading Show



Normally, our auto rickshaws take CKD and carton packaging. Different parts with different packaging methods. China main port our can delivery. If you have special requirements, please mention that in advance. Please see our main packaging methods as following:

Why are we trustworthy? Why should you choose us?

- The whole auto rickshaw used automobile coating craft.
- the car compartment are processed by pickling
- phosphating electrophoresis.
- internal and external antirust, resistance corrosion, not to take off the lacquer with high gloss.
- Unique structure design, following magnitude 8 earthquake resistance standard.
- with high strength steel structure to fully resist the impact while loading, durable.



Welcome to visit our company and negotiate

This kind of cargo three wheel motorcycle with 200cc water cooling engine will be your best choice.

Come on! Don't hesitate and send your requirements to us. Thanks for your attention.

Market and Technical support email within 24 hours .

customer once come to our factory will not cooperate with others we have enough self-confidence

We accept OEM!

Contact person: Camilla ji

Tel: 0086 0379 69920007 Fax: 0086 0379 063530267

email:sale02@chinatricycles.com

QQ:597310202

Wechat ID : camilla91

skype:ly.bytain

website: <http://hnbfys.en.alibaba.com/>