

TMT Bar

We are a renowned firm in the domain, involved in providing a broad spectrum of TMT Bars. TMT Rod/Saria find its wide usage in building construction. These high strength steel bars or concrete rebars, improve the safety and durability of the structures and prevent damages as they are precisely engineered under experts' surveillance, using high-grade metal alloy at well-developed production unit.



Brand

SJ SHREE JI

**Single Piece
Length**

12 meter

**Material
Grade**

IS 1786/2008

**Minimum Order
Quantity**

16 Tons

Material

Mild Steel

Application

Construction

Features

**Improve safety and durability of
structures**

TMT Bar Sizes and Weights

Size (in mm)	Weight (in Kg/m)	Weight (in Kg/feet)
TMT Bar 5.5mm	0.186	0.566
TMT Bar 8mm	0.395	0.120
TMT Bar 10mm	0.617	0.188
TMT Bar 12mm	0.890	0.271
TMT Bar 16mm	1.580	0.482
TMT Bar 20mm	2.470	0.753
TMT Bar 25mm	3.850	1.173
TMT Bar 28mm	4.830	1.472
TMT Bar 32mm	6.310	1.923

Mechanical Properties of TMT Bars

Sizes	0.2% Proof Stress/ YSN/ mm2 (min)	0.2% Proof Stress/ YSN/ mm2 (max)	Tensile Strength (N/mm2)	TS/YS Ratio	Elongation (%)	Total Elongation at max force (%)	Bend Test	Re-Bend Test
5.5 mm	528	540	632	1.19	18.20	7.70	ok	pass
8 mm	534	549	639	1.19	22.20	8.80	ok	pass
10 mm	534	549	636	1.19	22.00	8.20	ok	pass
12 mm	525	518	632	1.19	20.00	8.80	ok	pass
16 mm	530	548	634	1.19	22.10	8.20	ok	pass
20 mm	528	546	632	1.19	20.00	8.20	ok	pass
25 mm	528	540	632	1.19	19.80	8.74	ok	pass
28 mm	530	540	632	1.19	19.80	7.78	ok	pass
30 mm	528	540	632	1.19	20.54	8.64	ok	pass

Chemical Properties of TMT Bars

Components	Chemical Composition Of TMT Bars The raw material (Billets) which are used for making Bars must have the following chemical composition which we make sure is present in the bars we provide.
Carbon (%)	0.18 - 0.19
Sulphur (%)	0.30 - 0.032
Phosphorus (%)	0.38 - 0.40
Sulphur & Phosphorus (%)	0.70
Nitrogen Content	0.0042 - 0.0043