



SINGLE PARTITION




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME001	1.0 / 20 G	1.80 - 2.10
02	ME002	1.2 / 18 G	2.30 - 2.60
03	ME003	1.5 / 16 G	2.80 - 3.20

DOUBLE PARTITION



SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME004	1.0 / 20 G	1.80 - 2.10
02	ME005	1.2 / 18 G	2.30 - 2.60
03	ME006	1.5 / 16 G	2.80 - 3.20

GLAZING CLIP




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME007	0.50	0.26 - 0.28
02	ME008	0.70	0.30 - 0.33

GLAZING STRIP




SR. NO.	SECTION NO.	THK/GAUGE	WT.(KG/12' ft)
01	ME009	1.0 / 20 G	0.60 - 0.80

DOOR VERTICAL




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME055	1.2 / 18 G	2.20 - 2.60
02	ME056	1.5 / 16 G	2.90 - 3.40

DOOR TOP




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME057	1.0 / 20 G	1.80 - 2.20
02	ME058	1.2 / 18 G	2.40 - 2.70

DOOR BOTTOM




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME059	1.25 / 18 G	4.00 - 4.40
02	ME060	1.50 / 16 G	4.80 - 5.20

DOOR MIDDLE SINGLE




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME061	1.0 / 20 G	1.80 - 2.20
02	ME062	1.2 / 18 G	2.40 - 2.80

DOOR MIDDLE DOUBLE




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME063	1.0 / 20 G	1.90 - 2.20
02	ME064	1.2 / 18 G	2.40 - 2.80

TWO TRACK TOP




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME010	0.8 / 22 G	1.30 - 1.60
02	ME011	1.0 / 20 G	1.70 - 2.00
03	ME011A	1.2 / 18 G	2.10 - 2.30
04	ME012	1.6 / 16 G	2.40 - 2.80

TWO TRACK BOTTOM




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME013	0.8 / 22 G	1.50 - 1.70
02	ME014	1.0 / 20 G	1.90 - 2.20
03	ME015	1.2 / 18 G	2.50 - 3.00

THREE TRACK TOP




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME016	0.8 / 22 G	1.80 - 2.20
02	ME016A	1.0 / 20 G	2.10 - 2.35
03	ME017	1.0 / 20 G	2.40 - 2.60
04	ME018	1.2 / 18 G	2.70 - 3.00
05	ME018A	1.6 / 16 G	3.30 - 3.60

THREE TRACK BOTTOM




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME019	0.8 / 22 G	2.30 - 2.50
02	ME019A	1.0 / 20 G	2.60 - 2.80
03	ME020	1.2 / 18 G	2.90 - 3.20
04	ME021	1.6 / 16 G	3.50 - 3.80

FOUR TRACK TOP




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME022	1.0 / 20 G	3.00 - 3.50

FOUR TRACK BOTTOM




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME023	1.0 / 20 G	3.50 - 4.00

3/4" TOP BOTTOM




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME024	1.0 / 20 G	0.90 - 1.20
02	ME025	1.2 / 18 G	1.30 - 1.60
03	ME026	1.6 / 16 G	1.80 - 2.20
04	ME026A	1.6 / 16 G	1.80 - 2.20

3/4" HANDLE




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME027	1.0 / 20 G	0.90 - 1.20
02	ME028	1.2 / 18 G	1.30 - 1.60
03	ME029	1.6 / 16 G	1.80 - 2.20

3/4" INTERLOCK




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME030	1.0 / 20 G	1.20 - 1.40
02	ME031	1.2 / 18 G	1.80 - 1.70
03	ME032	1.6 / 16 G	1.80 - 2.20
04	ME032A	1.6 / 16 G	2.00 - 2.40

BEARING BOTTOM (18 X 50)




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME033	1.0 / 20 G	1.40 - 1.65
02	ME034	1.2 / 18 G	1.80 - 2.00

INTERLOCK (18X50) WITH LEG




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME035	1.0 / 20 G	1.80 - 2.00
02	ME035A	1.2 / 18 G	2.20 - 2.40

HANDLE 18X50



SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME036	1.0 / 20 G	1.40 - 1.65
02	ME036A	1.2 / 18 G	1.80 - 2.00




3/4" MIDDLE

SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME037	1.0 / 20 G	1.20 - 1.50


SLIDING WINDOW (25 MM)

1" TWO TRACK TOP




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME038	1.2 / 18 G	1.80 - 2.00
02	ME039	1.5 / 16 G	2.20 - 2.60

1" TWO TRACK BOTTOM




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME041	1.2 / 18 G	2.00 - 2.40
02	ME040	1.5 / 16 G	2.60 - 3.00

1" THREE TRACK TOP




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME042	1.2 / 18 G	3.20 - 3.50
02	ME043	1.5 / 16 G	3.80 - 4.20

1" THREE TRACK BOTTOM




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME045	1.2 / 18 G	3.50 - 4.00
02	ME044	1.5 / 16 G	4.20 - 4.60

1" FOUR TRACK TOP




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME095	1.2 / 18 G	4.30 - 4.50

1" FOUR TRACK BOTTOM




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME096	1.2 / 18 G	5.20 - 5.50

1" BEARING BOTTOM




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME046A	1.0 / 20 G	1.80 - 2.20
02	ME046	1.2 / 18 G	2.40 - 2.80

1" HANDLE




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME048	1.0 / 20 G	1.80 - 2.20
02	ME047	1.2 / 18 G	2.40 - 2.80

1" INTERLOCK



SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME050A	1.0 / 20 G	1.80 - 2.20
02	ME050	1.2 / 18 G	2.40 - 2.80

1" MIDDLE




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME049	1.2 / 18 G	1.80 - 2.20

1" HANDLE (43X25)




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME108	1.2 / 18 G	2.20 - 2.50

1" INTERLOCK (43X25)




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME109	1.2 / 18 G	2.30 - 2.60

SINTEX A




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME052	1.0/20 G	1.30 - 1.50

SINTEX H



SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME053	1.2 / 20 G	1.80 - 2.10
02	ME054	0.9 / 22 G	1.30 - 1.60

INTERLOCK



SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME053A	1.0 / 20 G	1.70 - 2.00

RECTANGULAR TUBES



SR. NO.	SECTION NO.	SIZE	WT. (KG/12' ft)
01	ME065	36 X 24	0.90 - 1.10
02	ME066	36 X 24	1.30 - 1.50
03	ME065A	36 X 24	1.60 - 1.90
04	ME066A	38 X 25	0.90 - 1.10
05	ME067	48 X 24	0.90 - 1.20
06	ME068	48 X 24	1.30 - 1.50
07	ME068A	48 X 24	1.60 - 1.90
08	ME088	50 X 25	2.40 - 2.80
09	ME069	75 X 24	1.60 - 1.90
10	ME069A	75 X 24	3.50 - 3.90
11	ME089	83 X 38	2.10 - 2.40
12	ME070	95 X 24	1.90 - 2.20
13	ME070A	95 X 24	2.70 - 3.00
14	ME071	95 X 24	2.30 - 2.60
15	ME071A	95 X 24	3.60 - 3.90
16	ME072	63 X 24	1.80 - 2.10
17	ME073	63 X 24	1.30 - 1.60
18	ME074	63 X 38	2.60 - 2.90
19	ME075	63 X 38	1.40 - 1.70
20	ME076	63 X 38	1.80 - 2.20
21	ME085	100 X 25	2.50 - 2.90
22	ME086	100 X 38	5.30 - 5.70
23	ME086A	100 X 50	5.80 - 6.20
24		80 X 40	4.57 - 4.87

SQUARE TUBES



SR. NO.	SECTION NO.	SIZE	WT. (KG/12' ft)
01	ME077	38 X 38	2.30 - 2.60
02	ME078	50 X 50	2.80 - 3.20

EQUAL / UNEQUAL ANGLES



SR. NO.	SECTION NO.	SIZE	WT. (KG/12' ft)
01	ME079	3/4" X 3/4"	0.60 - 0.80
02	ME079A	3/4" X 3/4"	1.10 - 1.30
03	ME080	1" X 1"	0.75 - 0.90
04	ME080A	1" X 1"	1.30 - 1.50
05	ME081	1.5" X 1"	0.90 - 1.20
06	ME081A	1.5" X 1.5"	1.40 - 1.60
07	ME081B	1.5" X 1.5"	3.60 - 3.90
08	ME089A	2" X 2"	4.80 - 5.10
09	ME089B	2" X 2"	7.80 - 8.10

U - CHANNELS




SR. NO.	SECTION NO.	SIZES	WT. (KG/12' ft)
01	ME082	9.5 X 9.5	0.16 - 0.20
02	ME083	12.5 X 12.5	0.23 - 0.25

UN EQUAL U - CHANNELS


SR. NO.	SECTION NO.	SIZES	WT. (KG/12' ft)
01		16.2 X 15.4	0.52 - 0.72
02		60 X 40	4.46 - 4.86

2.5" LOUVER SECTION




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME111	1.0/20 G	0.70 - 0.90

3.0" LOUVER SECTION




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME112	1.2/18 G	1.10 - 1.35

4.0" LOUVER SECTION




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME113	1.4/16 G	1.70 - 2.00

SUB-FRAME SECTION




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME114	1.10 /18 G	2.00 - 2.30

SHUTTER




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME103	1.0	2.90 - 3.20
02	ME103A	1.2	3.30 - 3.60

INTERLOCK




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME104	1.1	1.00 - 1.30

TWO TRACK




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME105	1.2	3.20 - 3.50

THREE TRACK




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME106	1.2	5.10 - 5.40
02	ME106/A	1.4	5.50 - 5.80


FOUR TRACK




SR. NO.	SECTION NO.	THK/GAUGE	WT. (KG/12' ft)
01	ME107	1.2	7.00 - 7.50




DIE NO.	WT. (KG/M)
1107	1.77




DIE NO.	WT. (KG/M)
1108	2.72




DIE NO.	WT. (KG/M)
1105	2.92




DIE NO.	WT. (KG/M)
1112	1.82




DIE NO.	WT. (KG/M)
1122	0.51




DIE NO.	WT. (KG/M)
1113	1.165




DIE NO.	WT. (KG/M)
1114	1.47




DIE NO.	WT. (KG/M)
1119	1.43




DIE NO.	WT. (KG/M)
1123	0.84



DIE NO.	WT. (KG/M)
1136	0.80




DIE NO.	WT. (KG/M)
1130	1.53




DIE NO.	WT. (KG/M)
1120	1.54


LADDER C - SECTION



SR. NO.	SECTION NO.	WT. (KG/20' ft)
01	ME090	2.30 - 2.60
02	ME090A	2.80 - 3.10
03	ME090B	3.80 - 4.10
04	ME090C	4.80 - 5.10
05	ME090D	5.80 - 6.10
06	ME090E	7.50 - 7.80
07	ME090F	10.50 - 10.80




SR. NO.	SECTION NO.	WT. (KG/20' ft)
01		2.88 - 3.10
02		3.78 - 3.98




SR. NO.	SECTION NO.	WT. (KG/20' ft)
08	RPTL 001	4.50 - 4.80
09	RPTL 002	3.85 - 4.10

LADDER STEP SECTION




SR. NO.	SECTION NO.	THK	WT. (KG/12' ft)
01	ME092	1.40	2.30 - 2.60

LADDER U - SECTION




SR. NO.	SECTION NO.	THK	WT. (KG/12' ft)
01	ME091	2.30	2.60 - 2.80

LADDER STEP - 2.5"




SR. NO.	SECTION NO.	THK	WT. (KG/16 ft)
01	ME093	1.40	2.40 - 2.60
02	ME093A	1.20	2.00 - 2.30

LADDER STEP - 4.5"




SR. NO.	SECTION NO.	THK	WT. (KG/16 ft)
01	ME094	1.40	3.60 - 4.00
02	ME094A	1.60	4.50 - 4.80

BABY LADDER STEP



SR. NO.	SECTION NO.	THK	WT. (KG/16 ft)
01	ME110	1.20	2.30 - 2.60
02	ME110A	1.00	2.10 - 2.30


RECTANGULAR TUBES



SR. NO.	SECTION NO.	SIZE	WT. (KG/12' ft)
01	ME097	33 X 20	1.00 - 1.30
02	ME098	50 X 20	1.30 - 1.60


SR. NO.	SECTION NO.	SIZE	WT. (KG/12' ft)
01		33 X 20	0.95 - 1.25
02		50 X 20	1.28 - 1.58

PLAIN ROUND TUBES




SR. NO.	SECTION NO.	SIZE	WT. (KG/12' ft)
01	ME099	16 mm	0.60 - 0.80
02	ME100	19 mm	0.80 - 1.00
03		31.8 mm	1.13 - 1.33
04		32 mm	2.70 - 3.00
05		35 mm	1.10 - 1.40
06		40 mm	3.60 - 3.90
07		60 mm	5.44 - 5.74

FLUTED ROUND TUBES




SR. NO.	SECTION NO.	SIZES	WT. (KG/12' ft)
01	ME101	25 mm	1.10 - 1.30
02	ME102	19 mm	0.75 - 0.95
03	ME101A	25 mm	1.40 - 1.60

DIE NO : RPTL VE 002




Wt. 0.517 KG/M.

DIE NO : RPTL VE 003




Wt. 0.300 KG/M.

DIE NO : RPTL VE 004




Wt. 0.304 KG/M.

DIE NO : 13043



Wt. 0.100 KG/M.

DIE NO : 49585




Wt. 0.191 KG/M.

DIE NO : 9000




Wt. 0.210 KG/M.

DIE NO : RPTL VE 001




Wt. 1.113 KG/M.

DIE NO : 100003B1




Wt. 0.210 KG/M.

DIE NO : 9132




Wt. 0.490 KG/M.

DIE NO : 9127




Wt. 0.298 KG/M.

DIE NO : 49476




Wt. 0.299 KG/M.

DIE NO : 3004-13038




Wt. 0.200 KG/M.

DIE NO : RPTL VE 005




Wt. 0.304 KG/M.

DIE NO : 9038




Wt. 0.992 KG/M.

DIE NO : 49543




Wt. 0.110 KG/M.

DIE NO : 11366




Wt. 0.210 KG/M.

DIE NO : HAT01



Wt. 0.420 KG/M.


DIE NO : 45652



Wt. 1.711 KG/M.


LIGHTING SECTION

DIE NO : 05911-A




Wt. 0.170 KG/M.

DIE NO : RPTL BS 001




Wt. 0.450 KG/M.

DIE NO : RPTL AG 002




Wt. 1.100 KG/M.

DIE NO : RPTL 001




Wt. 0.950 KG/M.

DIE NO : 3001




Wt. 0.780 KG/M.

DIE NO : 3008




Wt. 0.324 KG/M.

DIE NO : 3007




Wt. 0.804 KG/M.

DIE NO : 3009




Wt. 1.388 KG/M.

DIE NO : 3003




Wt. 0.850 KG/M.

DIE NO : 3005




Wt. 0.298 KG/M.

DIE NO : 3006




Wt. 2.030 KG/M.

DIE NO : 3002




Wt. 1.380 KG/M.

DIE NO : 3004




Wt. 1.890 KG/M.

DIE NO : RPTL Z 001




Wt. 0.650 KG/M.

DIE NO : RPTL Z 002




Wt. 0.650 KG/M.

DIE NO : RPTL Z 003



Wt. 0.440 KG/M.

DIE NO : RPTL Z 004



Wt. 0.220 KG/M.