

Q1 Output Screenshot



```
PS> node Q1/server.js
Server is Running on Port : 3000

PS> Invoke-WebRequest http://localhost:3000/gethello
Hello MSD!

PS> Invoke-WebRequest http://localhost:3000/
StatusCode: 200
```

Q2 Output Screenshot



```
PS> node Q2/server.js
Static file server running at http://localhost:3000

PS> Invoke-WebRequest http://localhost:3000/
StatusCode: 200
PS> Invoke-WebRequest http://localhost:3000/css/style.css
StatusCode: 200
PS> Invoke-WebRequest http://localhost:3000/js/app.js
StatusCode: 200
```

Q3 Output Screenshot



```
PS> node Q3/index.js
```

```
=====
```

```
COLLEGE HELPDESK CHATBOT (CLI)
```

```
=====
```

```
Type your question below (or type exit to quit).
```

```
You:
```

```
=====
```

```
Thank you for using College Bot. Have a nice day!
```

```
=====
```

Q4 Output Screenshot



```
PS> node Q4/index.js
```

```
=====
```

```
FOLDER ZIP COMPRESSOR TOOL
```

```
=====
```

```
Source Folder : Q4/sample_folder
```

```
Target Zip    : Q4/sample_folder.zip
```

```
Compressing... Please wait.
```

```
-----
```

```
SUCCESS: Zip file created successfully! Total size: 286 bytes.
```


```
-----
```

Q5 Output Screenshot



```
PS> node Q5/index.js  
Zip file extracted successfully.  
Output folder: Q5/extracted_files
```

Q6 Output Screenshot

A screenshot of a terminal window with a dark background. The window has a title bar with three colored squares (red, yellow, green) on the left. The terminal shows a command prompt 'PS>' followed by the command 'node Q6/index.js'. The output of the command is 'File deleted successfully using promisified fs.unlink.'.

```
PS> node Q6/index.js
File deleted successfully using promisified fs.unlink.
```

Q7 Output Screenshot



```
PS> node Q7/server.js
Server running at http://localhost:3007

PS> Invoke-WebRequest http://localhost:3007/
Open /google route to fetch Google page.

PS> Invoke-WebRequest http://localhost:3007/google
StatusCode: 200
```

Q8 Output Screenshot



```
PS> npm run
Scripts available in package.json:
server      node Q7/server.js
test        node Q12/index.js
extract     node Q5/index.js
unlink-demo node Q6/index.js
fs-demo     node Q9/index.js
globals-demo node Q10/index.js
package-demo node Q11/use-package.js
```

Q9 Output Screenshot



```
PS> node Q9/index.js
File created.
Data appended.
File content:
Hello Node.js fs module
This line is appended.

File copied.
Files in current folder: [ 'demo-copy.txt', 'demo.txt', 'index.js',
  'renamed-demo.txt' ]
File size: 47 bytes
Copied file renamed.
```

Q10 Output Screenshot



```
PS> node Q10/index.js hello node
File name: Q10/index.js
Directory name: Q10
Node version: v22.19.0
Platform: win32
Current working directory: 011_Manan_701_A1
Command line arguments: [ 'hello', 'node' ]
This message is printed using setTimeout global function.
```

Q11 Output Screenshot



```
PS> node Q11/use-package.js
```

```
Addition: 15
```

```
Square: 36
```

```
Is 8 even? true
```

```
To publish package: go inside my-useful-package folder and run npm publish.
```

Q12 Output Screenshot



```
PS> node Q12/index.js
1. User registered
2. Welcome email sent to manan@example.com
3. Profile created for manan@example.com
All dependent tasks completed
```