# **Load list of countries from Spring Configuration**:

## Steps:

1. Country.java:

```
package com.cognizant.spring_learn;
public class Country {
   private String code;
   public String getCode() {
      return code;
   public void setCode(String code) {
       this.code = code;
   public String getName() {
```

```
public void setName(String name) {
    this.name = name;
}
```

#### 2. SpringLearnApplication.java:

```
package com.cognizant.spring learn;
public class Country {
   public String getCode() {
      return code;
   public void setCode(String code) {
       this.code = code;
   public String getName() {
```

```
public void setName(String name) {
    this.name = name;
}
```

#### 3. country.xml:

```
<?xml version="1.0" encoding="UTF-8"?>
xsi:schemaLocation="http://www.springframework.org/schema/beans
http://www.springframework.org/schema/beans/spring-beans.xsd">
       property name="name" value="India" />
```

```
property name="code" value="JP" />
       <ref bean="in"/>
       <ref bean="us"/>
      <ref bean="de"/>
       <ref bean="jp"/>
```

### Output:

```
(v3.5.3)
   :: Spring Boot ::
 2025-07-11 06:49:46 - INFO - c.c.s.SpringLearnApplication - Starting SpringLearnApplication using Java 24.0.1 with PID 29076 (C:\Users\MANAN BHUTIANI\Documents\JAVA FSE COGNI\
2025-07-11 06:49:46 - INFO - c.c.s.SpringLearnApplication - Starting SpringLearnApplication using Java 24.0.1 with PID 29076 (C:\Users\MANAN ring-learn\target\classes started by MANAN BHUTIANI in C:\Users\MANAN BHUTIANI\Documents\JaVA FSE COGNI\spring-learn)
2025-07-11 06:49:46 - DEBUG - c.c.s.SpringLearnApplication - Running with Spring Boot v3.5.3, Spring v6.2.8
2025-07-11 06:49:46 - INFO - c.c.s.SpringLearnApplication - No active profile set, falling back to 1 default profile: "default"
2025-07-11 06:49:46 - INFO - o.s.b.w.e.tomcat.TomcatWebServer - Tomcat initialized with port 8080 (http)
2025-07-11 06:49:46 - INFO - o.a.catalina.core.StandardService - Starting Service [Tomcat]
2025-07-11 06:49:46 - INFO - o.a.catalina.core.StandardEngine - Starting Servlet engine: [Apache Tomcat/10.1.42]
2025-07-11 06:49:46 - INFO - o.a.c.c.C.[Tomcat].[localhost].[/] - Initializing Spring embedded WebApplicationContext
2025-07-11 06:49:47 - INFO - o.s.b.w.s.c.ServletWebServerApplicationContext - Root WebApplicationContext: initialization completed in 416 ms
 2025-07-11 06:49:47 - INFO - o.s.b.d.a.OptionalLiveReloadServer - LiveReload server is running on port 35729
                                      INFO - o.s.b.w.e.tomcat.TomcatWebServer - Tomcat started on port 8080 (http) with context path '/'
 2025-07-11 06:49:47 -
                                               - c.c.s.SpringLearnApplication - Started SpringLearnApplication in 0.661 seconds (process running for 149.679)
 2025-07-11 06:49:47 -
                                     INFO
 2025-07-11 06:49:47 - INFO - o.s.b.d.a.ConditionEvaluationDeltaLoggingListener - Condition evaluation unchanged
 2025-07-11 06:49:47 -
                                               - c.c.s.SpringLearnApplication - Start
                                      INFO
 2025-07-11 06:49:47 -
                                      DEBUG - c.c.s.SpringLearnApplication - Country: IN - India
 2025-07-11 06:49:47 -
                                     DEBUG - c.c.s.SpringLearnApplication - Country: US - United States
 2025-07-11 06:49:47 - DEBUG - c.c.s.SpringLearnApplication - Country: DE - Germany
  2025-07-11 06:49:47 -
                                     DEBUG - c.c.s.SpringLearnApplication - Country: JP - Japan
2025-07-11 06:49:47 - INFO - c.c.s.SpringLearnApplication - End
```