#### **ReactJS HOL12:**

#### Code:

### 1. <u>App.js</u>:

```
import React from 'react';
import './App.css';
function UserGreeting(props) {
function GuestGreeting(props) {
 return <h1>Please sign up.</h1>;
function Greeting(props) {
 const isLoggedIn = props.isLoggedIn;
 if (isLoggedIn) {
```

```
return <GuestGreeting />;
function LoginButton(props) {
   <button onClick={props.onClick}>
     Login
function LogoutButton(props) {
   <button onClick={props.onClick}>
     Logout
```

```
constructor(props) {
   super(props);
   this.handleLoginClick = this.handleLoginClick.bind(this);
   this.handleLogoutClick =
this.handleLogoutClick.bind(this);
   this.state = {isLoggedIn: false};
 handleLoginClick() {
   this.setState({isLoggedIn: true});
 handleLogoutClick() {
   this.setState({isLoggedIn: false});
   const isLoggedIn = this.state.isLoggedIn;
   if (isLoggedIn) {
     button = <LogoutButton onClick={this.handleLogoutClick}</pre>
```

```
} else {
     button = <LoginButton onClick={this.handleLoginClick}</pre>
       <Greeting isLoggedIn={isLoggedIn} />
function App() {
   <div className="App">
     <header className="App-header">
```

```
export default App;
```

## Output:

# Please sign up.

Login

## **Welcome back**

Logout