

ReactJS HOL10:

Code:

1. App.js:

```
import React from 'react';

import './App.css';

function App() {

  const pageTitle = "Office Space, at Affordable Range";

  const officeSpaces = [

    {

      name: 'DBS',

      rent: 50000,

      address: 'Chennai',

      imageUrl:
'https://images.unsplash.com/photo-1556761175-b413da4b248q?w=500' // Example image

    },

    {

      name: 'WeWork',

      rent: 75000,

      address: 'Bengaluru',
```

```

        imageUrl:
'https://images.unsplash.com/photo-1521737604893-d14cc237f11d?
w=500' // Example image

    }

];

return (

    <div className="App">

        {/* Element to display the page heading */}

        <h1>{pageTitle}</h1>

        {/* Loop through the list of office objects */}

        {officeSpaces.map((office, index) => {

            const rentStyle = {

                color: office.rent <= 60000 ? 'red' : 'green'

            };

            return (

                <div key={index} style={{ margin: '40px' }}>

                    {/* Attribute to display the office image */}

                    <img src={office.imageUrl} width="25%"
height="25%" alt="Office Space" />

                    {/* Displaying office details from the object */}

```

```

        <h3>Name: {office.name}</h3>

        <h3 style={rentStyle}>Rent: Rs. {office.rent}</h3>

        <h3>Address: {office.address}</h3>

    </div>

    );

  }) }

</div>

);


}

export default App;

```

Output:

Office Space, at Affordable Range

 Office Space

Name: DBS

Rent: Rs. 50000

Address: Chennai



Name: WeWork

Rent: Rs. 75000

Address: Bengaluru

