

#### Take home points

- Appendicitis is common- 7-9% lifetime risk
- Delay in diagnosis/management causes significant morbidity- can be a surgical emergency
- Usually clinical diagnosis- not reliant on imaging
- Has classic presentation but often presents atypically- it is a common pitfall!

# What is appendicitis? Who gets it?

- Appendicitis = Inflammation of the appendix.
- Obstruction of opening → distention → perforation
- Mostly young people (age 10-20) but can present at any age
- M>F (1.4:1)
- Common 7-9% lifetime risk

- Where is the appendix? What is it attached to?
- Where is McBurney's point and what is it?
- 3. What places can the appendix hide?
- 4. What nerve root (roughly) supplies the appendix and where does it refer visceral pain to?
- 5. What are some other things near the appendix?
- 6. What organs cause R sided abdo pain?
- 7. What organs cause lower abdo pain?

costal margin


umbilicus

ASIS


Pubic symphisis

1. The Appendix is...


2. McBurney's Poin



3. Places the appendix can hide...




Copyright @2006 by The McGraw-Hill Companies, Inc. All rights reserved.



Copyright @2006 by The McGraw-Hill Companies, Inc. All rights reserved.

... and during pregnancy

4. Innervation of appendix & other organs



Paired organs

unpaired

costal margin



T12

Pubic symphisis

5. Structures near the appendix

6. R abdominal pain Caecum MABILICU lleum McBurn Ureter Ovary **Bladder** Asc Colon Psoas Inguinal canal lliac vessels

7. Pelvic/lower abdo pain


#### "Typical" Presentation

- Dull, crampy central abdo pain
- Malaise/vomiting/anorexia/low grade fevers
- Pain worsens & localises to RIF with cough/movement tenderness
- Systemic symptoms

## Early Appendicitis


obstruction

- o Pain:
  - Location: Periumbilical (T10)
  - Character: Dull
  - Over time: Colicky
  - Associated symptoms:
    - Vomiting
    - Anorexia




#### Later Appendicitis

- o Pain:
  - Location: R Iliac Fossa
  - Character: Localised
  - Over time: Constant
  - Aggravating: going over bumps, coughing, walking
  - Relieving: hip flexion, staying still
- Exam findings:
  - "peritonism"
    - Guarding
    - rebound tenderness
    - percussion tenderness
  - Rovsing, psoas, other signs




#### Late Appendicitis

- o Pain:
  - Location: lower abdominal/generalised
  - Character: diffuse, severe
  - Over time: constant
  - Aggravating: movement, coughing, palpation, rebound
  - Associated: Fever
- Exam findings:
  - Systemic features- fever, tachycardia, hypotension
  - Abdominal severe, generalised "peritonism"
  - RIF mass (sometimes)




#### Time Course




Appendiceal obstruction/early appendicitis – visceral peritoneal irritation

 Periumbilical colicky pain




Appendiceal distension

 Anorexia, vomi ting, malaise




Irritation of parietal peritoneum (localised)


> Constant RIF pain, pain on coughing, going over bumps etc




Perforation, localised /generalised peritonitis, mass

Fever/Sepsis









#### Special Clinical signs

- Abdominal examination
- Psoas Sign pain on hip extension
- Rovsing Sign RIF pain on palpating LIF
- "The walk" walk with R hip flexed, bent over
- Pain on coughing/unable to cough



# Atypical presentations

Location of appendix	Signs/symptoms
McBurney's point	"typical" presentation, Rovsig sign
Retro/paracaecal	Psoas sign/flank pain/absence of peritonism
Retro/paraileal	Diarrhoea, crampy pain
Pelvic	Suprapubic pain, urinary frequency, pyuria



#### Complications

- Rupture and sepsis
- Periappendiceal Abscess
- o Death

## Clinching the diagnosis

- Appendicitis is usually a clinical diagnosisie history + examination.
- However sometimes you're just not sure!
  All those ovaries, fallopian
  tubes, ureters, atypical presentations...
- …perhaps you could order some tests?

#### What to order?

- What things could support your diagnosis?
  - ie inflamed/infected/obstructed appendix
- 2. What things could rule in or rule out other diagnoses?

#### Diagnostic scoring

- Alvarado score
  - RIF tenderness +2
  - Increased WCC +2
  - Pain that migrates to RIF
    +1
  - Rebound tenderness +1
  - Anorexia +1
  - Nausea/Vomiting +1
  - o Fever +1
  - WCC- 'left shift' +1

- o 1-4: Very unlikely
- 5-6: Possible
- 7-8: Very probable
- o 9-10: Definite

#### What to order?

- What things could support your diagnosis
  - ie inflamed/infected/obstructed appendix
- What things could rule out other diagnoses
  - le gastro, sbo, ovarian problems, PID, UTI, renal colic, diverticulitis, crohn's ectopic etc etc