


App Flow

04 — App Flow

Last updated: 2026-06-08

1. Top-level navigation flow



- **Auth gate:** every tool route is wrapped in `<ProtectedRoute>` . Unauthenticated users are redirected to `/login` . (Auth is a local mock — no server.)
- **Back to hub:** each full-screen tool shows the fixed `HubLink` pill `-> /home` . Browser back also works (single shared history).

2. Per-tool internal flow

Power Planner (`/power-planner`)

Single screen (`PowerPlannerHome`). Weekly grid of commitments `->` results `->` actions; recurrence + ride-along logic; per-week edits persist. "Hot refresh" wipes all planner data via a reset flag.

Reasons Eliminator (`/reason-eliminator/*`)

home -> new assessment -> assess -> power-word -> summary

↳ previous assessments -> detail

↳ reasons / reasons-master / power-word-master / power-word-missing

↳ grip-test -> grip-history -> detail

↳ dashboard / deep-review / guidelines

Meeting Success Maximizer (/meeting-framework/*)

```
prep (home) → meeting-list → meeting-list/:id (details)
  ↳ edit/:id (reuse prep form)
  ↳ dashboard (analytics, lazy-loaded)
```

Time Finder (/time-finder/*)

```
select-routines (home) → add-routine → new-assessment → recurrence
  ↳ align-routines → next-step → saving-time → assessment
  ↳ previous-assessment → assessment/:id
  ↳ session → adjust → table
  ↳ dashboard / edit-assessment
```

3. Data flow (current — local only)

```
React component → tool hook/util → localStorage (namespaced key)
  ▲                                     |
  └────────── re-render ←──────────┘
```

No network calls are required for any tool to function today.

4. Data flow (future — with backend)

```
React component → tool data layer → axios → /api → DB
  |
  └── falls back to localStorage when offline / unconfigured
```

The auth layer already follows this "configured vs. offline" pattern (`isConfigured` flag), which is the template for wiring the backend per tool — see [Backend Schema](#).