lab-07-simpsons.Rmd

manar mohsen 2201000526

17 March 2021

Packages

```
library(tidyverse)
library(mosaicData)
```

Exercises

1.

```
?Whickham
```

Your answer: observational as the description states that is based on age, smoking, and mortality, which are all observable events and not produced via experiments.

2.

```
nrow(Whickham)
```

```
## [1] 1314
```

Your answer; your answer; There are 1,314 observations. As we know every row is an observation. 3.

```
names(Whickham)
```

```
## [1] "outcome" "smoker"  "age"
```

Your answer:
your answer ; there are 3 variables, "outcome", and "age"

```
unique(Whickham$outcome)
```

```
## [1] Alive Dead
## Levels: Alive Dead
```

```
unique(Whickham$smoker)
```

```
## [1] Yes No
## Levels: No Yes
```

```
unique(Whickham$age)
```

```
##  [1] 23 18 71 67 64 38 45 76 28 27 34 20 72 48 66 30 33 68 61 43 47 22 39 80 59
## [26] 56 62 51 32 60 37 36 50 55 73 52 25 53 31 54 69 79 75 21 29 24 26 49 84 40
## [51] 44 74 46 35 77 57 42 81 19 63 78 83 82 70 58 41 65
```

Your answer: Using the `unique()` function on the 3 variables we could see that "outcome" only takes Alive or Dead value, which makes it categorical non-ordinal. "smoker" only takes Yes or No, which also makes it categorical non-ordinal. Age is numerical continous data.

```
ggplot(Whickham,aes(x= outcome)) + geom_bar()
```



```
ggplot(Whickham,aes(x= smoker)) + geom_bar()
```

```
ggplot(Whickham,aes(x= age)) + geom_bar()
```

4.

```
ggplot(data=Whickham, aes(x=smoker, y=outcome, color=outcome)) + geom_bar(stat="identity")
```

"If smokers continue to use smoking, they will die."

Knit, commit, and push to github.

5.

```
Whickham %>%
  count(smoker, outcome)
```

```
##   smoker outcome   n
## 1     No   Alive 502
## 2     No    Dead 230
## 3    Yes   Alive 443
## 4    Yes    Dead 139
```

```
502+230
```

```
## [1] 732
```

```
230/732
```

```
## [1] 0.3142077
```

"smoker no (732) : 31,4 (dead) » (68,6) alive smoker yes (582) : 23,8 (dead) » (76,2) alive" "Those who died were not very much smokers"

6.

```
Whickham <- Whickham%>% mutate (age_cat = case_when (age <= 44 ~ "18-44", age > 44. & age <= 64 ~ "45-6
```

7.

```
ggplot(data=Whickham, aes(x=outcome, y=smoker,color=smoker, fill=age_cat)) + geom_bar(stat="identity")
```


Knit, commit, and push to github.