



FINAL INTERNSHIP REPORT

Data Analytics Internship

End-to-End Data Analytics on Supermarket Sales Dataset

Particular	Details
Intern Name	Manas
Institute	Sreenidhi Institute of Science and Technology
Department	AIML and Engineering
Internship	Data Analytics Internship
Organization	ApexPlanet Software Pvt. Ltd.
Duration	45 Days
Academic Year	2026

July 27, 2026

Acknowledgement

I would like to express my sincere gratitude to **ApexPlanet Software Pvt. Ltd.** for providing me with the opportunity to undertake this Data Analytics Internship.

This internship provided valuable hands-on experience in Data Analytics, SQL, Power BI, Statistics, Time Series Forecasting, Machine Learning, and Business Intelligence. The practical tasks helped me strengthen my analytical thinking, programming skills, and understanding of real-world business problems.

I would also like to thank the mentors and the entire ApexPlanet team for designing a structured learning program that enabled me to complete all internship tasks successfully.

Finally, I extend my gratitude to **Sreenidhi Institute of Science and Technology** for providing the academic foundation that supported my learning throughout this internship.

Manas

Contents

Acknowledgement	1
1 Executive Summary	7
2 Internship Objectives	8
3 Tasks Completed	9
3.1 Task 1 – Foundational Setup and Exploratory Data Analysis	9
3.2 Task 2 – SQL Data Extraction	9
3.3 Task 3 – Dashboard Development	9
3.4 Task 4 – Advanced Analytics	10
3.5 Task 5 – Final Reporting	10
4 Problem Statement	11
5 Dataset Overview	12
5.1 Dataset Summary	12
5.2 Dataset Features	12
6 Methodology	14
6.1 Phase 1 – Data Preparation	15
6.2 Phase 2 – Data Analysis	15
6.3 Phase 3 – Data Visualization	15
6.4 Phase 4 – Advanced Analytics	15
6.5 Phase 5 – Reporting	15
7 Task 1: Foundational Setup and Exploratory Data Analysis	16
7.1 Objective	16
7.2 Data Loading and Dataset Overview	16
7.3 Missing Value Analysis	17
7.4 Correlation Analysis	18
7.5 Sales Distribution	18
7.6 Product Line Analysis	19
7.7 Key Findings	20

8 Task 2: SQL Data Extraction and Python Integration	21
8.1 Objective	21
8.2 SQLite Database Connection	21
8.3 SQL Query Execution	22
8.4 Python and SQL Integration	23
8.5 Business Insights	24
8.6 Key Findings	25
9 Task 3: Interactive Dashboard and Data Visualization	26
9.1 Objective	26
9.2 Dashboard Development	26
9.3 Key Performance Indicators (KPIs)	27
9.4 Business Visualizations	28
9.5 Interactive Filters	28
9.6 Key Findings	29
10 Task 4: Advanced Analytics and Statistical Modeling	30
10.1 Objective	30
10.2 Monthly Sales Trend	30
10.3 Time Series Decomposition	31
10.4 Moving Average Analysis	32
10.5 Exponential Smoothing	33
10.6 ARIMA Forecasting	34
10.7 Customer Segmentation using K-Means Clustering	35
10.8 Predictive Modeling	36
10.9 Feature Importance	36
10.10 Model Performance	37
10.11 Key Findings	37
11 Task 5: Final Reporting, Deployment and Presentation	39
11.1 Objective	39
11.2 Project Documentation	39
11.3 GitHub Repository Organization	40
11.4 Project Deliverables	40
11.5 Skills Acquired	40
11.6 Summary	41
12 Conclusion	42
13 Future Scope	43

14 References	44
15 Appendix	45
15.1 Project Repository Links	45
15.2 Project Folder Structure	45
15.3 Software and Tools Used	46
15.4 Internship Certificate	46

List of Figures

7.1	Dataset Overview	17
7.2	Missing Value Analysis	17
7.3	Correlation Heatmap	18
7.4	Sales Distribution	19
7.5	Product Line Analysis	20
8.1	Python Successfully Connected to SQLite	22
8.2	SQL Query Execution	23
8.3	Python and SQL Integration	24
8.4	SQL Query Results	24
9.1	Complete Interactive Power BI Dashboard	27
9.2	Key Performance Indicator (KPI) Cards	27
9.3	Business Performance Visualization	28
9.4	Interactive Dashboard Filters	29
10.1	Monthly Sales Trend	31
10.2	Time Series Decomposition	32
10.3	7-Day Moving Average	33
10.4	Exponential Smoothing Forecast	33
10.5	ARIMA Sales Forecast	34
10.6	Elbow Method for Optimal Clusters	35
10.7	Customer Segmentation using PCA	36
10.8	Feature Importance Analysis	37

List of Tables

5.1 Dataset Summary	12
10.1 Machine Learning Model Performance	37
15.1 GitHub Repository Links	45

Chapter 1

Executive Summary

This report presents the successful completion of the **Data Analytics Internship** at **ApexPlanet Software Pvt. Ltd.** The internship focused on applying modern data analytics techniques to transform raw supermarket sales data into meaningful business insights.

Throughout the internship, the complete analytics lifecycle was implemented, beginning with data preprocessing and exploratory data analysis, followed by SQL-based business analytics, interactive dashboard development, statistical analysis, time series forecasting, customer segmentation, predictive modeling, and final reporting.

The project was carried out using industry-standard tools and technologies including Python, SQL, Power BI, Pandas, NumPy, Matplotlib, Seaborn, Statsmodels, and Scikit-learn.

The primary objective of the project was to demonstrate how data analytics can support business decision-making by identifying trends, forecasting future sales, segmenting customers, and developing predictive models.

The internship significantly strengthened practical knowledge in Data Analytics, Business Intelligence, Statistics, Machine Learning, and Python programming while providing hands-on experience with real-world business datasets.

Chapter 2

Internship Objectives

The primary objectives of this internship were to understand the complete Data Analytics workflow and apply analytical techniques to solve real-world business problems using a supermarket sales dataset.

The internship focused on achieving the following objectives:

- Perform data cleaning and preprocessing.
- Conduct Exploratory Data Analysis (EDA).
- Extract business insights using SQL.
- Develop interactive dashboards using Power BI.
- Apply statistical analysis techniques.
- Perform time series forecasting.
- Segment customers using Machine Learning.
- Develop predictive models.
- Present analytical findings through professional reports and visualizations.

Chapter 3

Tasks Completed

The internship was structured into five progressive tasks, each focusing on a specific stage of the data analytics lifecycle. Every task contributed toward developing a complete end-to-end analytics solution.

3.1 Task 1 – Foundational Setup and Exploratory Data Analysis

- Environment setup using Python and Jupyter Notebook.
- Data cleaning and preprocessing.
- Exploratory Data Analysis (EDA).
- Statistical summaries and visualizations.
- Identification of trends, patterns, and anomalies.

3.2 Task 2 – SQL Data Extraction

- Imported the dataset into SQLite.
- Executed SQL queries for business insights.
- Performed filtering, grouping, sorting, and aggregation.
- Integrated SQL with Python.

3.3 Task 3 – Dashboard Development

- Developed an interactive Power BI dashboard.

- Created KPI cards and business visualizations.
- Implemented slicers and filters.
- Generated business reports for decision-making.

3.4 Task 4 – Advanced Analytics

- Performed statistical analysis.
- Conducted time series forecasting.
- Applied K-Means customer segmentation.
- Built Linear Regression, Logistic Regression, and Decision Tree models.

3.5 Task 5 – Final Reporting

- Prepared the executive summary report.
- Organized project documentation.
- Prepared presentation materials.
- Finalized GitHub repositories and internship deliverables.

Chapter 4

Problem Statement

Modern retail businesses generate thousands of transactions every day, resulting in large volumes of raw business data. Although this data contains valuable information, it cannot directly support decision-making without proper analysis.

Organizations require data analytics techniques to transform raw transactional data into meaningful insights that help improve business performance, customer satisfaction, inventory planning, and revenue generation.

The Supermarket Sales dataset used in this internship contains information related to customer purchases, product categories, sales transactions, payment methods, customer ratings, and branch performance. The challenge was to analyze this data and identify useful business patterns using modern data analytics techniques.

The primary goal of this internship project was to design a complete end-to-end data analytics solution capable of:

- Cleaning and preprocessing raw business data.
- Performing exploratory data analysis to understand business trends.
- Extracting meaningful insights using SQL.
- Building interactive business dashboards using Power BI.
- Applying statistical analysis and time series forecasting techniques.
- Segmenting customers based on purchasing behavior.
- Developing predictive machine learning models for business forecasting.
- Presenting findings through a professional technical report.

The successful completion of these objectives demonstrates how modern data analytics can assist organizations in making informed, data-driven business decisions.

Chapter 5

Dataset Overview

The analysis conducted during this internship was based on the **Supermarket Sales Dataset**, which contains transactional records collected from supermarket branches. The dataset provides detailed information about customer purchases, product categories, payment methods, sales values, and customer ratings.

The dataset was first cleaned and preprocessed before performing exploratory analysis, visualization, statistical modeling, and machine learning.

5.1 Dataset Summary

Attribute	Value
Dataset Name	Supermarket Sales Dataset
Number of Records	1000
Number of Features	17
Data Type	Structured Tabular Dataset
Source	ApexPlanet Internship Dataset

Table 5.1: Dataset Summary

5.2 Dataset Features

The dataset contains the following attributes:

- Invoice ID
- Branch
- City

- Customer Type
- Gender
- Product Line
- Unit Price
- Quantity
- Tax (5%)
- Sales
- Date
- Time
- Payment Method
- Cost of Goods Sold (COGS)
- Gross Margin Percentage
- Gross Income
- Customer Rating


The diversity of these features enabled comprehensive business analysis, customer segmentation, sales forecasting, and predictive modeling throughout the internship.

Chapter 6

Methodology

The internship followed a structured and systematic data analytics workflow to transform raw supermarket sales data into meaningful business insights. The overall methodology consisted of five major phases, beginning with data preparation and ending with professional reporting and presentation.

The workflow adopted during the internship is illustrated below:



The methodology ensured that every stage of the analytics pipeline contributed to extracting valuable business insights while maintaining data quality, analytical accuracy, and professional documentation.

6.1 Phase 1 – Data Preparation

The dataset was imported into Python and cleaned by checking for missing values, duplicate records, and incorrect data types. The cleaned dataset formed the foundation for all subsequent analyses.

6.2 Phase 2 – Data Analysis

Exploratory Data Analysis (EDA) and SQL queries were used to understand customer behavior, sales trends, branch performance, and product-level insights.

6.3 Phase 3 – Data Visualization

Interactive Power BI dashboards were developed to visualize key performance indicators (KPIs), sales distribution, customer preferences, and branch-wise performance.

6.4 Phase 4 – Advanced Analytics

Advanced statistical techniques, time series forecasting, clustering algorithms, and predictive machine learning models were implemented to generate deeper business insights.

6.5 Phase 5 – Reporting

Finally, all analyses, visualizations, models, and findings were documented in a comprehensive technical report along with project repositories and presentation materials.

Chapter 7

Task 1: Foundational Setup and Exploratory Data Analysis

7.1 Objective

The objective of Task 1 was to prepare the development environment, clean the dataset, understand its structure, and perform Exploratory Data Analysis (EDA) to identify trends, patterns, and business insights.

The analysis was performed using Python libraries such as Pandas, NumPy, Matplotlib, and Seaborn.

7.2 Data Loading and Dataset Overview

The dataset was imported into Python using the Pandas library. Initial inspection was performed using `head()`, `info()`, and `describe()` to understand the structure and characteristics of the dataset.

```
df.info()
```

```
[12] Python
```

```
... <class 'pandas.DataFrame'>
RangeIndex: 1000 entries, 0 to 999
Data columns (total 17 columns):
#   Column              Non-Null Count  Dtype
---  -
0   Invoice ID           1000 non-null   str
1   Branch              1000 non-null   str
2   City                1000 non-null   str
3   Customer type       1000 non-null   str
4   Gender              1000 non-null   str
5   Product line        1000 non-null   str
6   Unit price          1000 non-null   float64
7   Quantity            1000 non-null   int64
8   Tax 5%              1000 non-null   float64
9   Sales               1000 non-null   float64
10  Date                1000 non-null   datetime64[us]
11  Time                1000 non-null   str
12  Payment             1000 non-null   str
13  cogs                1000 non-null   float64
14  gross margin percentage 1000 non-null   float64
15  gross income        1000 non-null   float64
16  Rating              1000 non-null   float64
dtypes: datetime64[us](1), float64(7), int64(1), str(8)
memory usage: 132.9 KB
```

Figure 7.1: Dataset Overview

7.3 Missing Value Analysis

The dataset was checked for missing values using the `isnull().sum()` function. No significant missing values were observed, indicating that the dataset was suitable for further analysis.

```
df.isnull().sum()
```

```
[23] Python
```

```
... invoice_id      0
branch           0
city             0
customer_type    0
gender           0
product_line     0
unit_price       0
quantity         0
tax 5            0
sales            0
date             0
time             0
payment          0
cogs             0
gross_margin_percentage 0
gross_income     0
rating           0
dtype: int64
```

Figure 7.2: Missing Value Analysis

7.4 Correlation Analysis

A correlation heatmap was generated to understand relationships among numerical variables. Strong positive correlations were observed between sales-related variables such as Quantity, Gross Income, Tax, and Total Sales.




Figure 7.3: Correlation Heatmap

7.5 Sales Distribution

Sales values were visualized using distribution plots to understand their spread and identify possible outliers. Most transactions were concentrated within a moderate sales range, while a smaller number represented high-value purchases.

```
In [16]: plt.figure(figsize=(8,5))  
plt.hist(df["sales"], bins=20)  
plt.title("Distribution of Sales")  
plt.xlabel("Sales")  
plt.ylabel("Frequency")  
plt.show()
```




Figure 7.4: Sales Distribution

7.6 Product Line Analysis

Product-wise sales analysis was performed to compare the performance of different product categories. This visualization helped identify the highest-performing product lines.




Figure 7.5: Product Line Analysis

7.7 Key Findings

The major observations from Task 1 are summarized below:

- The dataset contained 1000 transaction records.
- Missing values were negligible after preprocessing.
- Strong positive correlations existed among sales-related variables.
- Product line performance varied significantly across categories.
- Exploratory Data Analysis provided valuable business insights that guided the remaining internship tasks.

Chapter 8

Task 2: SQL Data Extraction and Python Integration

8.1 Objective

The objective of Task 2 was to import the cleaned supermarket sales dataset into an SQLite database, execute SQL queries to extract business insights, and integrate SQL operations with Python for automated analysis.

SQLite was selected as the database management system because of its lightweight architecture and seamless integration with Python.

8.2 SQLite Database Connection

The cleaned dataset was successfully imported into an SQLite database. A database connection was established using Python's `sqlite3` library.

```

import sqlite3
import pandas as pd

print("Libraries imported successfully!")

```

Libraries imported successfully!

```

df = pd.read_csv("../data/processed/cleaned_supermarket_sales.csv")

df.head()

```

	invoice id	branch	city	customer type	gender	product line	unit price	quantity	tax 5	sales	date	time	payment	cogs	gross margin percenta
0	750-67-8428	Alex	Yangon	Member	Female	Health and beauty	74.69	7	26.1415	548.9715	2019-01-05	1:08:00 PM	Ewallet	522.83	4.7619
1	226-31-3081	Giza	Naypyitaw	Normal	Female	Electronic accessories	15.28	5	3.8200	80.2200	2019-03-08	10:29:00 AM	Cash	76.40	4.7619
2	631-41-3108	Alex	Yangon	Normal	Female	Home and lifestyle	46.33	7	16.2155	340.5255	2019-03-03	1:23:00 PM	Credit card	324.31	4.7619
3	123-19-1176	Alex	Yangon	Member	Female	Health and beauty	58.22	8	23.2880	489.0480	2019-01-27	8:33:00 PM	Ewallet	465.76	4.7619
4	373-73-7910	Alex	Yangon	Member	Female	Sports and travel	86.31	7	30.2085	634.3785	2019-02-08	10:37:00 AM	Ewallet	604.17	4.7619

```

conn = sqlite3.connect("../data/database/supermarket.db")

print("Database created successfully!")

```

Database created successfully!


Figure 8.1: Python Successfully Connected to SQLite

8.3 SQL Query Execution

Several SQL queries were executed to analyze sales performance, branch-wise revenue, customer behavior, and payment methods.

Typical SQL operations included:

- SELECT
- WHERE
- GROUP BY
- ORDER BY
- Aggregate Functions



```
119 -- =====
120 -- CTE
121 -- =====
122
123 -- 19. Sales by Branch using CTE
124 WITH branch_sales AS
125 (
126     SELECT
127         branch,
128         SUM(sales) AS total_sales
129     FROM sales
130     GROUP BY branch
131 )
132
133 SELECT *
134 FROM branch_sales;
135
136 -- =====
137 -- WINDOW FUNCTIONS
138 -- =====
139
140 -- 20. ROW_NUMBER
141 SELECT
142     invoice_id,
143     sales,
144     ROW_NUMBER() OVER (ORDER BY sales DESC) AS row_num
145 FROM sales;
146
147 -- 21. RANK
148 SELECT
149     invoice_id,
150     sales,
151     RANK() OVER (ORDER BY sales DESC) AS sales_rank
152 FROM sales;
153
154 -- 22. LAG
155 SELECT
156     invoice_id,
157     sales,
158     LAG(sales) OVER (ORDER BY sales) AS previous_sale
159 FROM sales;
160
161 -- 23. LEAD
162 SELECT
```

Figure 8.2: SQL Query Execution

8.4 Python and SQL Integration

Python was used to execute SQL queries directly from the SQLite database using Pandas. This enabled automated retrieval and analysis of query results.


```

branch_name = "Alex"

query = """
SELECT *
FROM sales
WHERE branch = ?;
"""

df = pd.read_sql(query, conn, params=(branch_name,))

print(df.head())

```

[44] Python

	invoice_id	branch	city	customer_type	gender	product_line \
0	750-67-8428	Alex	Yangon	Member	Female	Health and beauty
1	631-41-3108	Alex	Yangon	Normal	Female	Home and lifestyle
2	123-19-1176	Alex	Yangon	Member	Female	Health and beauty
3	373-73-7910	Alex	Yangon	Member	Female	Sports and travel
4	355-53-5943	Alex	Yangon	Member	Female	Electronic accessories

	unit_price	quantity	tax_5	sales	date	time \
0	74.69	7	26.1415	548.9715	2019-01-05	1:08:00 PM
1	46.33	7	16.2155	340.5255	2019-03-03	1:23:00 PM
2	58.22	8	23.2880	489.0480	2019-01-27	8:33:00 PM
3	86.31	7	30.2085	634.3785	2019-02-08	10:37:00 AM
4	68.84	6	20.6520	433.6920	2019-02-25	2:36:00 PM

	payment	cogs	gross_margin_percentage	gross_income	rating
0	Ewallet	522.83	4.761905	26.1415	9.1
1	Credit card	324.31	4.761905	16.2155	7.4
2	Ewallet	465.76	4.761905	23.2880	8.4
3	Ewallet	604.17	4.761905	30.2085	5.3
4	Ewallet	413.04	4.761905	20.6520	5.8

Figure 8.3: Python and SQL Integration

8.5 Business Insights

The SQL analysis revealed important business information including:

- Branch-wise sales performance.
- Revenue generated by different branches.
- Customer purchasing behavior.
- Product category performance.
- Payment method distribution.

```

query = """
CREATE VIEW IF NOT EXISTS sales_summary AS
SELECT
    branch,
    SUM(sales) AS total_sales
FROM sales
GROUP BY branch;
"""

conn.execute(query)

pd.read_sql("SELECT * FROM sales_summary;", conn)

```

[35] Python

	branch	total_sales
0	Alex	106200.3705
1	Cairo	106197.6720
2	Giza	110568.7065

Figure 8.4: SQL Query Results

8.6 Key Findings

The major outcomes of Task 2 are summarized below:

- Successfully connected Python with SQLite.
- Executed SQL queries for business analytics.
- Automated SQL result retrieval using Python.
- Extracted meaningful business insights through SQL analysis.
- Prepared the processed data for visualization and dashboard development.

Chapter 9

Task 3: Interactive Dashboard and Data Visualization

9.1 Objective

The objective of Task 3 was to transform analytical results into interactive business dashboards using Microsoft Power BI. The dashboard was designed to provide management with an intuitive overview of sales performance, customer behavior, and business trends through interactive visualizations.

9.2 Dashboard Development

An interactive Power BI dashboard was developed using the cleaned supermarket sales dataset. Multiple visual components were integrated into a single dashboard to support business decision-making.




Figure 9.1: Complete Interactive Power BI Dashboard

9.3 Key Performance Indicators (KPIs)

The dashboard includes KPI cards that summarize the most important business metrics, enabling quick assessment of overall business performance.

The KPIs include:

- Total Sales
- Total Transactions
- Average Customer Rating
- Total Quantity Sold




Figure 9.2: Key Performance Indicator (KPI) Cards

9.4 Business Visualizations

Several visualizations were created to identify sales trends and compare business performance across different categories.

The dashboard includes visualizations such as:

- Product Line Analysis
- Branch-wise Sales
- City-wise Revenue
- Payment Method Distribution
- Customer Type Analysis




Figure 9.3: Business Performance Visualization

9.5 Interactive Filters

Interactive slicers and filters were implemented to allow users to dynamically explore the dataset based on different business dimensions.

The filters include:

- Branch

- City
- Product Line
- Customer Type
- Payment Method

Branch Filter	Customer Type Filter	Payment Filter
☐ Alex	☐ Member	☐ Cash
☐ Cairo	☐ Normal	☐ Credit card
☐ Giza		☐ Ewallet

Figure 9.4: Interactive Dashboard Filters

9.6 Key Findings

The dashboard successfully transformed raw sales data into meaningful business insights.

Major outcomes include:

- Interactive monitoring of sales performance.
- Easy comparison of branch and city performance.
- Identification of high-performing product lines.
- Visualization of customer purchasing behavior.
- Dynamic filtering for better business analysis.

Chapter 10

Task 4: Advanced Analytics and Statistical Modeling

10.1 Objective

The objective of Task 4 was to apply advanced data analytics techniques for extracting deeper business insights using statistical analysis, time series forecasting, customer segmentation, and predictive machine learning models.

This task represents the final analytical stage of the internship where descriptive analytics was extended into predictive analytics.

10.2 Monthly Sales Trend

Monthly sales were aggregated to identify long-term business performance across different months. This visualization provides a high-level overview of sales fluctuations and seasonal business patterns.




Figure 10.1: Monthly Sales Trend

10.3 Time Series Decomposition

Time series decomposition was performed to separate the observed sales into Trend, Seasonal, and Residual components.

The decomposition revealed:

- Overall sales trend
- Seasonal monthly patterns
- Random fluctuations




Figure 10.2: Time Series Decomposition

10.4 Moving Average Analysis

A 7-day moving average was calculated to smooth short-term fluctuations and better visualize long-term sales trends.

Moving averages help reduce noise while highlighting overall business performance.




Figure 10.3: 7-Day Moving Average

10.5 Exponential Smoothing

Exponential Smoothing was applied to forecast future sales while assigning greater importance to recent observations.

Compared with moving averages, exponential smoothing adapts more quickly to changing business trends.




Figure 10.4: Exponential Smoothing Forecast

10.6 ARIMA Forecasting

An ARIMA(1,1,1) model was developed for forecasting future sales based on historical observations.

The forecasting model successfully captured overall sales behavior and generated short-term predictions useful for inventory planning and business decision-making.




Figure 10.5: ARIMA Sales Forecast

10.7 Customer Segmentation using K-Means Clustering

Customer segmentation was performed using the K-Means clustering algorithm to identify groups of customers with similar purchasing behavior.

The optimal number of clusters was determined using the Elbow Method.




Figure 10.6: Elbow Method for Optimal Clusters

After selecting the optimal number of clusters, Principal Component Analysis (PCA) was applied to visualize the customer segments in two dimensions.



Figure 10.7: Customer Segmentation using PCA

The clustering process identified four customer groups with different purchasing characteristics, enabling businesses to design targeted marketing strategies.

10.8 Predictive Modeling

Several machine learning algorithms were developed to predict sales and customer purchasing behavior.

The following models were implemented:

- Linear Regression
- Logistic Regression
- Decision Tree Classifier

10.9 Feature Importance

The contribution of each feature towards prediction was analyzed using feature importance analysis.




Figure 10.8: Feature Importance Analysis

10.10 Model Performance

The developed models achieved strong predictive performance.

The evaluation metrics obtained during experimentation are summarized below.

Metric	Result
Linear Regression R^2 Score	0.905
Mean Absolute Error (MAE)	58.41
Root Mean Square Error (RMSE)	78.74
Logistic Regression Accuracy	92.0%
Decision Tree Accuracy	96.5%

Table 10.1: Machine Learning Model Performance

10.11 Key Findings

The major outcomes of Task 4 are summarized below:

- Time series forecasting successfully captured sales trends.

- Customer segmentation identified four distinct customer groups.
- Linear Regression achieved an R^2 score of 0.905.
- Decision Tree produced the highest classification accuracy of 96.5%.
- Advanced analytics demonstrated the effectiveness of machine learning for business decision-making.

Chapter 11

Task 5: Final Reporting, Deployment and Presentation

11.1 Objective

The objective of Task 5 was to professionally organize all internship deliverables, prepare technical documentation, publish project repositories, and present the complete analytics workflow in a structured and reproducible manner.

11.2 Project Documentation

Comprehensive documentation was prepared throughout the internship to ensure that every stage of the project could be understood and reproduced by other learners and professionals.

The documentation included:

- Project README files
- Technical reports
- Python notebooks
- SQL scripts
- Power BI dashboard
- Machine Learning notebooks
- GitHub repositories

11.3 GitHub Repository Organization

Each internship task was maintained in a separate GitHub repository for better project organization and version control.

The repositories include:

- Task 1 – Foundational Setup and EDA
- Task 2 – SQL Data Extraction
- Task 3 – Power BI Dashboard
- Task 4 – Advanced Analytics and Machine Learning

11.4 Project Deliverables

The final internship submission consists of:

- Cleaned Dataset
- Python Source Code
- SQL Scripts
- Power BI Dashboard (.pbix)
- Machine Learning Models
- Executive Summary Report
- Presentation Slides
- GitHub Repositories

11.5 Skills Acquired

Throughout the internship, the following technical skills were developed:

- Python Programming
- Data Cleaning and Preprocessing
- Exploratory Data Analysis
- SQL Database Management

- Power BI Dashboard Development
- Statistical Analysis
- Time Series Forecasting
- Machine Learning
- Data Visualization
- Technical Documentation

11.6 Summary

The internship successfully demonstrated the complete Data Analytics lifecycle from raw data preprocessing to advanced predictive modeling and professional reporting.

The knowledge and practical experience gained during this internship provide a strong foundation for future work in Data Analytics, Business Intelligence, and Machine Learning.

Chapter 12

Conclusion

The Data Analytics Internship at **ApexPlanet Software Pvt. Ltd.** provided valuable practical exposure to the complete data analytics lifecycle. Throughout the internship, theoretical concepts learned during academic coursework were successfully applied to a real-world business dataset.

The project began with data cleaning and exploratory data analysis, followed by SQL-based business analytics, interactive dashboard development, advanced statistical analysis, time series forecasting, customer segmentation, and predictive machine learning models. Each stage contributed to transforming raw transactional data into meaningful business insights.

Interactive Power BI dashboards enabled effective visualization of business performance, while machine learning models demonstrated strong predictive capabilities. Customer segmentation further highlighted the importance of data-driven marketing and business decision-making.

The internship strengthened practical skills in Python programming, SQL, data visualization, statistical analysis, machine learning, and technical documentation. It also enhanced problem-solving abilities, analytical thinking, and the understanding of how modern organizations utilize data analytics to support strategic business decisions.

Overall, the internship successfully achieved all its objectives and provided a strong foundation for future work in Data Analytics, Business Intelligence, and Artificial Intelligence.

Chapter 13

Future Scope

Although the project successfully demonstrated an end-to-end data analytics workflow, several opportunities exist for further improvement and expansion.

Future enhancements may include:

- Deployment of machine learning models as interactive web applications.
- Integration with cloud-based databases and data warehouses.
- Real-time sales analytics using streaming data.
- Development of automated business intelligence dashboards.
- Implementation of deep learning models for demand forecasting.
- Recommendation systems for personalized customer experiences.
- Integration with enterprise ERP and CRM platforms.
- Automated report generation using Generative AI and Large Language Models (LLMs).

The techniques learned during this internship provide a strong foundation for developing scalable data analytics solutions capable of supporting modern business decision-making.

Chapter 14

References

The following books, software, libraries, and online resources were referred to during the completion of this internship project.

1. Python Software Foundation. *Python Documentation*.
<https://docs.python.org/>
2. Pandas Development Team. *Pandas Documentation*.
<https://pandas.pydata.org/>
3. NumPy Developers. *NumPy Documentation*.
<https://numpy.org/>
4. Matplotlib Development Team. *Matplotlib Documentation*.
<https://matplotlib.org/>
5. Seaborn Documentation.
<https://seaborn.pydata.org/>
6. Scikit-learn Developers. *Scikit-learn Documentation*.
<https://scikit-learn.org/>
7. Statsmodels Documentation.
<https://www.statsmodels.org/>
8. SQLite Documentation.
<https://sqlite.org/docs.html>
9. Microsoft Power BI Documentation.
<https://learn.microsoft.com/power-bi/>
10. ApexPlanet Software Pvt. Ltd. Internship Learning Materials.

Chapter 15

Appendix

15.1 Project Repository Links

The complete source code for each internship task has been maintained in separate GitHub repositories.

Task	Repository
Task 1	https://github.com/Sriniccc/ApexPlanet-Task1-EDA
Task 2	https://github.com/Sriniccc/ApexPlanet-Task2-SQL
Task 3	https://github.com/Sriniccc/ApexPlanet-Task3-Dashboard
Task 4	https://github.com/Sriniccc/ApexPlanet_Task4_Advanced_Analytics

Table 15.1: GitHub Repository Links

15.2 Project Folder Structure

ApexPlanet_Task1_Foundational_Setup_EDA

ApexPlanet_Task2_SQL_Data_Extraction

ApexPlanet_Task3_Data_Visualization

ApexPlanet_Task4_Advanced_Analytics

15.3 Software and Tools Used

- Python
- Jupyter Notebook
- SQLite
- Microsoft Power BI
- Pandas
- NumPy
- Matplotlib
- Seaborn
- Statsmodels
- Scikit-learn
- Git
- GitHub
- Visual Studio Code
- Overleaf (LaTeX)

15.4 Internship Certificate

The internship completion certificate will be attached here after successful completion of the internship.

Certificate Placeholder
