

Mental Health in India (2025): Issues, Taboos & What We Need to Change

Compiled for: Manas Ranjan Jena | Date: August 23, 2025 Prepared by: ChatGPT

Executive Summary

This report synthesizes recent research, government publications, and journalism to map India's shifting mental health landscape. It connects hard data with the cultural and structural taboos that keep people from seeking help—even when help is available. The goal is practical: name the taboos, bust the myths, and propose actions that individuals, families, schools, workplaces, health systems, and policymakers can take right now.

Key signals: treatment gaps remain vast; adolescent and student distress is rising; men's help-seeking is still low; LGBTQIA+ people face layered discrimination; postpartum and menstrual-linked mental health concerns are under-recognized; and superstition or faith-healing sometimes substitutes for evidence-based care. Rights-based laws exist (e.g., the Mental Healthcare Act, 2017) but uneven implementation and poor insurance parity continue to limit impact.

Use this document as a conversation starter with stakeholders: parents, teachers, HR leaders, creators, local leaders, clinicians, and policymakers. Every section ends with actions you can pilot immediately.

Quick Stats & Signals (2024–2025)

Prevalence and treatment gap: The National Mental Health Survey (NMHS) reported ~10.6% adult prevalence with treatment gaps ranging from ~70% to 92% across disorders. Urban metros show higher measured morbidity than rural and non-metro areas. [Sources: Economic Survey/PIB summary of NMHS 2015–16].

Suicide: India's suicide rate rose to 12.4 per 100,000 in 2022—the highest since records began—per NCRB analysis. Students remain a high-risk group. [Sources: NCRB ADSI; independent analyses].

Tele-MANAS (14416): A 24×7 national helpline now operates in 20+ languages, with states reporting growing call volumes—largely for mood changes, stress, anxiety and sleep issues. [Sources: MoHFW; state media reports].

Insurance parity: The Mental Healthcare Act mandates parity, IRDAI has issued circulars, yet multiple reviews note uneven product design and exclusions that blunt parity in practice. [Sources: IRDAI circulars; peer-reviewed commentary].

Schools and screens: New reporting links late-night screen use with poor sleep and life satisfaction among adolescents; career uncertainty remains a dominant stressor. [Recent student well-being reports].

Why Stigma Persists

Honor & collectivism: Families often fear 'social image' and marriage prospects more than the condition itself. Silence and secrecy are framed as love, but they amplify suffering.

Myths about psychiatry: Therapy is 'for the crazy'; medications 'change personality' or are 'addictive'. The result is delayed care, trial of non-evidence-based remedies, and avoidable crises.

Structural stigma: Weak MHCA implementation, patchy insurance coverage, and privacy anxieties around digital services keep people away from formal care pathways.

Intersectional stigma: Gender norms (especially for men), caste, class, sexuality, disability, and rural/urban divides compound risk and reduce help-seeking.

Taboos in India: What's Frowned Upon but Not 'Bad'

1) Seeing a therapist

The stigma: 'Only mad people go to therapy.'

The reality: Talk therapy is routine preventive care—like physiotherapy for the mind. Early conversations avert crises and reduce long-term cost.

Reframe: Normalize annual mental health check-ups; integrate counselling in schools, colleges, and primary care clinics.

2) Taking psychiatric medication

The stigma: 'Meds will change who I am or make me dependent.'

The reality: Evidence-based medications reduce suffering and restore function for many conditions. Dependence is not a feature of most first-line psychiatric medicines when supervised.

Reframe: Treat like antibiotics: appropriate diagnosis, the right drug and dose, regular review, and a taper plan when indicated.

3) Talking openly about suicidal feelings

The stigma: 'Don't mention it—talking about suicide puts the idea in someone's head.'

The reality: Responsible, non-sensational discussion and safety planning save lives. Silence isolates people.

Reframe: Use helplines (Tele-MANAS 14416), train gatekeepers in schools, campuses, and HR teams.

4) Men expressing vulnerability

The stigma: Men must be stoic providers—tears equal weakness.

The reality: Rigid masculinity norms suppress help-seeking; multiple Indian surveys highlight low disclosure among men.

Reframe: Celebrate help-seeking as strength; sports teams, colleges, and workplaces should platform male champions normalizing care.

5) Leaving harmful relationships (including divorce)

The stigma: Divorce, separation, or reporting abuse brings 'shame'.

The reality: Exiting violence or chronic distress is protective for mental health and safety.

Reframe: Offer confidential counselling, legal aid, and community shelters; shift from 'save the marriage' to 'save the humans'.

6) Live-in relationships & dating

The stigma: Moral panic and policing overshadow discussions of consent, safety, and compatibility.

The reality: Adults benefit from relationship literacy—boundaries, conflict skills, contraception, and financial planning.

Reframe: Teach consent and communication in schools/colleges; evaluate relationships by health, not 'honour'.

7) LGBTQIA+ identities and gender-affirming care

The stigma: 'It's a phase/Western idea'; legal recognition remains limited (e.g., marriage).

The reality: Identity is not pathology; stigma drives depression and suicidality. Gender-affirming, culturally sensitive care improves wellbeing.

Reframe: Family acceptance programs, inclusive campuses/workplaces, and accessible, respectful healthcare.

8) Menstruation, PMS/PMDD

The stigma: Menstruation is 'dirty'; mood symptoms are mocked or dismissed.

The reality: Hormonal cycles affect mood and functioning for many; taboos block care, products, and accommodations.

Reframe: Normalize period-positive policies (restrooms, products, flexible scheduling) and evidence-based care for PMDD.

9) Perinatal & postpartum mental health

The stigma: 'A good mother is always blissful.'

The reality: Postpartum depression and anxiety are common and treatable; silence harms both mother and baby.

Reframe: Routine screening during ANC/PNC, partner education, and rapid referral pathways.

10) Neurodiversity: ADHD/Autism

The stigma: Labels 'limit' children; medication equals failure.

The reality: Early support, accommodations, and—when indicated—medication can transform outcomes.

Reframe: Shift from 'fix the child' to 'fix the environment': classrooms, assessments, and family coaching.

11) Addiction as a health issue

The stigma: Moral failing; criminalize rather than treat.

The reality: Evidence-based deaddiction (OAT, counselling) reduces deaths and crime; MHCA calls for rights-based care.

Reframe: Treat per MHCA with dignity; integrate OAT into primary care; stop shaming families.

12) Faith healing & superstition vs. psychiatry

The stigma: Illness seen as possession or 'nazar'; families try exorcism first.

The reality: Delays evidence-based care; in some regions leads to abuse (e.g., witchbranding of women).

Reframe: Partner with trusted local leaders to promote scientific care; protect victims with strong enforcement.

13) Sleep & rest vs. hustle

The stigma: Sleep is laziness; 24×7 grind equals success.

The reality: Chronic sleep loss worsens mood, focus, and health—adolescents are especially vulnerable.

Reframe: Set device curfews, daylight routines, and institutional quiet hours.

Population Snapshots & What Helps

Students & competitive exams

Academic pressure, late-night screens, and uncertain career pathways are driving distress. Schools often lack accessible counselling. Mandate sleep hygiene modules, career counselling, and crisis protocols. Peer support clubs + trained counsellors should be baseline.

Healthcare workers

Burnout, moral injury, and harassment erode wellbeing. Confidential helplines and protected time for care reduce attrition.

Rural communities & the urban poor

Distance, cost, and cultural beliefs drive reliance on non-medical options. Expand TeleMANAS + task-sharing via community health workers.

LGBTQIA+ people

Layered stigma at home, school, and clinics increases risk; care must be affirming and confidential.

Men

Norms that punish vulnerability suppress help-seeking. Targeted campaigns and male allyship matter.

Systems & Policy

Law & rights (MHCA 2017): Guarantees confidentiality, consent, community living, and bans ECT without anaesthesia; limits ECT for minors; mandates insurance parity. Implementation remains uneven—states must operationalize Review Boards, registries, and quality standards.

TeleMANAS (14416): As the digital arm of DMHP, it expands language-accessible counselling; states report rising call volumes. Integrate with on-ground follow-up and referral pathways.

Insurance parity (IRDAI): Recent circulars and product modifications reference mental illness, but exclusions and underwriting practices still dilute parity. Audit products and enforce compliance.

Privacy (DPDP Act 2023): Sets a general framework for digital personal data; mental health apps must prioritize consent, minimization, and security—even where the law is silent on 'sensitive' categories.

Ten Actions to Pilot Now

- **Families:** Replace secrecy with scripts: 'Thank you for telling me. We'll figure this out together.'

- **Schools/Colleges:** Mandatory sleep & digital hygiene modules; gatekeeper training; quiet hours during exam season; career counselling for all.
- **Workplaces:** Normalize mental health PTO; manager training; confidential EAPs; outcome based work over presenteeism.
- **Health system:** Scale task sharing; integrate OAT; perinatal screening; ADHD adult services; tele follow ups.
- **Policy:** Fully implement MHCA; enforce insurance parity; publish timely NCRB suicide data; fund perinatal and youth mental health.
- **Media/Creators:** Follow suicide reporting guidelines; build narratives that show recovery and help seeking, not just tragedy.
- **Tech platforms:** Default privacy; crisis protocols; evidence based content moderation on self harm topics.
- **Community:** Partner with faith and local leaders to debunk myths; protect women from witch branding and abuse.
- **Everyone:** Treat therapy like a gym membership for your mind. Prevention is cheaper than crisis care.

Language That Helps (and What to Avoid)

- **Say:** 'Person living with schizophrenia' **Not:** 'schizo'
- **Say:** 'Died by suicide' **Not:** 'committed suicide'
- **Say:** 'Takes medication for depression' **Not:** 'pill dependent'
- **Say:** 'Seeks help' **Not:** 'weak'

Resources & Helplines

- **National Helpline:** Tele MANAS 14416 (24x7, multi language)
- For acute emergencies, call local emergency services and stay with the person until help arrives.

Notes on Method

This report is a synthesis of open-source government publications, peer-reviewed literature, and credible journalism. Where official numbers are lagging (e.g., suicide data for 2023), we rely on the latest available NCRB/ADSI series and independent analyses while awaiting the official release. All web sources were last accessed on the date of compilation shown on the title page.

References (Selected)

Economic Survey 2023–24 highlights on mental health (PIB):

<https://www.pib.gov.in/PressReleaseFramePage.aspx?PRID=2034931>

NCRB: Accidental Deaths & Suicides in India (ADSI) – landing page:

<https://ncrb.gov.in/en/accidental-deaths-suicides-in-india>

SAGE (2024): NCRB Suicide in India 2022 – time trends analysis:

<https://journals.sagepub.com/doi/10.1177/02537176241240699>

CMHLP (2024): Takeaways from NCRB suicide data 2022:

<https://cmhlp.org/imho/blog/takeaways-from-the-ncrb-data-on-suicide-for-2022/>

MoHFW (2025): National Tele Mental Health Programme update:

<https://www.mohfw.gov.in/?q=en%2Fpressrelease-242>

TeleMANAS official site: <https://telemanas.mohfw.gov.in/>

IRDAI circulars (2024): Health Insurance – mental illness mentions: <https://irdai.gov.in/en/circulars>

IJIP (2024): Stigma and Mental Health among Young Adults:

<https://ijip.in/wp-content/uploads/2024/07/18.01.413.20241202.pdf>

WHO India: Mental health overview: <https://www.who.int/india/health-topics/mental-health>

PIB (2024): Steps Taken to Strengthen Mental Healthcare Services:

<https://www.pib.gov.in/PressReleasePage.aspx?PRID=2043511>

LWW (2024): Bridging the Mental Health Treatment Gap in India: https://journals.lww.com/mhbb/fulltext/2024/07000/bridging_the_mental_health_treatment_gap_in_india_.3.aspx

IRDAI parity commentary (2025): Status of inclusion of mental illness under health insurance:

<https://pmc.ncbi.nlm.nih.gov/articles/PMC12032595/>

DPDP Act 2023 – official PDF:

<https://www.meity.gov.in/static/uploads/2024/06/2bf1f0e9f04e6fb4f8fef35e82c42aa5.pdf>

Manipal (2024): Four in ten Indian men don't open up about mental health: <https://www.manipal.edu/mu/news-events/four-in-ten-indian-men-don-t-open-up-about-mental-health--say-ex.html>

Down To Earth (2024): Silent crisis of men's mental health in India:

<https://www.downtoearth.org.in/health/theres-a-silent-crisis-of-mens-mental-health-in-india>

IJIP (2024): Accessibility & stigma in LGBTQIA+ mental healthcare:

<https://ijip.in/wp-content/uploads/2024/06/18.01.326.20241202.pdf>

Goitiandia et al. (2024): LGBTQ+ health equity after India's 'no' to marriage equality:
<https://www.sciencedirect.com/science/article/pii/S2772368224001446>

SAGE (2024): Queerness & mental health in Mumbai – disclosure study:
<https://journals.sagepub.com/doi/full/10.1177/20563051241302145>

Nature Sci Rep (2024): Period product use among young women in India:
<https://www.nature.com/articles/s41598-024-70383-w>

T&F; (2024): (Re)making menstrual hygiene discourses in India:
<https://www.tandfonline.com/doi/full/10.1080/25729861.2024.2410509>

BMC Public Health (2024): Predictors & prevalence of postpartum depression – global:
<https://bmcpublichealth.biomedcentral.com/articles/10.1186/s12889-024-18502-0>

Upadhyay et al. (2017): Postpartum depression in India – systematic review:
<https://pmc.ncbi.nlm.nih.gov/articles/PMC5689195/>

Times of India (2025): Student Well-being Pulse Report – screen time & sleep: <https://timesofindia.indiatimes.com/city/mumbai/late-night-screen-use-linked-sleep-loss-career-uncertainty-drive-mental-health-crisis-among-indian-students-says-report/articleshow/123459755.cms>

Times of India (2025): TeleMANAS call patterns in Gujarat: <https://timesofindia.indiatimes.com/city/ahmedabad/call-for-help-1-in-3-says-mazaa-nahi-aa-raha/articleshow/121254184.cms>

Times of India (2025): Witchbranding & superstition – Bihar:
<https://timesofindia.indiatimes.com/city/patna/superstition-ruining-lives/articleshow/123338230.cms>

Important: This document is educational and not medical advice. If you or someone you know is in crisis, call TeleMANAS (14416) or local emergency services immediately.