NAME	**M.MANASA**
REG NO	**192425189**
COURSE CODE	**CSA4135**
COURSE	**INTERNET PROGRAMMING**

EXP-11

11. Home Finder, an innovative online real estate platform, is designed to simplify the property search and transaction process for buyers, sellers, and renters. The website features a comprehensive database of residential and commercial properties, with advanced search filters for location, price, type, and amenities. Key functionalities include user registration and login, detailed property listings with high-quality images and virtual tours, and interactive maps to explore neighborhood features. Users can schedule property viewings, save favorite listings, and receive notifications for new or updated properties matching their criteria. The platform also offers tools for property valuation, mortgage calculators, and direct communication with real estate agents. Home Finder aims to make the property search process efficient and transparent, providing users with valuable insights.

This website helps the user to search and book lands/houses in their required area in their budget.

Functionalities

- Search properties by location, type, maximum budget and amenities.
- View property listings with area, price and availability status.
- Book a property viewing and cancel it when needed from My Viewings.
- Calculate the monthly EMI for a home loan with the mortgage calculator.
- Download or print the viewing list.
- Responsive layout for desktop, tablet and mobile.
- Backend features (login, payment gateway, confirmation emails, admin panel) are to be connected to this frontend.

1. HTML Code

Save the following code as index.html. It includes HTML, CSS, and a small JavaScript search, viewing and EMI interaction. Replace sample records with real data when connecting a backend.

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Home Finder - Online Real Estate</title>
```

```
<style>
*{box-sizing:border-box}
body{margin:0;font-family:Arial,sans-serif;background:#f3f8f4;color:#13261b}
header{background:#1f6f50;color:white;padding:18px 6%;display:flex;justify-
content:space-between;align-items:center;flex-wrap:wrap;gap:12px}
header h2{margin:0}
nav a{color:white;text-decoration:none;margin-left:16px}
.hero{background:#dcefe2;padding:45px 6%}
.hero h1{font-size:36px;margin:0 0 12px}
.hero p{color:#3f5f4c;font-size:18px}
form.search{display:grid;grid-template-columns:repeat(4,minmax(130px,1fr))
auto;gap:12px;margin-top:24px;align-items:end}
label{font-size:14px;font-weight:bold;color:#274a37}
input,select{display:block;width:100%;margin-top:7px;padding:12px;border:1px solid
#b6d3c1;border-radius:8px;font-size:15px;background:white}
button,.btn{background:#1f6f50;color:white;border:0;border-radius:8px;padding:13px
17px;cursor:pointer;font-weight:bold}
button:focus-visible,input:focus-visible,select:focus-visible{outline:3px solid
#6fbf94;outline-offset:2px}
main{padding:28px 6%}
section{margin-bottom:32px}
.title-row{display:flex;justify-content:space-between;align-items:center;flex-
wrap:wrap}
.grid{display:grid;grid-template-columns:repeat(auto-fit,minmax(240px,1fr));gap:18px}
.card{background:white;border:1px solid #d3e6da;border-radius:14px;padding:20px;box-
shadow:0 4px 12px #13261b0f}
.card[hidden]{display:none}
.visual{background:#dcefe2;color:#1f6f50;border-radius:10px;padding:22px;text-
align:center;font-size:34px}
.card h3{margin-bottom:8px}
.card p{color:#3f5f4c}
.price{font-size:21px;color:#1f6f50}
.badge{display:inline-block;background:#dcfce7;color:#166534;padding:6px 10px;border-
radius:20px;font-size:13px}
.badge.new{background:#fef3c7;color:#92400e}
.table-wrap{overflow-x:auto;background:white;border-radius:12px;padding:12px}
table{border-collapse:collapse;width:100%;min-width:600px}
th,td{padding:15px;text-align:left;border-bottom:1px solid #d3e6da}
th{color:#5d7d6a}
.ok{color:#166534}.wait{color:#c2410c}.cancel{color:#b91c1c}
.ghost{background:#dcefe2;color:#1f6f50;border:1px solid #1f6f50}
.small{padding:8px 12px;font-size:13px}
.emi{display:grid;grid-template-columns:repeat(3,minmax(130px,1fr))
auto;gap:12px;align-items:end}
#emiResult{font-size:20px;color:#1f6f50;margin:16px 0 0}
#msg{margin-top:14px;padding:12px;border-radius:8px;background:#dcfce7;color:#166534}
footer{background:#1f6f50;color:white;text-align:center;padding:20px;margin-top:25px}
@media(max-width:850px){form.search,.emi{grid-template-
columns:repeat(2,minmax(130px,1fr))}.hero h1{font-size:29px}}
@media(max-width:520px){form.search,.emi{grid-template-columns:1fr}header{align-
items:flex-start;flex-direction:column}nav a{margin:0 10px 0 0}}
@media print{header,.hero,footer,.ghost,#contact{display:none}}
</style>
</head>
<body>
```

```
<header>
 <h2>HOME FINDER</h2>
 <nav><a href="#home">Home</a><a href="#options">Properties</a><a href="#viewings">My
Viewings</a><a href="#emi">EMI Calculator</a><a href="#contact">Contact</a></nav>
</header>

<section class="hero" id="home">
 <h1>Find the right home or land in your budget</h1>
 <p>Search houses, apartments, plots and commercial spaces in your preferred area.</p>
 <form class="search" id="searchForm">
  <label>Location
   <select id="field1">
    <option value="">Any location</option>
    <option>chennai</option><option>bengaluru</option><option>hyderabad</option>
   </select>
  </label>
  <label>Property type
   <select id="field2">
    <option value="">Any type</option>

<option>house</option><option>apartment</option><option>land</option><option>commercia
l</option>
   </select>
  </label>
  <label>Max budget
   <select id="field3">
    <option value="">Any budget</option>
    <option value="50">Up to &#8377;50 lakh</option>
    <option value="100">Up to &#8377;1 crore</option>
    <option value="200">Up to &#8377;2 crore</option>
   </select>
  </label>
  <label>Amenity
   <select id="field4">
    <option value="">Any amenity</option>
    <option>parking</option><option>garden</option><option>gym</option>
   </select>
  </label>
  <button type="submit">Search Properties</button>
 </form>
</section>

<main>
 <section id="options">
  <div class="title-row"><h2>Available Properties</h2><span>Sample
listings</span></div>
  <div class="grid" id="optionList">
   <article class="card" data-search="chennai house parking garden" data-price="85">
    <div class="visual">&#127968;</div>
    <h3>3 BHK Independent House</h3>
    <p>Anna Nagar, Chennai &bull; 1,800 sq ft</p>
    <strong class="price">&#8377;85 lakh</strong>
    <p><span class="badge">Available</span></p>
```

```
    <button type="button" onclick="showDetails('3 BHK Independent House')">View
details</button>
    <button type="button" onclick="bookViewing('3 BHK Independent House, Anna
Nagar')">Book viewing</button>
   </article>
   <article class="card" data-search="bengaluru apartment gym parking" data-
price="62">
    <div class="visual">&#127970;</div>
    <h3>2 BHK Apartment</h3>
    <p>Whitefield, Bengaluru &bull; 1,150 sq ft</p>
    <strong class="price">&#8377;62 lakh</strong>
    <p><span class="badge new">New listing</span></p>
    <button type="button" onclick="showDetails('2 BHK Apartment')">View
details</button>
    <button type="button" onclick="bookViewing('2 BHK Apartment, Whitefield')">Book
viewing</button>
   </article>
   <article class="card" data-search="hyderabad land plot" data-price="48">
    <div class="visual">&#127795;</div>
    <h3>Residential Plot</h3>
    <p>Gachibowli, Hyderabad &bull; 1,200 sq ft</p>
    <strong class="price">&#8377;48 lakh</strong>
    <p><span class="badge">Available</span></p>
    <button type="button" onclick="showDetails('Residential Plot')">View
details</button>
    <button type="button" onclick="bookViewing('Residential Plot, Gachibowli')">Book
viewing</button>
   </article>
   <article class="card" data-search="chennai house garden parking villa" data-
price="180">
    <div class="visual">&#127969;</div>
    <h3>4 BHK Villa</h3>
    <p>ECR, Chennai &bull; 3,200 sq ft</p>
    <strong class="price">&#8377;1.8 crore</strong>
    <p><span class="badge">Available</span></p>
    <button type="button" onclick="showDetails('4 BHK Villa')">View details</button>
    <button type="button" onclick="bookViewing('4 BHK Villa, ECR')">Book
viewing</button>
   </article>
   <article class="card" data-search="bengaluru commercial shop parking" data-
price="95">
    <div class="visual">&#127978;</div>
    <h3>Commercial Shop</h3>
    <p>Koramangala, Bengaluru &bull; 600 sq ft</p>
    <strong class="price">&#8377;95 lakh</strong>
    <p><span class="badge">Available</span></p>
    <button type="button" onclick="showDetails('Commercial Shop')">View
details</button>
    <button type="button" onclick="bookViewing('Commercial Shop, Koramangala')">Book
viewing</button>
   </article>
   <article class="card" data-search="hyderabad land farm" data-price="32">
    <div class="visual">&#127806;</div>
    <h3>Farm Land</h3>
    <p>Shamirpet, Hyderabad &bull; 1 acre</p>
```

```
    <strong class="price">&#8377;32 lakh</strong>
    <p><span class="badge new">New listing</span></p>
    <button type="button" onclick="showDetails('Farm Land')">View details</button>
    <button type="button" onclick="bookViewing('Farm Land, Shamirpet')">Book
viewing</button>
   </article>
  </div>
  <p id="noResults" hidden>No matching properties found. Try a different location or
budget.</p>
  <p id="msg" hidden role="status"></p>
 </section>

 <section id="viewings">
  <h2>My Viewings</h2>
  <div class="table-wrap">
   <table>
    <thead><tr><th>Booking ID</th><th>Property</th><th>Viewing
Date</th><th>Status</th><th>Action</th></tr></thead>
    <tbody id="viewBody">
     <tr><td>HF6001</td><td>3 BHK Independent House, Anna Nagar</td><td>14 Nov
2026</td><td class="ok">Confirmed</td><td><button class="small" type="button"
onclick="cancelRow(this)">Cancel</button></td></tr>
     <tr><td>HF6002</td><td>Residential Plot, Gachibowli</td><td>22 Nov 2026</td><td
class="wait">Pending</td><td><button class="small" type="button"
onclick="cancelRow(this)">Cancel</button></td></tr>
    </tbody>
   </table>
  </div>
  <p><button type="button" class="ghost" onclick="window.print()">Download /
Print</button></p>
 </section>

 <section id="emi">
  <h2>Mortgage (EMI) Calculator</h2>
  <div class="card">
   <div class="emi">
    <label>Loan amount (&#8377;)<input type="number" id="loan" value="5000000"
min="0"></label>
    <label>Interest rate (% per year)<input type="number" id="rate" value="8.5"
min="0" step="0.1"></label>
    <label>Tenure (years)<input type="number" id="years" value="20" min="1"></label>
    <button type="button" onclick="calcEmi()">Calculate EMI</button>
   </div>
   <p id="emiResult" role="status"></p>
  </div>
 </section>

 <section id="contact">
  <h2>Contact Us</h2>
  <div class="card">
   <p>Email: support@example.com</p>
   <p>For help with listings, viewings or agent enquiries, contact the Home Finder
team.</p>
  </div>
```

```
 </section>
</main>

<footer><p>&copy; 2026 Home Finder Online Real Estate System &bull; Sample frontend
project</p></footer>

<script>
document.getElementById('searchForm').addEventListener('submit', function (event) {
  event.preventDefault();
  var loc = document.getElementById('field1').value.toLowerCase();
  var type = document.getElementById('field2').value.toLowerCase();
  var max = Number(document.getElementById('field3').value) || Infinity;
  var amenity = document.getElementById('field4').value.toLowerCase();
  var cards = Array.prototype.slice.call(document.querySelectorAll('#optionList
.card'));
  var count = 0;
  cards.forEach(function (card) {
    var words = card.dataset.search.split(' ');
    var match = (!loc || words.indexOf(loc) !== -1) &&
                (!type || words.indexOf(type) !== -1) &&
                (!amenity || words.indexOf(amenity) !== -1) &&
                Number(card.dataset.price) <= max;
    card.hidden = !match;
    if (match) count++;
  });
  document.getElementById('noResults').hidden = count > 0;
});

function showDetails(name) {
  alert(name + ': Sample details. Connect a backend for photos, virtual tours, maps
and agent contact.');
}


var nextId = 6003;
function bookViewing(name) {
  var date = prompt('Preferred viewing date for ' + name + ':', '25 Nov 2026');
  if (date === null || !date.trim()) return;
  var row = document.createElement('tr');
  ['HF' + (nextId++), name, date.trim(), 'Pending'].forEach(function (text, i) {
    var td = document.createElement('td');
    td.textContent = text;
    if (i === 3) td.className = 'wait';
    row.appendChild(td);
  });
  var act = document.createElement('td');
  var btn = document.createElement('button');
  btn.type = 'button'; btn.className = 'small'; btn.textContent = 'Cancel';
  btn.onclick = function () { cancelRow(btn); };
  act.appendChild(btn); row.appendChild(act);
  document.getElementById('viewBody').appendChild(row);
  var msg = document.getElementById('msg');
  msg.textContent = 'Viewing requested for ' + name + '. The agent will confirm by
email.';
```

```
  msg.hidden = false;
}

function cancelRow(btn) {
  var cells = btn.closest('tr').children;
  cells[3].textContent = 'Cancelled';
  cells[3].className = 'cancel';
  btn.disabled = true;
}

function calcEmi() {
  var p = Number(document.getElementById('loan').value);
  var r = Number(document.getElementById('rate').value) / 12 / 100;
  var n = Number(document.getElementById('years').value) * 12;
  var out = document.getElementById('emiResult');
  if (!(p > 0) || !(n > 0) || r < 0) { out.textContent = 'Enter a valid loan amount,
rate and tenure.'; return; }
  var emi = r === 0 ? p / n : p * r * Math.pow(1 + r, n) / (Math.pow(1 + r, n) - 1);
  out.textContent = 'Monthly EMI: \u20B9' + Math.round(emi).toLocaleString('en-IN');
}
calcEmi();
</script>
</body>
</html>
```

Output 1: Property Search and Listings



Output 2: Property Viewings and Mortgage Calculator

