


INDEX

SL. NO	TOPICS	SIGN
1.	Acquaintance with elements, tags and basic structure of HTML file.	
2.	Practicing basic and advanced Text Formatting	
3.	Practicing use of multimedia components (image, video, audio in html document)	
4.	Designing a webpage - Document layout.	
5.	Designing of webpage working with list	
6.	Designing of webpage working with Tables.	
7.	Practicing Hyperlinking of WebPage	
8.	Designing of webpage working with frames	
9.	Designing of webpage working with forms and controls	
10.	Acquaintance with creating stylesheet, CSS properties and styling	
11.	Working with background, text and font properties.	
12.	Working with list properties.	
13.	Working with HTML elements box properties in CSS	
14.	Working with Positioning and block properties in CSS	
15.	Designing with a cascading style sheets (CSS) - Internal style sheet	
16.	Designing with cascading stylesheets - external stylesheet.	

Lob Program 1

① Acquaintance with elements, Tags and basic structure of HTML files

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title> My first HTML Page </title>
```

```
</head>
```

```
<body>
```

```
<h1> Hello, world! </h1>
```

```
<p>
```

```
This is my first HTML program <b>
```

```
I am learning about <strong> tags </strong>  
and <em> elements </em>
```

```
</p>
```

```
<p> list </p>
```

```
<ul>
```

```
<li> HTML </li>
```

```
<li> CSS </li>
```

```
<li> JavaScript </li>
```

```
</ul>
```

```
<p> Visit my favourite website:
```

```
<a href = "https://www.google.com"
```

```
target = "blank"> Google </a>
```

```
</p>
```

```
<p> Here is an image: </p>
```

```
<img src = "https://picsum.photos/600"
```

```
alt = "Sample Image" >
```

</body>

</html>

Output

Hello, world

this is my first html program

I am learning about tags and elements
list

- HTML
- CSS
- Java Script

visit my favourite website: Google

here is an image:

 sample image.

Lab Program - 2

② Practicing basic and advanced Text formatting

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title> Text Formatting </title>
```

```
</head>
```

```
<body>
```

```
<h1> Text Formatting in HTML </h1>
```

```
<!-- Basic Formatting -->
```

```
<p> <strong> Bold text </strong> shows importance </p>
```

```
<p> <em> italic text </em> is used for emphasis </p>
```

```
<p> <u> Underlined text </u> stands out visually </p>
```

```
<p> This is <mark> highlighted </mark> word </p>
```

```
<p> This is <small> smaller </small> text </p>
```

```
<p> This is <del> deleted </del> text and <ins>  
inserted </ins> text </p>
```

```
<p> This is <sub> subscript </sub> and <sup>  
superscript </sup> text </p>
```

```
</body>
```

```
</html>
```

Text Formatting in HTML

Bold text shows importance

Italic text is used for emphasis

Underlined text stands out visually

This is highlighted word.

This is smaller text.

This is ~~deleted~~ text and inserted text

This is subscript and superscript text.

Lab Program-03

- ③ Practicing use of multimedia components
(image, videos, audio in html document)

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title> Use of multimedia components </title>
```

```
</head>
```

```
<body>
```

```
<h1> multimedia components </h1>
```

```
<p> image example </p>
```

```
<img src = "c:\users\pc3\Desktop\horse.jpg"
```

```
alt = "sample image" width = "200"
```

```
height = "150">
```

```
<p> video example </p>
```

```
<video width = "640" height = "360" controls>
```

```
source src = "https://www.w3schools.com/html/
```

```
11mov-bbb.mp4" type = "video/mp4">
```

```
</video>
```

```
<p> audio example </p>
```

```
<audio controls><source src = "https://www.
```

```
w3schools.com/html/horse.mp3" type =
```

```
"audio/mpeg">
```

```
</audio>
```


</body>

</html>


Output.

Multimedia Components


image example:



video example:



audio example:



Lab Program - 04

④ Designing of webpage - Document layout.

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title> My Webpage Layout </title>
```

```
<style>
```

```
body {
```

```
font-family: Arial;
```

```
margin: 0;
```

```
background-color: lightblue;
```

```
}
```

```
header {
```

```
background-color: blue;
```

```
color: white;
```

```
padding: 20px;
```

```
text-align: center;
```

```
font-size: 24px;
```

```
}
```

```
nav {
```

```
background-color: navy;
```

```
padding: 15px;
```

```
}
```

```
nav a :hover {
```

```
background-color: white;
```

```
}
```

```
section {
```

```
background-color: aqua;
```

```
padding: 24px;
```

```
}
```


footer {

background-color: blue;

color: white;

padding: 10px;

text-align: center;

}

</style>

</head>

<body>

<header>

<p>My webpage Layout</p>

</header>

<nav>

Home

About

Service

Contact

</nav>

<section>

<h2>Welcome to my webpage </h2>

<p>This section contains the main content
of the web page. </p>

</section>

<footer>

<p>©copy : 2025 My Web Page

Mail : My123@gmail.com

</footer>

</body>

</html>

Output

My WebPage Layout

Home

About


Service

Contact

Welcome to my Webpage

This section contains the main content of the webpage

@copy: 2025 My Webpage Mail: My123@gmail.com



Lab Program -05

⑤ Designing of webpage working with list

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title> My WebPage: </title>
```

```
</head>
```

```
<body>
```

```
<h1> Welcome to my web page : </h1>
```

```
<p> here are some list: </p>
```

```
<ul type = "disc">
```

```
<li> apple </li>
```

```
<li> banana </li>
```

```
<li> Orange </li>
```

```
</ul>
```

```
<ul type = "square">
```

```
<li> apple </li>
```

```
<li> banana </li>
```

```
<li> Orange </li>
```

```
</ul>
```

```
<ul type = "none">
```

```
<li> apple </li>
```

```
<li> banana </li>
```

```
<li> Orange </li>
```

```
</ul>
```

11
Lol type = "a">

Lli> apple Llli>

Lli> banana Llli>

Lli> Orange Llli>

Llol>

Lol type = "A">

Lli> apple Llli>

Lli> banana Llli>

Lli> Orange Llli>

Llol>

Lol type = "l">

Lli> apple Llli>

Lli> banana Llli>

Lli> orange Llli>

Llol>

Lol type = "9">

Lli> apple Llli>

Lli> banana Llli>

Lli> orange Llli>

Llol>

Lol type = "I">

Lli> apple Llli>

Lli> banana Llli>

Lli> Orange Llli>

Llol>

12
LP> description tag in HTML </p>

<dl>

<dt> HTML </dt>

<dd> used to create web page </dd>

<dt> CSS </dt>

<dd> used to add color and styles to web pages

</dd>

</dl>

</body>

</html>

Output

Welcome to my webPage:

here are some list:

- apple
- banana
- orange

- apple
- banana
- orange

apple
banana
orange

- a. apple
 - b. banana
 - c. orange
- A. apple
 - B. Banana
 - C. orange

- 1. apple
- 2. banana
- 3. orange

- i. apple
- ii. banana
- iii. orange

- I apple
- II banana
- III Orange

description tag in HTML

HTML

Used to create web page

CSS

Used to add color and style to webpage

Lab Program = 06

⑥ Designing of webpage = working with Table

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title> Table example </title>
```

```
</head>
```

```
<body>
```

```
<table border = "1">
```

```
<tr>
```

```
<th> Month </th>
```

```
<th> Savings </th>
```

```
</tr>
```

```
<tr>
```

```
<td> January </td>
```

```
<td> $100 </td>
```

```
</tr>
```

```
<tr>
```

```
<td> February </td>
```

```
<td> $150 </td>
```

```
</tr>
```

```
</table>
```

```
</body>
```

```
</html>
```

Output

Month	Savings
January	\$100
February	\$200

Lab Program-07

⑦ Practicing hyperlinking of web page.

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title> My web Page </title>
```

```
<body>
```

```
<p> link in another page </p>
```

```
<a href = "https://www.wikipedia.org"
```

```
target = "_blank" > Wikipedia </a>
```

```
<p> link in same page </p>
```

```
<a href = "c:\Users\pc3\Desktop\rose.jpg">
```

```
rose image </a>
```

```
<p> link to file download </p>
```

```
<a href = "https://www.tutorialspoint.com/html
```

```
/html-tutorial.pdf" download >
```

```
download </a>
```

```
</body>
```

```
</html>
```

Output

link in another page

Wikipedia

link in same page

rose image

link to file download

download

Lab Program-08

⑧ Designing of web page working with frames

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title> My web page </title>
```

```
</head>
```

```
<frameset cols = "20%, 40%, 30%">
```

```
<frameset src = "Lab Program 1. html">
```

```
<frame src = "Lab Program 2. html">
```

```
<frame src = "Lab Program 3. html">
```

```
</frameset>
```

```
</html>
```



Output

Hello, world

this is my first
html program
i am learning
about tags
and elements

list

- HTML
- CSS
- Java script

visit my favourite
website:

Google

here is an image:

 sample image

External CSS

paragraph consist of
External CSS.

With the help of
External CSS we can add
style to multiple pages

THIS IS CSS
PROGRAM

this is a program
consist of CSS
property

this is div tag

Output

Hello, world

this is my first
html program
i am learning
about tags
and elements

list

- HTML
- CSS
- Java script

visit my favourite
website:

Google

here is an image:

 sample image

External CSS

paragraph consist of
External CSS.

With the help of
External CSS we can add
style to multiple pages

THIS IS CSS
PROGRAM

this is a program
consist of CSS
property

this is div tag

Lab Program-09

⑨ Designing of webpage working with forms and controls

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>HTML forms </title>
```

```
</head>
```

```
<body>
```

```
<form>
```

```
<p> STUDENT REGISTRATION FORM </p>
```

```
<label for = "s" > Student Name: </label>
```

```
<input type = "text" id = "s" name = "s"
```

```
placeholder = "enter your name" = "s" required>
```

```
<p> Mobile No;
```

```
<input type = "tel" id = "m" name = "m"
```

```
placeholder = "enter your mobile no" = "m" required
```

```
> </p>
```

```
<p> email id: <input type = "email" id = "e"
```

```
name = "e" placeholder = "enter your email" =
```

```
"e" required > </p>
```

```
<p> Father name: <input type = "text" id = "F"
```

```
name = "F" placeholder = "enter your
```

```
Father name" = "F" required </p>
```


<p> Mothername : <input type = "text" id = "mother" name = "mother" place holder = "enter your mothername" = "mother" required > </p>

<p> Select course :

<select>

<option> -- select -- </option>

<option> BCA </option>

<option> Bcom </option>

<option> BA </option>

<option> BBA </option>

</select>

<p> Date of Birth: <input type = "date" </p>

<p> Gender: <input type = "radio" > male

<p> gender: <input type = "radio" name = "gender" > female

<input type = "radio" name = "gender" > female
</p>

<p> Student Photo ~~input~~ <input type = "file" </p>

<p> Select branch: <input type = "checkbox" > CSE

<input type = "checkbox" > ECE

<input type = "checkbox" > Civil

</p>

<p> Addit :

<textarea> </textarea>

</p>

<p> Submit <input type = "submit" value =
"submit" >

</form>

</body>

</html>

Output

STUDENT REGISTRATION FORM

Student Name:

Mobile No:

Email Id:

Father Name:

Mother Name:

Select course:

Date of Birth:

Gender: ☐ Male ☐ female

Student Photo: No file chosen

Select Branch: ☐ CSE ☐ ECE ☐ CIVIL

Address:

Submit:

Lab Program - 10

- ⑩ Acquaintance with creating stylesheet, CSS properties and styling

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title> CSS Property </title>
```

```
<style>
```

```
body {
```

```
background-color: blue;
```

```
}
```

```
h1 {
```

```
color: darkred;
```

```
text-align: center;
```

```
text-decoration: underline;
```

```
}
```

```
p {
```

```
color: darkblue;
```

```
font-size: 18px;
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<h1> This is internal CSS </h1>
```

```
<p> This is paragraph is styled using  
internal CSS </p>
```

25
</body>

</html>

Output

This is Internal CSS

This is a paragraph is styled using internal CSS.

Lab Program - II

⑪ working with background, text and font properties

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<style>
```

```
h1 {
```

```
color: red;
```

```
text-transform: uppercase;
```

```
text-align: center;
```

```
text-decoration: underline;
```

```
text-shadow: 2px 2px 1px grey;
```

```
}
```

```
p {
```

```
font-family: Arial;
```

```
font-style: Normal;
```

```
font-size: 14px;
```

```
font-variant: small-caps;
```

```
font-weight: bold;
```

```
}
```

```
body {
```

```
background-color: lightblue;
```

```
background-size: 40px, 50px;
```

```
background-position: center center;
```

```
background-repeat: no-repeat;
```

```
}
```

```
</style>
```


</body>

<h1> This is program containing background, text and font properties </h1>

<p> This is a 11th program of HTML which consist of properties such as background color, size, position, text-transform, text-align, font-family, font size etc </p>

</body>

</html>

Output

THIS IS PROGRAM CONTAINING BACKGROUND TEXT
AND FONT PROPERTIES

THIS IS A 11TH PROGRAM OF HTML WHICH CONSIST OF
PROPERTIES SUCH AS BACKGROUND COLOR, SIZE, POSITION,
TEXT-TRANSFORM, TEXT-ALIGN, FONT-FAMILY, FONT-SIZE ETC.

Lab Program -12

(12) Working with list property

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<style>
```

```
#a {
```

```
list-style: disc outside none;
```

```
}
```

```
#b {
```

```
list-style: circle outside none;
```

```
}
```

```
#c {
```

```
list-style: square outside none;
```

```
}
```

```
#d {
```

```
list-style: decimal inside none;
```

```
}
```

```
#e {
```

```
list-style: lower-alpha inside none;
```

```
}
```

```
#f {
```

```
list-style: upper-alpha inside none;
```

```
}
```

```
</style>
```

```
</head>
```


<body>

<ul id = "a">

 Apple

 Banana

 Orange

<ul id = "b">

 parrot

 peacock

 Eagle

<ul id = "c">

 Lion

 Monkey

 Tiger

<ol id = "d">

 Apple

 Banana

 Orange

<ol id = "e">

 parrot

 peacock

 Eagle

</body>

</html>

Output

- Apples
- Banana
- Orange

- parrot
- peacock
- Eagle

- Lion
- Monkey
- Tiger

- A.
1. Apples
 2. Banana
 3. Orange

- a. parrot
- b. peacock
- c. Eagle

Lab Program -13

⑬ Working with HTML elements box-properties in CSS

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<style>
```

```
p {
```

```
border: 1px solid red;
```

```
padding: 10px 20px 30px 40px;
```

```
margin: 5px 6px 7px 8px;
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<h1> Box Properties </h1>
```

```
<p> This is a program explaining the  
box properties such as border, padding,  
margin </p>
```

```
</body>
```

```
</html>
```


Output

Box Properties

This is a program explaining the box properties such as border, padding, margin

Lab Program -14

⑭ working with Positioning and Block properties in CSS

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title> CSS Positioning </title>
```

```
<style>
```

```
body {
```

```
background-color: lightblue;
```

```
font-family: Arial;
```

```
}
```

```
h1 {
```

```
position: fixed;
```

```
top: 0px;
```

```
left: 0px;
```

```
width: 100%;
```

```
background-color: black;
```

```
color: white;
```

```
padding: 10px;
```

```
text-align: center;
```

```
}
```

```
p {
```

```
position: relative;
```

```
top: 80px;
```

```
background-color: white;
```

```
padding: 10px;
```

```
border: 1px solid black;
```

```
}
```

35

```
div {
  position: absolute;
  top: 200px;
  left: 20px;
  background-color: yellow;
  padding: 10px;
  border: 1px solid black;
}
```

```
img {
  position: sticky;
  top: 100px;
  margin-top: 350px;
  border: 2px solid red;
}
```

```
</style>
</head>
<body>
```

```
<h1> This is positioning </h1>
```

```
<p> This paragraph uses relative position. </p>
```

```
<div> This is inside a div (absolute position) </div>
```

```
<p> Scroll down to see sticky image </p>
```

```
<img src = "rose.jpg" width = "200" alt = "sample
image" >
```

```
</body>
```

```
</html>
```



Output.

This is Positioning

This paragraph uses relative position

Scroll down to see sticky image

This is inside a div
(absolute position)



Lab Program -15

⑤ Designing with a Cascading Style Sheets (CSS) - Internal Style Sheets

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<style>
```

```
body {
```

```
background-color: blue;
```

```
margin: 10px;
```

```
}
```

```
h1 {
```

```
text-transform: uppercase;
```

```
color: black;
```

```
}
```

```
p {
```

```
font-style: italic;
```

```
font-size: 14px;
```

```
border: 18px dashed red;
```

```
div {
```

```
padding: 50px 20px 30px 40px;
```

```
border: 5px 10px 12px 15px;
```

```
margin: 10px 20px 30px 40px;
```

```
}
```

```
</style>
```

</head>

</body>

<h1> This is a CSS program </h1>

<p> This is a program that consist
of CSS properties </p>

<div> This is a div Tag </div>

</body>

</html>

Output.

THIS IS CSS PROGRAM

this is program that consist of CSS properties

this is div tag

Lob Program - 16

(16) Designing with cascading stylesheet - external CSS

```
<!DOCTYPE html>
<html>
  <head>
    <title> External CSS </title>
    <link rel = "stylesheet" href = "style.css">
  </head>
  <body>
    <h1> This is external CSS </h1>
    <p> This is paragraph </p>
  </body>
</html>
```

CSS file → style.css

```
body {
  background-color : lightblue;
}
```

```
h1 {
  color : purple;
  text-align : center;
}
```

```
p {
  color : red;
  font-size : 18px;
}
```

Output

This is External CSS

This is a paragraph

Run
11/18/25